

A CENSUS OF THE PLANTS

OF

NEW SOUTH WALES,

BY


CHARLES MOORE, F.L.S., &c., &c.

Dup 567.11.

Duplicate app 2

56.


567.11.



A CENSUS OF THE PLANTS

OF

NEW SOUTH WALES



CHARLES MOORE, F.L.S., &c., &c.,
Director of the Botanic Gardens, Sydney.



SYDNEY : THOMAS RICHARDS, GOVERNMENT PRINTER.

1884.

IN compiling this Census principally from the Census of Australian Plants lately published by Baron Von Mueller, K.C.M.G., the object in view has been to provide a ready means of reference to the systematic names and authorities of all plants found hitherto in a natural or naturalized state in this Colony. The nomenclature here adopted is that of the *Flora Australiensis*, which has necessitated a departure in some instances from the names given in the Census of the learned Baron, but where any change of this kind has been made the Baron's designation will be found within brackets.

CENSUS OF THE PLANTS OF NEW SOUTH WALES.

CLASS I—DICOTYLEDONS.

SUB-CLASS I—POLYPETALEÆ.

Series I—Thalamifloræ.

(The plants marked thus * are naturalized.)

RANUNCULACEÆ—

Clematis, Linn.

- *aristata*, R. Br. B. fl., I, 6
- *glycinoides*, DC. B. fl., I, 7
- *microphylla*, DC. B. fl., I, 7
- *Fawcetti*, F. v. M. M. fr., X, 1

Myosurus, Linn.

- *minimus*, L. B. fl., I, 8

Ranunculus, Linn.

- *aquatilis*, L. B. fl., I, 10
- *Millani*, F. v. M. B. fl., I, 10
- *anemoneus*, F. v. M. B. fl., I, 11
- *lappaceus*, Sm. B. fl., I, 12
- *Muelleri*, Benth. B. fl., I, 13
- *rivularis*, Bks. and Sol. B. fl., I, 13
- *plebeius*, R. Br. B. fl., I, 13
- *parviflorus*, L. B. fl., I, 14

DILLENIACEÆ—

Hibbertia, Andr. B. fl., I, 25

- *nitida*, F. v. M. B. fl., I, 25
- *bracteata*, Benth. B. fl., I, 25
- *sericea*, Benth. B. fl., I, 26
- *stricta*, R. Br. B. fl., I, 27
- *Billardieri*, F. v. M. B. fl., I, 28
- *acicularis*, F. v. M. B. fl., I, 29
- *hermannifolia*, DC. B. fl., I, 30
- *vestita*, A. Cunn. B. fl., I, 31
- *serpyllifolia*, R. Br. B. fl., I, 32
- *pedunculata*, R. Br. B. fl., I, 32
- *fasciculata*, R. Br. B. fl., I, 33
- *virgata*, R. Br. B. fl., I, 34
- *linearis*, R. Br. B. fl., I, 36
- *diffusa*, R. Br. B. fl., I, 36
- *saligna*, R. Br. B. fl., I, 37
- *volubilis*, Andr. B. fl., I, 37
- *dentata*, R. Br. B. fl., I, 38

Adrastea, DC. (*Hibbertia*)

- *salicifolia*, F. v. M. B. fl., I, 46

MAGNOLIACEÆ—

- Drimys, Forst.
 —aromatica, F. v. M. B. fl., I, 49
 dipetala, F. v. M. B. fl., I, 49
 Howeana, F. v. M. M. fr., VII, 17

ANONACEÆ—

- Ancana, F. v. M.
 stenopetala, F. v. M. M. fr., V, 27
 Polyalthia, Blume.
 nitidissima, Benth. B. fl., I, 51
 Melodorum, Dun.
 Leichhardtii, Benth. B. fl., I, 52
 Eupomatia, R. Br.
 Bennettii, F. v. M. B. fl., I, 54
 —laurina, R. Br. B. fl., I, 54

MENISPERMACEÆ—

- Fawcettia, F. v. M.
 tinosporoides, F. v. M. M. fr., X, 93
 Pericampylus, Miers.
 incanus, Miers. B. fl., I, 56 (Cocculus Moorei F. v. M.)
 Sarcopetalum, F. v. M.
 Harveyanum, F. v. M. B. fl., I, 57
 Stephania, Lour.
 hernandiæfolia, Walp. B. fl., I, 57
 Carronia, F. v. M.
 multisepeala, F. v. M. M. fr., IX, 84

NYMPHÆACEÆ—

- Brasenia, Schreb.
 —peltata, Pursh. B. fl., I, 60 (Cabomba)
 Nymphæa, Linn.
 gigantea, Hk. B. fl., I, 61

PAPAVERACEÆ—

- Papaver, Linn.
 horridum, DC. B. fl., I, 63
 *Argemone, Linn.
 Mexicana, L.

CRUCIFERÆ—

- Nasturtium, R. Br.
 palustre, DC. B. fl., I, 65 (N. terrestre, R. Br.)
 *officinale, R. B.
 Barbarea, R. Br.
 —vulgaris, R. Br. B. fl., I, 66
 Arabis, Linn.
 glabra, Crantz. B. fl., I, 67
 Cardamine, Linn.
 —stylosa, DC. B. fl., I, 68
 —dictyosperma, Hk. B. fl., I, 68
 —laciniata, F. v. M. B. fl., I, 69
 hirsuta, L. B. fl., I, 70
 tenuifolia, Hk. B. fl., I, 69
 eustylis, F. v. M. B. fl., I, 71

CRUCIFERÆ—*continued.*

- Alyssum, Linn.
 linifolium, Steph. B. fl., I, 71
 Wilkia, Scop.
 Africana, F. v. M. M. fr., VII, 18
 Blennodia, R. Br.
 filifolia, Benth. B. fl., I, 73
 trisecta, Bth. B. fl., I, 74
 nasturtioides, Bth. B. fl., I, 74
 eremigera, Bth. B. fl., I, 74
 Lucæ, F. v. M. M. fr., XI, 59
 cardaminoides, F. v. M. B. fl., I, 75
 curvipes, F. v. M. B. fl., I, 75
 brevipes, F. v. M. B. fl., I, 75
 lasiocarpa, F. v. M. B. fl., I, 76
 Cunninghamii, Bth. B. fl., I, 76
 canescens, R. Br. B. fl., I, 76
 alpestris, F. v. M. B. fl., I, 77
 Stenopetalum, R. Br.
 velutinum, F. v. M. B. fl., I, 78
 —lineare, R. Br. B. fl., I, 78.
 sphærocarpum, F. v. M. B. fl., I, 78
 nutans, F. v. M. B. fl., I, 79
 Geococcus, Drum.
 pusillus, Drum. B. fl., I, 80
 Menkea, Lehm.
 australis, Lehm. B. fl., I, 80
 Capsella, Mœnch.
 procumbens, Fries. B. fl., I, 81 (C. elliptica, C. A. Mey.)
 —pilosula, F. v. M. B. fl., I, 82
 humistrata, F. v. M. M. fr., XI, 25
 *bursa-pastoris, Mœnch.
 Lepidium, Linn.
 leptopetalum, F. v. M. B. fl., I, 84
 phlebopetalum, F. v. M. B. fl., I, 85
 monoplocoides, F. v. M. B. fl., I, 85
 papillosum, F. v. M. B. fl., I, 86
 foliosum, Desv. B. fl., I, 86
 ruderales, L. B. fl., I, 86
 *sativum, L.
 Thlaspi, Linn.
 cochlearinum, F. v. M. B. fl., I, 88 (Capsella cochlearina, F. v. M.)
 Cakile, Tourn.
 —maritima, Scopoli. M. fr., VII, 19
 *Raphanus, Linn.
 sativus, L.
 raphanistrum, L.
 *Sinapis, Linn.
 arvensis, L.
 *Brassica, Linn.
 campestris, L.
 *Sisymbrium, Linn.
 officinale, Scop.

(Sisymbrium)

(Erysimum)

CRUCIFERÆ—*continued.*

- **Senebiera*, Poir.
 didyma, Pers.
- **Camelina*, Crantz.
 dentata, Pers.

*FUMARIACEÆ—

- **Fumaria*, Linn.
 officinalis, L

CAPPARIDÆÆ—

- Polanisia*, Rafin.
 viscosa, DC. B. fl., I, 90 (*Cleome viscosa*, L.)
- Capparis*, Linn.
 lasiantha, R. Br. B. fl., I, 94
- *nobilis*, F. v. M. B. fl., I, 95
- Mitchelli*, Lindl. B. fl., I, 96
- loranthifolia*, Lindl. B. fl., I, 97
- Apophyllum*, F. v. M.
 anomalum, F. v. M. B. fl., I, 97

VIOLARIÆÆ—

- Viola*, Linn.
 — *betonicaefolia*, Sm. B. fl., I, 99
- *hederacea*, Labill. B. fl., I, 99
- Caleyana*, G. Don. B. fl., I, 100
- Ionidium*, Vent. (*Hybanthus*)
 suffruticosum, Ging. B. fl., I, 101 (*H. enneaspermus*, F. v. M.)
- *floribundum*, Walp. B. fl. I, 102
- Vernonii*, F. v. M. B. fl. I, 103
- *filiforme*, F. v. M. B. fl. I, 103
- Hymenanchera*, R. Br.
 — *dentata*, R. Br. B. fl., I, 104 (*H. Banksii*, F. v. M.)

BIXINÆÆ (FLACOURTIÆÆ)—

- Scolopia*, Schreb.
 Brownii, F. v. M. B. fl., I, 107
- Xylosma*, Forst.
 ovata, Benth. B. fl., I, 108
- Streptothamnus*, F. v. M.
 Moorei, F. v. M. B. fl., I, 108
- Beckleri*, F. v. M. B. fl., I, 108

PITTOSPOREÆ—

- Pittosporum*, Banks.
 rhombifolium, A. Cunn. B. fl., I, 110
- *undulatum*, Vent. B. fl., I, 111
- *revolutum*, Ait. B. fl., I, 111
- *phillyræoides*, DC. B. fl., I, 112
- *bicolor*, Hk. B. fl., I, 113
- erioloma*, Ch. Moore and F. v. M. M. fr., VII, 139
- Hymenosporum*, F. v. M.
 flavum, F. v. M. B. fl., I, 114
- Bursaria*, Cav.
 — *spinosa*, Cav. B. fl., I, 115
- Marianthus*, Huég.
 procumbens, Benth. B. fl., I, 117

PITTOPOREÆ—*continued.*

- Citriobatus, A. Cunn.
 — multiflorus, A. Cunn. B. fl., I, 121
 — pauciflorus, A. Cunn. B. fl., I, 122
 Billardiera, Sm.
 — longiflora, Labill. B. fl., I, 123
 — scandens Sm. B. fl., I, 123
 — cymosa, F. v. M. B. fl., I, 124
 Cheiranthra, A. Cunn.
 — linearis, Cunn. B. fl., I, 127

TREMANDREÆ—

- Tetratea, Sm.
 — thymifolia, Sm. B. fl., I, 130
 — ericifolia, Sm. B. fl., I, 131
 — pilosa, Labill. B. fl., I, 131
 — juncea, Sm. B. fl., I, 132
- } (T. ericifolia, Sm.)

POLYGALEÆ—

- Salomonina, Lour.
 — oblongifolia, DC. B. fl., I, 138
 Polygala, Linn.
 — Japonica, Houtt. B. fl., I, 139 (P. Sibirica, L.)
 Comesperma, Labill.
 — sphaerocarpum, Steetz. B. fl., I, 143
 — scoparium, Steetz. B. fl., I, 143
 — volubile, Labill. B. fl., I, 144
 — retusum, Labill. B. fl., I, 145
 — sylvestre, Lindl. B. fl., I, 146
 — ericinum DC. B. fl., I, 146
 — calymega, Labill. B. fl., I, 147
 — defoliatum, F. v. M. B. fl., I, 148

FRANKENIACEÆ—

- Frankenia, Linn.
 — pauciflora, DC. B. fl., I, 151 (Fr. laevis, L.)

CARYOPHYLLEÆ—

- Gypsophila, Linn.
 — tubulosa, Boiss. B. fl., I, 155 (Saponaria tubulosa, F. v. M.)
 *Silene, Linn.
 — gallica, L. B. fl., I, 155
 *Cerastium, Linn.
 — vulgatum, L. B. fl., I, 156
 Stellaria, Linn.
 — pungens, Brong. B. fl., I, 157
 — glauca, With. B. fl., I, 158
 — flaccida, Hk. B. fl., I, 158
 — multiflora, Hk. B. fl., I, 159
 *media, L.
 Sagina, Linn.
 — procumbens, L. B. fl., I, 160
 — apetala, L. B. fl., I, 160
 Colobanthus, Bartle.
 — subulatus, Hk. B. fl., I, 160 (C. Benthamianus, Fenzl.)

CARYOPHYLLEÆ—*continued.*

- Spergularia, Pers.
 — rubra, Cambess. B. fl., I, 161
 Polycarpon, Linn.
 — tetraphyllum, Lœfl. B. fl., I, 163
 Polycarpæa, Lour.
 corymbosa, Lam. B. fl., I, 166 (P. Indica, Lam.)
 *Lychnis, Linn.
 Githago, Lam.
 *Spergula, Linn.
 arvensis, L.
 *Dianthus, Linn.
 prolifer, L.

PORTULACÆÆ—

- Portulaca, Linn.
 — oleracea, L. B. fl., I, 169
 filifolia, F. v. M. B. fl., I, 169
 Calandrinia, H. B. & K. (Claytonia)
 Balonnensis, F. v. M. B. fl., I, 172
 polyandra, Benth. B. fl., I, 172
 Pickeringi, F. v. M. M. fr., X, 69
 pusilla, Lindl. B. fl., I, 174 (C. calyptrata, Hk., var.)
 volubilis, Benth. B. fl., I, 174
 calyptrata, Hk. B. fl., I, 174
 corrigioloides, F. v. M. B. fl., I, 175
 pygmæa, F. v. M. B. fl., I, 176
 Claytonia, Linn.
 — Australasica, Hk. B. fl., I, 177

ELATINÆÆ—

- Elatine, Linn.
 Americana, Arn. B. fl., I, 178
 Bergia, Linn.
 ammannioides, Roth. B. fl., I, 180

HYPERICINÆÆ—

- Hypericum, Linn.
 gramineum, Forst. B. fl., I, 182 (H. Japonicum, Thunb. var.)
 — Japonicum, Thunb. B. fl., I, 182

MALVACEÆÆ—

- Lavatera, Linn.
 — plebeia, Sims. B. fl., I, 185
 Malvastrum, R. Gray.
 spicatum, A. Gray. B. fl., I, 187
 tricuspdatum, A. Gray. B. fl., I, 187
 Plagianthus, Forst.
 — pulchellus, A. Gray. B. fl., I, 189
 spicatus, Benth. B. fl., I, 189
 glomeratus, Benth. B. fl., I, 190
 microphyllus, F. v. M. B. fl., I, 190

MALVACEÆ—*continued.*

Sida, Linn.

- *corrugata*, Lindl. B. fl., I, 192
- intricata*, F. v. M. B. fl., I, 193
- virgata*, Hk. B. fl., I, 194
- petrophila*, F. v. M. B. fl., I, 194
- subspicata*, F. v. M. B. fl., I, 195
- rhombifolia*, L. B. fl., I, 196

Abutilon, Gærtn.

- tubulosum*, Hk. B. fl., I, 200
- leucopetalum*, F. v. M. B. fl., I, 200
- micropetalum*, F. v. M. B. fl., I, 201
- cryptopetalum*, F. v. M. B. fl., I, 201
- octocarpum*, F. v. M. B. fl., I, 202
- Avicennæ*, Gærtn. B. fl., I, 203
- *oxycarpum*, F. v. M. B. fl., I, 204
- halophilum*, F. v. M. B. fl., I, 205
- Fraseri*, Hk. B. fl., I, 205

Pavonia, Pav.

- hastata*, Cav. B. fl., I, 207

Howittia, F. v. M.

- *trilocularis*, F. v. M. B. fl., I, 198

Hibiscus, Linn.

- rhodopetalus*, F. v. M. B. fl., I, 209
- Trionum*, L. B. fl., I, 210
- brachysiphonius*, F. v. M. B. fl., I, 210
- divaricatus*, Grah. B. fl., I, 212
- heterophyllus*, Vent. B. fl., I, 212
- diversifolius*, Jacq. B. fl., I, 213
- splendens*, Fras. B. fl., I, 213
- Kriechauffii*, F. v. M. B. fl., I, 216
- Farragei*, F. v. M. M. fr., IX, 129
- Sturtii*, Hk. B. fl., I, 216
- tiliaceus*, L. B. fl., I, 218

Lagunaria, G. Don.

- *Patersoni*, G. Don. B. fl., I, 218

Gossypium, Linn.

- Sturtii*, F. v. M. B. fl., I, 222

*Malva, Linn.

- rotundifolia*, L.
- parviflora*, L.
- verticillata*, L.
- sylvestris*, L.

*Cristaria, Cav.

- coccinea*, Pursh.

STERCULIACEÆ—

Sterculia, Linn.

- quadrifida*, R. Br. B. fl., I, 227
- discolor*, F. v. M. B. fl., I, 228
- lurida*, F. v. M. B. fl., I, 228
- acerifolia*, A. Cunn. B. fl., I, 229
- *diversifolia*, G. Don. B. fl., I, 229 (B. populneum, R. Br.)

} (Brachychiton)

STERCULIACEÆ—*continued.*

Tarrietia, Blume.

— argyrodendron, Benth. B. fl., I, 230

 Carronii, Moore, ined.

 trifoliolata, F. v. M. M. fr., IX, 43

Ungeria, Schott & Endl.

 floribunda, Schott & Endl. M. fr., IX, 169

Melhanina, Forst.

 incana, Heyn. B. fl., I, 234

Rulingia, R. Br. (Commersonia)

 pannosa, R. Br. B. fl., I, 238 (C. dasyphylla Andr.)

 rugosa, Steetz. B. fl., I, 238

 hermanniaefolia, Steetz. B. fl., I, 240

Commersonia, Forst.

— Fraseri, J. Gay. B. fl., I, 242

 echinata, Forst. B. fl., I, 243

Hannafordia, F. v. M.

 Bissillii, F. v. M. M. fr., XI, 115

Seringia, J. Gay

 platyphylla, J. Gay. B. fl., I, 244

Keraudrenia, J. Gay

 Hillii, F. v. M. B. fl., I, 246 (Seringia Hillii, F. v. M.)

Lasiopetalum, Sm.

 dasyphyllum, Sieb. B. fl., I, 261

— Behrii, F. v. M. B. fl., I, 261

 parviflorum, Rudge. B. fl., I, 262

 macrophyllum, Grah. B. fl., I, 262

— Baueri, Steetz. B. fl., I, 263

 rufum, R. Br. B. fl., I, 263

 ferrugineum, Sm. B. fl., I, 263

TILIACEÆ—

Grewia, Linn.

 latifolia, F. v. M. B. fl., I, 271

Corchorus, Linn.

 Cunninghamii, F. v. M. B. fl., I, 276

Echinocarpus, Blume (Sloanea)

 Australis, Benth. B. fl., I, 279

Sloanea, Linn.

 Woollsii, F. v. M. M. fr., VIII, 2

Aristotelia, L' Hér.

 Australasica, F. v. M. B. fl., I, 280

Elæocarpus, Linn.

 halopetalus, F. v. M. B. fl., I, 281

 longifolius, Moore, ined.

 obovatus, G. Don. B. fl., I, 281

— cyaneus, Ait. B. fl., I, 281

 grandis, F. v. M. B. fl., I, 281

Series II—Discifloræ.

LINEÆ—

Linum, Linn.

— marginale, Cunn. B. fl., I, 283

*Gallicum, L.

CENSUS OF THE PLANTS OF NEW SOUTH WALES.

ZYGOPHYLLE—

- Tribulus, Linn.
 —terrestris, L. B. fl., 288
 —cistoides, L. B. fl., I, 288
 Nitraria, Linn.
 —Schoberi, L. B. fl., I, 291
 Zygophyllum, Linn.
 —apiculatum, F. v. M. B. fl., I, 292
 —glaucescens, F. v. M. B. fl., I, 293
 —iodocarpum, F. v. M. B. fl., I, 293
 —ammophilum, F. v. M. M. fr., XI, 28
 —Billardieri, DC B. fl., I, 293
 —fruticulosum, DC B. fl., I, 294

GERANIACEÆ—

- Geranium, Linn.
 —dissectum, L. B. fl., I, 296 (G. Carolinianum, L.)
 —sessiliflorum, Cav. B. fl., I, 297
 *molle, L.
 Erodium, L' Hér.
 —cynorum, Nees. B. fl., I, 297
 *cicutarium, Willd. B. fl., I, 298
 *moschatum, Willd.

~~RUTACEÆ~~

- Pelargonium, L' Hér.
 —australe, Willd. B. fl., I, 298
 —Rodneyanum, Mitch. B. fl., I, 299
 *graveolens, Ait.
 Oxalis, Linn.
 —corniculata, L. B. fl., I, 301
 *cernua, Thunb.

RUTACEÆ Zieria, Sm.

- lævigata, Sm. B. fl., I, 304
 —pilosa, Rudg. B. fl., I, 305
 —aspalathoides, A. Cunn. B. fl., I, 305
 —obcordata, A. Cunn. B. fl., I, 305
 —cytisoides, Sm. B. fl., I, 306
 —involucrata, R. Br. B. fl., I, 306
 —furfuracea, R. Br. B. fl., I, 306
 —Smithii, Andr. B. fl., I, 306
 —granulata, Ch. Moore. B. fl., I, 307
 Boronia, Sm.
 —algida, F. v. M. B. fl., I, 312
 —ledifolia, J. Gay. B. fl., I, 314
 —Fraseri, Hk. B. fl., I, 315
 —mollis, A. Cunn. B. fl., I, 315
 —microphylla, Sieb. B. fl., I, 318
 —pinnata, Sm. B. fl., I, 318
 —coerulescens, F. v. M. B. fl., I, 320
 —polygalifolia, Sm. B. fl., I, 320
 —anemonifolia, A. Cunn. B. fl., I, 321 (B. polygalifolia, Sm. var.)
 —falcifolia, A. Cunn. B. fl., I, 322
 —serrulata, Sm. B. fl., I, 323
 —parviflora, Sm. B. fl., I, 324

RUTACEÆ—*continued.*

- inornata*, Turcz. B. fl., I, 325 (*B. clavellifolia*, F. v. M.)
Barkeriana, F. v. M. M. fr., XI, 96
- Crowea*, Sm. (*Eriostemon*)
exalata, F. v. M. B. fl., I, 329 (*E. Crowei*, F. v. M. var.)
saligna, Andr. B. fl., I, 329 (*E. Crowei*, F. v. M.)
- Eriostemon*, Sm.
salicifolius, Sm. B. fl., I, 331 (*E. lanceolatus*, Gærtn.)
trachyphyllus, F. v. M. B. fl., I, 332
— *myoporoides*, DC. B. fl., I, 333
hispidulus, Sieb. B. fl., I, 333
buxifolius, Sm. B. fl., I, 333
— *obovalis*, A. Cunn. B. fl., I, 334
scaber, Paxt. B. fl., I, 334
linearis, A. Cunn. B. fl., I, 334
— *difformis*, A. Cunn. B. fl., I, 335
ericifolius, A. Cunn. B. fl., I, 335
ambiens, F. v. M. M. fr., VI, 166
alpinus, F. v. M. M. fr., I, 103
Beckleri, F. v. M. M. fr., IX, 108
- Phebalium*, A. Juss. (*Eriostemon*)
— *pungens*, Benth. B. fl., I, 338
lachnoides, A. Cunn. B. fl., I, 339
dentatum, Sm. B. fl., I, 339 (*E. umbellatus*, Turcz.)
Ralstoni, Benth. B. fl., I, 339
elatus, Benth. B. fl., I, 340
diosmeum, A. Juss. B. fl., I, 341
ozothamnoides, F. v. M. B. fl., I, 342
obeordatum, A. Cunn. B. fl., I, 342 (*E. Mortoni*, F. v. M.)
— *glandulosum*, Hk. B. fl., I, 342 (*E. sediflorus*, F. v. M.)
— *squamulosum*, Vent. B. fl., I, 342 (*E. lepidotus*, Spreng.)
— *Billardieri*, A. Juss. B. fl., I, 344 (*E. squameus*, Labill.)
ovatifolium, F. v. M. B. fl., I, 345
- Philothea*, Rudge
— *australis*, Rudge. B. fl., I, 348
— *Reichenbachiana*, Sieb. B. fl., I, 348 } (*Ph. australis*, Rudge.)
- Asterolasia*, F. v. M. (*Eriostemon*)
— *correifolia*, Benth. B. fl., I, 350
buxifolia, Benth. B. fl., I, 351 (*E. Cunninghamsii*, F. v. M.)
mollis, Benth. B. fl., I, 351
— *trymalioides*, F. v. M. B. fl., I, 351
- Correa*, Sm.
— *alba*, Andr. B. fl., I, 354
— *speciosa*, Andr. B. fl., I, 354
— *Lawrenciana*, Hk. B. fl., I, 355
- Bosistoa*, F. v. M.
sapindiformis, F. v. M. B. fl., I, 359
euodiformis, F. v. M. M. fr., IX, 174
- Melicope*, Forst.
neurococca, Benth. B. fl., I, 360 (*Bouchardatia neurococca*, Baill.)
erythrococca, Benth. B. fl., I, 360 (*Euodia erythrococca*, Benth.)
Australasica, F. v. M. B. fl., I, 360 (*Euodia octandra*, F. v. M.)

RUTACEÆ--*continued.**Evodia*, Forst.

- micrococca*, F. v. M. B. fl., I, 361
pentacocca, F. v. M. M. fr., III, 168
accedens, Blume. M. fr., V, 4, 56
littoralis, Endl. M. fr., IX, 102
polybotrya, Ch. Moore & F. v. M. M. fr., IX, 193
contermina, Ch. Moore & F. v. M. M. fr., VII, 144

Medicosma, Hook. f. (*Euodia*)

- Cunninghamii*, Hk. B. fl., I, 362

Zanthoxylum, Linn.

- brachyacanthum*, F. v. M. B. fl., I, 363
Blackburnia, Benth. B. fl., I, 363

Geijera, Schott

- salicifolia*, Schott. B. fl., I, 364
parviflora, Lindl. B. fl., I, 364

Pleiococca, F. v. M.

- Wilcoxiana*, F. v. M. M. fr., IX, 117

Pentaceras, Hook. f.

- australis*, Hk. B. fl., I, 365

Acronychia, Forst

- Baueri*, Schott. B. fl., I, 366
 — *lævis*, R. & C, Forst. B. fl., I, 366
melicopoides, F. v. M. M. fr., IV, 117
Endlicheri, Schott. M. fr., IX, 103

Halfordia, F. v. M.

- drupifera*, F. v. M. M. fr., V, 5

Atalantia, Corr.

- glauca*, Hk. B. fl., I, 370

Citrus, Linn.

- australis*, Planch. B. fl., I, 371 (*C. Planchonii*, F. v. M.)
 — *Australasica*, F. v. M. B. fl., I, 371

SIMARUBÆ—

Ailanthus, Desf.

- imberbiflora*, F. v. M. B. fl., I, 373

Hyptiandra, Hook. f.

- Bidwilli*, Hk. B. fl., I, 374

Cadellia, F. v. M.

- pentastylis*, F. v. M. B. fl., I, 374
monostylis, Benth. B. fl., I, 375

MELIACEÆ—

Hedraianthera, F. v. M.

- porphyropetala*, F. v. M. M. fr., V, 58

Turraea, Linn.

- pubescens*, Hellen. B. fl., I, 379

Melia, Linn.

- composita*, Willd. B. fl., I, 380 (*M. Azedarach*, L.)

Dysoxylon, Blume

- Fraserianum*, Benth. B. fl., I, 381
Muelleri, Benth. B. fl., I, 381
Becklerianum, DC. M. fr., X, 138
Lessertianum, Benth. B. fl., I, 382
rufum, Benth. B. fl., I, 382

MELIACEÆ—*continued.*

- Amoora, Roxb.
 nitidula, Benth. B. fl., I, 383
 Synoum, A. Juss.
 glandulosum, Juss. B. fl., I, 384
 Owenia, F. v. M.
 acidula, F. v. M. B. fl., I, 385
 cepiodora, F. v. M. M. fr., XI, 82
 Cedrela, Linn.
 Toona, Roxb. B. fl., I, 387 (*C. australis*, F. v. M.)
 Flindersia, R. Br.
 australis, R. Br. B. fl., I, 388
 Schottiana, F. v. M. B. fl., I, 388
 Oxleyana, F. v. M. B. fl., I, 389
 Bennettiana, F. v. M. B. fl., I, 389
 maculosa, F. v. M. B. fl., I, 389 (*Fl. Strzeleckiana*, F. v. M.)

OLACINÆ—

- Olax, Linn.
 retusa, F. v. M. B. fl., I, 392
 stricta, R. Br. B. fl., I, 392
 Pennantia, Forst.
 Cunninghamii, Miers. B. fl., I, 395
 Endlicheri, Reiss. M. fr., IX, 150
 Villaresia, Ruiz y Pav.
 Moorei, F. v. M. B. fl., I, 396

CELASTRINÆ—

- Celastrus, Linn.
 australis, Harv. & F. v. M. B. fl., I, 398
 bilocularis, F. v. M. B. fl., I, 399
 — *Cunninghamii*, F. v. M. B. fl., I, 399
 Denhamia, Meisn.
 pittosporoides, F. v. M. B. fl., I, 402 (*Leucocarpum pittosporoides*,
 F. v. M.)
 Elæodendron, Jacq. f.
 australe, F. v. M. B. fl., I, 402
 Hippocratea, Linn.
 obtusifolia, Roxb. B. fl., I, 404
 Siphonodon, Griff.
 australe, Benth. B. fl., I, 403

STACKHOUSIÆ—

- Stackhousia, Sm.
 — *pulvinaris*, F. v. M. B. fl., I, 405
 — *monogyna* Labill. B. fl., I, 406 (*St. linearifolia*, A. Cunn.)
 muricata Lindl. B. fl., I, 408
 — *viminea*, Sm. B. fl., I, 408
 spathulata, Sieb. B. fl., I, 406

RHAMNÆ—

- Ventilago, Gærtn.
 viminalis, Hk. B. fl., I, 411
 Alphitonia, Reissek.
 excelsa, Reiss. B. fl., I, 414

RHAMNEÆ—*continued.*

Emmenospermum, F. v. M.

aliphitonioides, F. v. M. B. fl., I, 415

Pomaderris, Labill.

—lanigera, Sims. B. fl., I, 416

ferruginea, Sieb. B. fl., I, 417 (P. elliptica, Labill, var.)

elliptica, Labill. B. fl., I, 417

phillyreoides, Sieb. B. fl., I, 418

vacciniifolia, Reiss. B. fl., I, 418

Calvertiana, F. v. M. M. fr., IX, 138

ledifolia, A. Cunn. B. fl., I, 419

—apetala, Labill. B. fl., I, 419

cinerea, Benth. B. fl., I, 420

—prunifolia, A. Cunn. B. fl., I, 420

—ligustrina, Sieb. B. fl., I, 420

betulina, Cunn. B. fl., I, 421

—racemosa, Hk. B. fl., I, 421

Spyridium, Fenzl. (Cryptandra)

—parvifolium, F. v. M. B. fl., I, 428 (Cr. Hookeri, F. v. M.)

—subochreatum, Reiss. B. fl., I, 432

—eriocephalum, Fenzl. B. fl., I, 434. (Cr. vexillifera, Hk.)

Cryptandra, Sm.

ericifolia, Sm. B. fl., I, 438

spinescens, Sieb. B. fl., I, 439

amara, Sm. B. fl., I, 440

lanosiflora, F. v. M. B. fl., I, 440

—tomentosa, Lindl. B. fl., I, 441

propinqua, A. Cunn. B. fl., I, 442

buxifolia, Fenzl. B. fl., I, 442

longistaminea, F. v. M. B. fl., I, 443

Discaria, Hook.

—australis, Hk. B. fl., I, 445 (Colletia pubescens, Brongn.)

AMPELIDEÆ—(Vimiferæ).

Vitis, Linn.

antarctica, Benth. B. fl., I, 447 (V. Baudiniana, F. v. M.)

nitens, F. v. M. B. fl., I, 448

acris, F. v. M. B. fl., I, 449

clematidea, F. v. M. B. fl., I, 449

—hypoglauca, F. v. M. B. fl., I, 450

sterculifolia, F. v. M. B. fl., I, 450

opaca, F. v. M. B. fl., I, 450

SAPINDACEÆ—

Diploglottis, Hook. f.

Cunninghamii, Hk. B. fl., I, 454

Castanospora, F. v. M.

Alphandi, F. v. M. M. fr., IV, 158

Cupania, Linn.

semiglauca, F. v. M. B. fl., I, 457

anacardioides, A. Rich. B. fl., I, 458

serrata, F. v. M. B. fl., I, 458

pseudorrhhus, A. Rich. B. fl., I, 459

xylocarpa, A. Cunn. B. fl., I, 459

nervosa, F. v. M. B. fl., I, 459 (C. xylocarpa, A. Cunn. var.)

SAPINDACEÆ—*continued.*

Ratonia, DC. (Cupania)

- pyriformis, Benth. B. fl., I, 461
- stipitata, Benth. B. fl., I, 461
- tenax, Benth. B. fl., I, 461

Atalaya, Blume

- multiflora, Benth. B. fl., I, 463
- hemiglauca, F. v. M. B. fl., I, 463
- coriacea, Radk. in Sitzungsber. der Akad. zu Münch. 326, 1878

Nephelium, Linn.

- connatum, F. v. M. B. fl., I, 465
- subdentatum, F. v. M. B. fl., I, 465
- tomentosum, F. v. M. B. fl., I, 466
- leiocarpum, F. v. M. B. fl., I, 467
- Beckleri, Benth. B. fl., I, 467

Heterodendron, Desf.

- oleaeifolium, Desf. B. fl., I, 469
- diversifolium, F. v. M. B. fl., I, 469

Harpullia, Roxb.

- alata, F. v. M. B. fl., I, 470
- Hilli, F. v. M. B. fl., I, 470
- pendula Planch. B. fl., I, 471

Akania, Hook. f.

- Hilli, Hk. B. fl., I, 471

Dodonaea, Linn.

- triquetra, Wendl. B. fl., I, 474
- lanceolata, F. v. M. B. fl., I, 475
- petiolaris, F. v. M. B. fl., I, 475
- viscosa, L. B. fl., I, 475
- attenuata, A. Cunn. B. fl., I, 477
- cuneata, Rudg. B. fl., I, 477
- peduncularis, Lindl. B. fl., I, 478
- procumbens, F. v. M. B. fl., I, 478
- lobulata, F. v. M. B. fl., I, 479
- truncatiales, F. v. M. B. fl., I, 479
- triangularis, Lindl. B. fl., I, 481
- bursarifolia, Behr. & F. v. M. B. fl., I, 482
- Baueri, Endl. B. fl., I, 482
- megazyga, F. v. M. B. fl., I, 483
- pinnata, Sm. B. fl., I, 484
- boroniaefolia, G. Don. B. fl., I, 485
- multijuga, G. Don. B. fl., I, 485
- adenophora, Miq. B. fl., I, 486
- stenozyga, F. v. M. B. fl., I, 486

Carrifaldi Maiden & Benth.

ANACARDIACEÆ—

Rhus, Linn.

- rhodanthema, F. v. M. B. fl., I, 489
- Euroschinus, Hook. f.
- falcatus, Hk. B. fl., I, 490

Series III—Calycifloræ.

LEGUMINOSÆ—

Suborder I, Papilionaceæ

Oxylobium, Andr.

- ellipticum, R. Br. B. fl., II, 16
- alpestre, F. v. M. B. fl., II, 17
- cordifolium, Andr. B. fl., II, 19
- Pultenæa, D. C. B. fl., II, 19
- hamulosum, Benth. B. fl., II, 20
- scandens, Benth. B. fl., II, 20
- procumbens, F. v. M. B. fl., II, 20
- trilobatum, F. v. M. B. fl., II, 25
- staurophyllum, Benth. B. fl., II, 26 (O. trilobatum, F. v. M. var.)

Chorizema, Labill.

- parviflorum, Benth. B. fl., II, 30

Isotropis, Benth.

- Wheeleri, F. v. M. B. fl., II, 40

Mirbelia, Sm.

- grandiflora, Ait. B. fl., II, 34
- oxylobioides, F. v. M. B. fl., II, 34
- reticulata, Sm. B. fl., II, 35
- aotoides, F. v. M. B. fl., II, 35
- pungens, A. Cunn. B. fl., II, 35
- speciosa, Sieb. B. fl., II, 36

Gompholobium, Sm.

- latifolium, Sm. B. fl., II, 42
- Huegeli, Benth. B. fl., II, 43
- grandiflorum, Sm. B. fl., II, 44
- virgatum, Sieb. B. fl., II, 45
- minus, Sm. B. fl., II, 45
- uncinatum, A. Cunn. B. fl., II, 46
- glabratum, DC. B. fl., II, 48
- pinnatum, Sm. B. fl., II, 48

Jacksonia, R. Br.

- rhadinoclona, F. v. M. M. fr., X, 37
- scoparia, R. Br. B. fl., II, 59
- Stackhousii, F. v. M. M. fr., XI, 138

Sphærolobium, Sm.

- vimineum, Sm. B. fl., II, 65

Viminaria, Sm.

- denudata, Sm. B. fl., II, 68

Daviesia, Sm.

- concinna, R. Br. B. fl., II, 75
- umbellulata, Sm. B. fl., II, 75
- Wyattii, Bailey. M. fr., X, 138
- latifolia, R. Br. B. fl., II, 76
- buxifolia, Benth. B. fl., II, 75 (D. latifolia, R. Br. var.)
- corymbosa, Sm. B. fl., II, 76
- filipes, Benth. B. fl., II, 80
- squarrosa, Sm. B. fl., II, 80
- ulicina, Sm. B. fl., II, 81
- acicularis, Sm. B. fl., II, 81

LEGUMINOSÆ—*continued.*

- *genistifolia*, A. Cunn. B. fl., II, 82
 - *brevifolia*, Lindl. B. fl., II, 84
 - *pectinata*, Lindl. B. fl., II, 87
 - *alata*, Sm. B. fl., II, 89
 - *arborea*, F. v. M. & Scortech. In *Proced. L.S. of N.S.W.*, VII, 221 (1882.)
- Aotus*, Sm.
- *villosa*, Sm. B. fl., II, 90
 - *mollis*, Benth. B. fl., II, 91
 - *lanigera*, A. Cunn. B. fl., II, 92
- Phyllota*, DC.
- *phylicoides*, Benth. B. fl., II, 95
 - *humifusa*, Benth. B. fl., II, 95
- Pultenæa*, Sm.
- *daphnoides*, Wendl. B. fl., II, 112
 - *stricta*, Sims. B. fl., II, 112
 - *retusa*, Sm. B. fl., II, 113
 - *pycnocephala*, F. v. M. B. fl., II, 114
 - *polifolia*, A. Cunn. B. fl., II, 115
 - *paleacea*, Willd. B. fl., II, 115
 - *Gunnii*, Benth. B. fl., II, 116
 - *scabra*, R. Br. B. fl., II, 116
 - *Hartmanni*, F. v. M. M. fr., VIII, 166
 - *microphylla*, Sieb. B. fl., II, 117
 - *pedunculata*, Hk. B. fl., II, 118
 - *ternata*, F. v. M. B. fl., II, 122
 - *stypelioides*, A. Cunn. B. fl., II, 122
 - *altissima*, F. v. M. B. fl., II, 123
 - *obovata*, Benth. B. fl., II, 123
 - *incurvata*, A. Cunn. B. fl., II, 124
 - *subumbellata*, Hk. B. fl., II, 424
 - *stipularis*, Sm. B. fl., II, 125
 - *glabra*, Benth. B. fl., II, 125
 - *dentata*, Labill. B. fl., II, 125
 - *aristata*, Sieb. B. fl., II, 126
 - *plumosa*, Sieb. B. fl., II, 126
 - *viscosa*, R. Br. B. fl., II, 127
 - *echinula*, Sieb. B. fl., II, 127
 - *hibbertioides*, Hk. B. fl., II, 127
 - *humilis*, Benth. B. fl., II, 131
 - *parviflora*, Sieb. B. fl., II, 132
 - *procumbens*, A. Cunn. B. fl., II, 133
 - *hispidula*, R. Br. B. fl., II, 133
 - *villosa*, Willd. B. fl., II, 134
 - *foliolosa*, A. Cunn. B. fl., II, 135
 - *flexilis*, Sm. B. fl., II, 135
 - *euchila*, DC. B. fl., II, 135
 - *elliptica*, Sm. B. fl., II, 136
 - *subspicata*, Benth. B. fl., II, 137
 - *villifera*, Sieb. B. fl., II, 137
 - *prostata*, Benth. B. fl., II, 138
 - *fasciculata*, Benth. B. fl., II, 139

LEGUMINOSÆ—*continued.*

Eutaxia, R. Br.

- *empetrifolia*, Schl. B. fl., II., 145

Dillwynia, Sm.

- *ericifolia*, Sm. B. fl., II, 147
- *floribunda*, Sm. B. fl., II, 149
- *brunioides*, Meissn. B. fl., II, 150
- *juniperina*, Sieb. B. fl., II, 150
- *cinerascens*, R. Br. B. fl., II, 151
- *patula*, F. v. M. B. fl., II, 151

Platylobium, Sm.

- *formosum*, Sm. B. fl., II, 153

Bossiaea, Vent.

- *lenticularis*, Sieb. B. fl., II, 157
- *Kiamensis*, Benth. B. fl., II, 158
- *foliosa*, A. Cunn. B. fl., II, 160
- *cinerea*, R. Br. B. fl., II, 160
- *prostrata*, R. Br. B. fl., II, 162
- *Neo-Anglica*, F. v. M. M. fr., V, 106
- *buxifolia*, A. Cunn. B. fl., II, 163
- *rhombifolia*, Sieb. B. fl., II, 164
- *microphylla*, Sm. B. fl., II, 164
- *heterophylla*, Vent. B. fl., II, 165
- *riparia*, A. Cunn. B. fl., II, 166
- *ensata*, Sieb. B. fl., II, 167
- *scolopendria*, Sm. B. fl., II, 167
- *Walkeri*, F. v. M. B. fl., II, 167
- *Scortechinii*, F. v. M. (inedit.)

Templetonia, R. Br.

- *Muelleri*, Benth. B. fl., II, 169
- *egena*, Benth. B. fl., II, 170
- *sulcata*, Benth. B. fl., II, 171

Hovea, R. Br.

- *linearis*, R. Br. B. fl., II, 172
- *heterophylla*, A. Cunn. B. fl., II, 172
- *longifolia*, R. Br. B. fl., II, 172
- *acutifolia*, A. Cunn. B. fl., II, 174
- *longipes*, Benth. B. fl., II, 174

Goodia, Salisb.

- *lotifolia*, Salisb. B. fl., II, 177

Crotalaria, Linn.

- *linifolia*, L. B. fl., II, 180
- *retusa*, L. B. fl., II, 181
- *Mitchelli*, Benth. B. fl., II, 181
- *incana*, L. B. fl., II, 183
- *dissitiflora*, Benth. B. fl., II, 184

Trigonella, Linn.

- *suavissima*, Lindl. B. fl., II, 187

Lotus, Linn.

- *corniculatus*, L. B. fl., II, 188
- *australis*, Andr. B. fl., II, 188

LEGUMINOSÆ—*continued.*

Psoralea, Linn.

- eriantha, Benth. B. fl., II, 192
- patens, Lindl. B. fl., II, 192
- cinerea, Lindl. B. fl., II, 192
- parva, F. v. M. B. fl., II, 194
- tenax, Lindl. B. fl., II, 193
- adscendens, F. v. M. B. fl., II, 193

Indigofera, Linn.

- linifolia, Retz. B. fl., II, 195
- enneaphylla, L. B. fl., II, 196
- trita, L. B. fl., II, 197
- hirsuta, L. B. fl., II, 198
- australis, Willd. B. fl., II, 199
- efoliata, F. v. M. in "Australasian Chemist and Druggist,"
November, 1883
- brevidens, Benth. B. fl., II, 200
- coronillifolia, A. Cunn. B. fl., II, 201
- *atropurpurea, Ham.

Tephrosia, Pers.

- purpurea, Pers. B. fl., II, 209
- Bidwilli, Benth. B. fl., II, 210

Millettia, W. & Arn.

- megasperma, F. v. M. B. fl., II, 211 (Wistaria megasperma, F. v. M.)

Sesbania, Pers.

- aculeata, Pers. B. fl., II, 213

Carmichaelia, R. Br.

- exsul, F. v. M. M. fr., VII, 126

Clianthus, Soland.

- Dampieri, Cunn. B. fl., II, 214

Streblorrhiza, Endl.

- speciosa, Endl. M. fr., IX, 169

Swainsona, Salisb.

- Greyana, Lindl. B. fl., II, 216
- galegifolia, R. Br. B. fl., II, 217
- coronillifolia, Salisb. B. fl., II, 217
- brachycarpa, Benth. B. fl., II, 217
- phacoides, Benth. B. fl., II, 217
- Burkittii, F. v. M. B. fl., II, 218
- oligophylla, F. v. M. B. fl., II, 219
- campylantha, F. v. M. B. fl., II, 219
- plagiotropis, F. v. M. M. fr., IX, 143
- procumbens, F. v. M. B. fl., II, 220
- phacifolia, F. v. M. B. fl., II, 221
- oroboides, F. v. M. B. fl., II, 222
- lessertiifolia, DC. B. fl., II, 222
- monticola, A. Cunn. B. fl., II, 223
- microphylla, A. Gréy. B. fl., II, 223
- laxa, R. Br. B. fl., II, 224
- Fraseri, Benth. B. fl., II, 224

Glycyrrhiza, Linn.

- psoraleoides, Benth. B. fl., II, 225

LEGUMINOSÆ—*continued.*

Aeschynomene, Linn.

Indica, L. B. fl., II, 226

Zornia, Gmel.

diphylla, Pers. B. fl., II, 226

Desmodium, Desv.

acanthocladum, F. v. M. B. fl., II, 231

brachypodium, A. Gray. B. fl., II, 232

— varians, Endl. B. fl., II, 232

rhytidophyllum, F. v. M. B. fl., II, 233

nemorosum, F. v. M. B. fl., II, 234

polycarpum, DC. B. fl., II, 235

trichocaulon, DC. B. fl., II, 235

parvifolium, DC. B. fl., II, 235

Uraria, Desv.

picta, Desv. B. fl., II, 237

Lespedeza, Mich.

cuneata, G. Don. B. fl., II, 240

Glycine, Linn.

falcata, Benth. B. fl., II, 243

— clandestina, Wendl. B. fl., II, 243

— tabacina, Benth. B. fl., II, 244

sericea, Benth. B. fl., II, 245

tomentosa, Benth. B. fl., II, 245

Kennedya, Vent.

— rubicunda, Vent. B. fl., II, 249

procurrens, Benth. B. fl., II, 249

— prostrata, R. Br. B. fl., II, 250

Hardenbergia, Benth. (Kennedya)

— monophylla, Benth. B. fl., II, 246

Mucuna, Adans.

gigantea, DC. B. fl., II, 254

Galactia, R. Br.

tenuiflora, Wight & Arn. B. fl., II, 255

Canavalia, DC.

obtusifolia, DC. B. fl., II, 256

Vigna, Savi.

vexillata, Benth. B. fl., II, 258

lutea, A. Gray. B. fl., II, 259

luteola, Benth. B. fl., II, 260

lanceolata, Benth. B. fl., II, 260

Rhynchosia, Lour.

minima, DC. B. fl., II, 267

australis, Benth. B. fl., II, 267 (Rh. minima, D. C. var.)

Lonchocarpus, H. B. & K.

Blackii, Benth. B. fl., II, 271

Derris, Dour.

scandens, Benth. B. fl., II, 272

Sophora, Linn.

tomentosa, L. B. fl., II, 274

Fraseri, Benth. B. fl., II, 274

tetraptera, J. Miller. M. fr., VII, 26

Castanospermum, A. Cunn.

australe, A. Cunn. B. fl., II, 275

LEGUMINOSÆ—*continued.*

- Barklya, F. v. M.
 syringifolia, F. v. M. B. fl., II, 275
- *Ononis, Linn.
 Natrix, L.
- *Medicago, Linn.
 sativa, L.
 denticulata, Willd.
 minima, Willd.
 lupulina, L.
- *Melilotus, Tourn.
 parviflorus, Desf.
- *Trifolium, Linn.
 pratense, L.
 repens, L.
 agrarium, L.
- *Vicia, Linn.
 sativa, L.
 hirsuta, Koch.
- *Ervum, Linn.
 hirsutum, L.
- *Ulex, Linn.
 Europæus, L.

Sub-order II—CÆSALPINIÆÆ.

- Guilandina, Linn.
 Bonducella, L. B. fl., II, 276 (Cæsalpina Bonducella, Flem.)
- Mezoneurum, Desf.
 brachycarpum, Benth. B. fl., II, 278
 Scortechinii, F. v. M., Wing's South Sc. Rec. II, 73 (1882.)
- Cassia, Linn.
 Brewsteri, F. v. M. B. fl., II, 282
 lævigata, Willd. B. fl., II, 282
 Sophera, L. B. fl., II, 283
 pleurocarpa, F. v. M. B. fl., II, 284
 suffruticosa, Koen. B. fl., II, 285 (C. glauca, Lam.)
- australis, Sims. B. fl., II, 285
 pruinosa, F. v. M. B. fl., II, 286
 circinata, Benth. B. fl., II, 286
 phyllodinea, R. Br. B. fl., II, 287
- cremophila, A. Cunn. B. fl., II, 287
 artemisioides, Gaud. B. fl., II, 288
 Sturtii, R. Br. B. fl., II, 288
 desolata, F. v. M. B. fl., II, 289
 concinna, Benth. B. fl., II, 291
 mimosoides, L. B. fl., II, 291
- Petalostyles, R. Br.
 labicheoides, R. Br. B. fl., II, 292
- Bauhinia, Linn.
 Carronii, F. v. M. B. fl., II, 295

Sub-order III—MIMOSÆÆ.

- Neptunia, Lour.
 gracilis, Benth. B. fl., II, 300

LEGUMINOSÆ—*continued.*

Acacia, Willd.

- continua, Benth. B. fl., II, 322
- triptera, Benth. B. fl., II, 323
- spinescens, Benth. B. fl., II, 323
- lanigera, A. Cunn. B. fl., II, 324
- trinervata, Sieb. B. fl., II, 325
- colletioides, A. Cunn. B. fl., II, 325
- siculiformis, A. Cunn. B. fl., II, 329
- tetragonophylla, F. v. M. B. fl., II, 330
- juniperina, Willd. B. fl., II, 331
- asparagoides, A. Cunn. B. fl., II, 332
- diffusa, Edw. B. fl., II, 332
- oxycedrus, Sieb. B. fl., II, 334
- verticillata, Willd. B. fl., II, 334
- rigens, A. Cunn. B. fl., II, 337
- pugioniformis, Wendl. B. fl., II, 338
- juncifolia, Benth. B. fl., II, 339
- calamifolia, Sweet. B. fl., II, 339
- Baueri, Benth. B. fl., II, 342
- conferta, A. Cunn. B. fl., II, 343
- aspera, Lindl. B. fl., II, 347
- armata, R. Br. B. fl., II, 347
- vomeriformis, A. Cunn. B. fl., II, 350
- plagiophylla, F. v. M. In Journ. L. S. III, 131 (1858.)
- acanthoclada, F. v. M. B. fl., II, 352
- obliqua, A. Cunn. B. fl., II, 353
- lineata, A. Cunn. B. fl., II, 353
- acinacea, Lindl. B. fl., II, 353
- hispidula, Willd. B. fl., II, 355
- undulifolia, Fraser. B. fl., II, 355
- flexifolia, A. Cunn. B. fl., II, 356
- microcarpa, F. v. M. B. fl., II, 357
- montana, Benth. B. fl., II, 357
- verniciflua, A. Cunn. B. fl., II, 358
- leprosa, Sieb. B. fl., II, 358
- stricta, Willd. B. fl., II, 358
- Sentis, F. v. M. B. fl., II, 360
- fasciculifera, F. v. M. B. fl., II, 361
- falcata, Willd. B. fl., II, 361
- penninervis, Sieb. B. fl., II, 362
- neriifolia, A. Cunn. B. fl., II, 363
- pycnantha, Benth. B. fl., II, 365
- notabilis, F. v. M. B. fl., II, 365
- gladiiformis, A. Cunn. B. fl., II, 365
- obtusata, Sieb. B. fl., II, 366
- rubida, A. Cunn. B. fl., II, 366
- amoena, Wendl. B. fl., II, 366
- hakeoides, A. Cunn. B. fl., II, 367
- salicina, Lindl. B. fl., II, 367
- suaveolens, Lindl. B. fl., II, 369
- subulata, Bonpl. B. fl., II, 370
- linifolia, Willd. B. fl., II, 371

LEGUMINOSÆ—*continued.*

- *prominens*, A. Cunn. B. fl., II, 371 (A. *linifolia*, Willd., var.)
- *crassiuscula*, Wendl. B. fl., II, 372
- *decora*, Reichl. B. fl., II, 372 (A. *buxifolia*, A. Cunn., var.)
- *buxifolia*, A. Cunn. B. fl., II, 372
- *lunata*, Sieb. B. fl., II, 373
- *brachybotrya*, Benth. B. fl., II, 373
- *podalyriaefolia*, A. Cunn. B. fl., II, 374
- *vestita*, Ker. B. fl., II, 375
- *cultriformis*, A. Cunn. B. fl., II, 375
- *pravissima*, F. v. M. B. fl., II, 375
- *myrtifolia*, Willd. B. fl., II, 376
- *pravifolia*, F. v. M. M. fr., I, 4
- *amblygona*, A. Cunn. B. fl., II, 378
- *elongata*, Sieb. B. fl., II, 381
- *subporosa*, F. v. M. B. fl., II, 382
- *homalophylla*, A. Cunn. B. fl., II, 383
- *pendula*, A. Cunn. B. fl., II, 383
- *Oswaldi*, F. v. M. B. fl., II, 384
- *stenophylla*, A. Cunn. B. fl., II, 385
- *sclerophylla*, A. Cunn. B. fl., II, 386
- *farinosa*, Lindl. B. fl., II, 386
- *viscidula*, A. Cunn. B. fl., II, 387
- *ixiophylla*, Benth. B. fl., II, 387
- *venulosa*, Benth. B. fl., II, 388
- *melanoxyton*, R. Br. B. fl., II, 388
- *implexa*, Benth. B. fl., II, 389
- *complanata*, A. Cunn. B. fl., II, 390
- *binervata*, DC. B. fl., II, 390
- *pycnostachya*, F. v. M. B. fl., II, 396
- *subtilinervis*, F. v. M. B. fl., II, 396
- *longifolia*, Willd. B. fl., II, 397
- *linearis*, Sims. B. fl., II, 399
- *cyperophylla*, F. v. M. B. fl., II, 400
- *aneura*, F. v. M. B. fl., II, 402
- *brachystachya*, Benth. B. fl., II, 403 (A. *aneura*, F. v. M., var.)
- *Kempeana*, F. v. M. In Melb. Chemist, July, 1882.
- *doratoxyton*, A. Cunn. B. fl., II, 403
- *glaucescens*, Willd. B. fl., II, 406
- *Cunninghamii*, Hk. B. fl., II, 407
- *elata*, A. Cunn. B. fl., II, 413
- *pruinosa*, A. Cunn. B. fl., II, 413
- *spectabilis*, A. Cunn. B. fl., II, 413
- *polybotrya*, Benth. B. fl., II, 414
- *discolor*, Wendl. B. fl., II, 414
- *decurrens*, Willd. B. fl., II, 414
- *dealbata*, Link. B. fl., II, 415
- *cardiophylla*, A. Cunn. B. fl., II, 415
- *leptoclada*, A. Cunn. B. fl., II, 416
- *pubescens*, R. Br. B. fl., II, 416
- *Farnesiana*, Willd. B. fl., II, 419

Albizzia, Durazz.

- *amoenissima*, F. v. M. M. fr., IX, 179
- *Hendersoni*, F. v. M. M. fr., X, 178
- *Macleayi* *Macleayi*, R. B. Baker

LEGUMINOSÆ—*continued*,

Pithecolobium, Mart.

pruinosa, Benth. B. fl., II, 423 (*Albizzia pruinosa*, F. v. M.)

grandiflorum, Benth. B. fl., II, 424 (*Albizzia Tozeri*, F. v. M.)

ROSACEÆ—

Geum, Linn.

urbanum, L. B. fl., II, 428

Rubus, Linn.

— parvifolius, L. B. fl., II, 430

rosæfolius, Sm. B. fl., II, 431

Moluccanus, L. B. fl., II, 430

Moorei, F. v. M. B. fl., II, 431

Agrimonia, Tourn.

Eupatoria, L. M. fr., VIII, 34

Alchemilla, Linn.

vulgaris, Bauh. B. fl., II, 432

Acæna, Linn.

— ovina, Cunn. B. fl., II, 433

— sanguisorbæ, Vahl. B. fl., II, 434

*Rosa, Linn.

rubiginosa, L.

*Poterium, Linn.

Sanguisorba, L.

SAXIFRAGÆ—

Argophyllum, Forst.

Lejourdanii, F. v. M. B. fl., II, 437

Abrophyllum, Hook.

ornans, J. Hk. B. fl., II, 437

Cuttsia, F. v. M.

viburnea, F. v. M. M. fr., V, 47

Colmeiroa, F. v. M.

carpodetoides, F. v. M. M. fr., VII, 149

Quintinia, Alph. DC.

Sieberi, DC. B. fl., II, 438

Verdonii, F. v. M. B. fl., II, 438

Polyosma, Blume.

Cunninghamii, J. J. Benn. B. fl., II, 438

Anopterus, Labill.

Macleayanus, F. v. M. B. fl., II, 439

Callicoma, Andr.

— serratifolia, Andr. B. fl., II, 440

Aphanopetalum, Endl.

— resinosa, Endl. B. fl., II, 441

Ceratopetalum, Sm.

gummiferum, Sm. B. fl., II, 442

apetalum, Don. B. fl., II, 442

Schizomeria, D. Don.

ovata, Don. B. fl., II, 443

Acrophyllum, Benth.

venosum, Benth. B. fl., II, 443

Ackama, A. Linn.

Muelleri, Benth. B. fl., II, 444 (*Weinmannia paniculosa*, F. v. M.)

SAXIFRAGEÆ—*continued.*

Weinmannia, Linn.

lachnocarpa, F. v. M. M. fr., VIII, 7

rubifolia, Benth. B. fl., II, 445

Eucryphia, Cav.

—Moorei, F. v. M. B. fl., II, 447

Bauera, Benth.

—rubroides, Andr. B. fl., II, 447

capitata, Ser. B. fl., II, 448

CRASSULACEÆ—

Tillæa, Linn.

—verticillaris, DC. B. fl., II, 451

purpurata, Hk. B. fl., II, 451

—macrantha, Hk. B. fl., II, 452

recurva, Hk. B. fl., II, 452

DROSERACEÆ—

Drosera, Linn.

Indica, L. B. fl., II, 456

Arcturi, Hk. B. fl., II, 456

—glanduligera, Lehm. B. fl., II, 457

pygmaea, DC. B. fl., II, 457

—spathulata, Labill. B. fl., II, 459

—binata, Labill. B. fl., II, 461

—auriculata, Backh. B. fl., II, 465

—peltata, Sm. B. fl., II, 465

—Menziesii, R. Br. B. fl., II, 468

HALORAGACEÆ—

Loudonia, Lindl.

Behrii, Schl. B. fl., II, 472

Haloragis, Forst.

—mucronata, Benth. B. fl., II, 475

elata, Cunn. B. fl., II, 476

ceratophylla, Zahlbr. B. fl., II, 478

odontocarpa, F. v. M. B. fl., II, 479

serra, Brongn. B. fl., II, 479

glauca, Lindl. B. fl., II, 479

alata, Jacq. B. fl., II, 479

—micrantha, R. Br. B. fl., II, 482

heterophylla, Brongn. B. fl., II, 483

pinnatifida, A. Gray. B. fl., II, 483

—tetragyna, R. Br. B. fl., II, 484

—teucrioides, A. Gray. B. fl., II, 484

salsoloides, Benth. B. fl., II, 485

Meioneetes, R. Br.

Brownii, J. Hk. B. fl., II, 486

Myriophyllum, Linn.

—variifolium, Hk. B. fl., II, 487

elatinoides, Gaud. B. fl., II, 487

verrucosum, Lindl. B. fl., II, 488

latifolium, F. v. M. B. fl., II, 488

gracile, Benth. B. fl., II, 489

integrifolium, Hk. B. fl., II, 490

HALORAGACEÆ—*continued.*

- Ceratophyllum, Linn.
 demersum, L. B. fl., II, 491
- Callitriche, Linn.
 verna, L. B. fl., II, 492
 Muelleri, Sond. M. fr., VIII, 163

RHIZOPHOREÆ—

- Rhizophora, Linn.
 mucronata, Lam. B. fl., II, 493

MYRTACEÆ—

- Darwinia, Rudge
 taxifolia, A. Cunn. B. fl., III, 12
 — fascicularis, Rudg. B. fl., III, 13
- Homoranthus, A. Cunn.
 virgatus, A. Cunn. B. fl., III, 16 (Darwinia virgata, A. Cunn.)
- Calythrix, Labill. (Calycothrix)
 — tetragona, Labill. B. fl., III, 50
- Thryptomene, Endl.
 Miqueliana, F. v. M. B. fl., III, 62
- Micromyrtus, Benth.
 — microphylla, Benth. B. fl., III, 65 (Thryptomene ciliata,
 F. v. M.)
 minutiflora, Benth. B. fl., III, 65 (Thryptomene minutiflora,
 F. v. M.)
- Bæckea, Linn.
 — diffusa, Sieb. B. fl., III, 76
 crassifolia, Lindl. B. fl., III, 76
 ericæa, F. v. M. B. fl., III, 77
 crenulata, R. Br. B. fl., III, 78
 brevifolia, DC. B. fl., III, 78
 Gunniana, Schaur. B. fl., III, 78
 diosmifolia, Rudg. B. fl., III, 79
 linifolia, Rudg. B. fl., III, 80
 stenophylla, F. v. M. B. fl., III, 80
 camphorata, R. Br. B. fl., III, 81
 virgata, Andr. B. fl., III, 81
 Cunninghamii, Benth. B. fl., III, 82
 densifolia, Sm. B. fl., III, 82
 — Behrii, F. v. M. B. fl., III, 83
- Leptospermum, Forst.
 — lævigatum, F. v. M. B. fl., III, 103
 — flavescens, Sm. B. fl., III, 104
 — scoparium, Forst. B. fl., III, 105
 arachnoideum, Sm. B. fl., III, 105
 — lanigerum, Sm. B. fl., III, 106
 — parvifolium, Sm. B. fl., III, 107
 stellatum, Cav. B. fl., III, 107
 attenuatum, Sm. B. fl., III, 108
 myrtifolium, Sieb. B. fl., III, 108
 — myrsinoides, Schl. B. fl., III, 109
 abnorme, F. v. M. B. fl., III, 109

MYRTACEÆ—*continued.*

Kunzea, Reichb.

- Muelleri, Benth. B. fl., III, 113
- parvifolia, Schl. B. fl., III, 115
- peduncularis, F. v. M. B. fl., III, 115
- corifolia, Reichb. B. fl., III, 115
- capitata, Reichb. B. fl., III, 116
- opposita, F. v. M. M. fr., VI, 24

Callistemon, R. Br.

- lanceolatus, DC. B. fl., III, 120
- coccineus, F. v. M. B. fl., III, 120
- salignus, DC. B. fl., III, 120
- rigidus, R. Br. B. fl., III, 121
- linearis, DC. B. fl., III, 122
- pinifolius, DC. B. fl., III, 122
- brachyandrus, Lindl. B. fl., III, 122
- pithyoides, Miq. in Nederl. Kruidk. Arch. IV, 142. (1859.)

Melaleuca, Linn.

- hypericifolia, Sm. B. fl., III, 131
- acuminata, F. v. M. B. fl., III, 132
- thymifolia, Sm. B. fl., III, 134
- pauciflora, Turcz. B. fl., III, 139
- squarrosa, Don. B. fl., III, 139
- linariifolia, Sm. B. fl., III, 140
- Leucadendra, L. B. fl., III, 142
- genistifolia, Sm. B. fl., III, 143
- stypelioides, Sm. B. fl., III, 144
- parviflora, Lindl. B. fl., III, 145
- armillaris, Sm. B. fl., III, 146
- uncinata, R. Br. B. fl., III, 150
- hakeoides, F. v. M. B. fl., III, 151
- squamea, Labill. B. fl., III, 155
- nodosa, Sm. B. fl., III, 158
- ericifolia, Sm. B. fl., III, 159
- pustulata, Hk. B. fl., III, 160

Angophora, Cav.

- cordifolia, Cav. B. fl., III, 183
- subvelutina, F. v. M. B. fl., III, 184
- intermedia, DC. B. fl., III, 184
- lanceolata, Cav. B. fl., III, 184

Eucalyptus, L' Hér.

- stellulata, Sieb. B. fl., III, 200
- coriacea, A. Cunn. B. fl., III, 201 (E. pauciflora, Sieb.)
- virgata, Sieb. B. fl., III, 202 (E. Sieberiana, F. v. M.)
- amygdalina, Labill. B. fl., III, 202
- obliqua, L'Her. B. fl., III, 204
- obtusiflora, DC. B. fl., III, 205 (E. obliqua, L'Her., var.)
- capitellata, Sm. B. fl., III, 206
- macrorhyncha, F. v. M. B. fl., III, 207
- piperita, Sm. B. fl., III, 207
- pilularis, Sm. B. fl., III, 208
- Leucoxydon, F. v. M. B. fl., III, 209
- melliodora, A. Cunn. B. fl., III, 210

MYRTACEÆ—*continued.*

- *gracilis*, F. v. M. B. fl., III, 211
 - *paniculata*, Sm. B. fl., III, 211
 - *hæmastoma*, Sm. B. fl., III, 212
 - *microcorys*, F. v. M. B. fl., III, 212
 - *polyanthema*, Schau. B. fl., III, 213
 - *populnea*, F. v. M. B. fl., III, 214
 - *bicolor*, A. Cunn. B. fl., III, 214 (*E. largiflorens*, F. v. M.)
 - *uncinata*, Turcz. B. fl., III, 216
 - *hemiphloia*, F. v. M. B. fl., III, 216
 - *stricta*, Sieb. B. fl., III, 217
 - *albens*, Miq. B. fl., III, 219
 - *siderophloia*, Benth. B. fl., III, 220
 - *melanophloia*, F. v. M. B. fl., III, 220
 - *crebra*, F. v. M. B. fl., III, 221
 - *brachypoda*, Turcz. B. fl., III, 223 (*E. microtheca*, F. v. M.)
 - *pulverulenta*, Sims. B. fl., III, 224
 - *globulus*, Labill. B. fl., III, 225
 - *longifolia*, Link & Otto. B. fl., III, 226
 - *robusta*, Sm. B. fl., III, 228
 - *botryoides*, Sm. B. fl., III, 229
 - *goniocalyx*, F. v. M. B. fl., III, 229
 - *dumosa*, A. Cunn. B. fl., III, 230
 - *incrassata*, Labill. B. fl., III, 231
 - *cinerea*, F. v. M. E. fl., III, 239 (*E. viminalis*, Labill., var.)
 - *dealbata*, F. v. M. B. fl., III, 239 (*E. viminalis*, Labill., var.)
 - *viminalis*, Labill. B. fl., III, 239
 - *rostrata*, Schl. B. fl., III, 240
 - *tereticornis*, Sm. B. fl., III, 241
 - *punctata*, DC. B. fl., III, 242
 - *Stuartiana*, F. v. M. B. fl., III, 243
 - *saligna*, Sm. B. fl., III, 245
 - *resinifera*, Sm. B. fl., III, 245
 - *Gunnii*, Hk. B. fl., III, 246
 - *oleosa*, F. v. M. B. fl., III, 248
 - *corymbosa*, Sm. B. fl., III, 256
 - *maculata*, Hk. B. fl., III, 258
 - *eximia*, Schau. B. fl., III, 258
 - *regnans*, F. v. M. Report Acclim. Soc., Vict., 22 (1870)
 - *eugenioides*, Sieb. in Spreng. cur. poster, 195 (1827)
 - *triantha*, Link, enum. pl. hort. bot. Berol. II, 20 (1822)
 - *ochrophloia*, F. v. M. M. fr., XI, 36
- Tristania*, R. Br.
- *neriifolia*, R. Br. B. fl., III, 262.
 - *suaveolens*, Sm. B. fl., III, 262
 - *conferta*, R. Br. B. fl., III, 263
 - *laurina*, B. Br. B. fl., III, 264
- Syncarpia*, Ten.
- *laurifolia*, Ten. B. fl., III, 265 (*Metrosideros glomulifera*, Sm.)
 - *leptopetala*, F. v. M. B. fl., III, 266 (*Metrosideros leptopetala*, F. v. M.)
- Metrosideros*, Banks
- *polymorpha*, Gaud. M. fr., IX, 14
 - *nervulosa*, Ch. Moore & F. v. M. M. fr., I, 80

MYRTACEÆ—*continued.*

Backhousia, Hook & Harv.

myrtifolia, Hk & Harv. B. fl., III, 269

sciadophora, F. v. M. B. fl., III, 270

Rhodomyrtus, DC.

psidioides, Benth. B. fl., III, 272

Myrtus, Linn.

rhytisperma, F. v. M. B. fl., III, 274

tenuifolia Sm. B. fl., III, 274

Becklerii, F. v. M. B. fl., III, 275

acmenioides, F. v. M. B. fl., III, 276

fragrantissima, F. v. M. B. fl., III, 277

Rhodamnia, Jach.

trinervia, Bl. B. fl., III, 278

argentea, Benth. B. fl., III, 278

Eugenia, Linn.

— Smithii, Poir. B. fl., III, 282

hemilampra, F. v. M. M. fr., IX, 145

Ventenatii, Benth. B. fl., III, 283

Jambolana, Lam. B. fl., III, 283 (E. Moorei, F. v. M.)

corynantha, F. v. M. M. fr., IX, 145

Hodgkinsoniae, F. v. M. M. fr., IX, 145

— myrtifolia, Sims. B. fl., III, 286

parvifolia, Moore, ined.

Acicalyptus, A. Gray

Fullageri, F. v. M. M. fr., VIII, 115

MELASTOMACEÆ—

Melastoma, Linn.

Malabathricum, L. B. fl., III, 292

LYTHRARIÆ (SALICARIÆ)—

Ammannia, Linn.

multiflora, Roxb. B. fl., III, 298

Lythrum, Linn.

— Salicaria, L. B. fl., III, 298

— Hyssopifolia, L. B. fl., III, 299

ONAGRARIÆ—

Epilobium, Linn.

junceum, Forst. B. fl., III, 304

— tetragonum, L. B. fl., III, 305

Billardierianum, Ser. B. fl., III, 305

*roseum, Sm.

} (E. tetragonum, L.)

Jussiaea, Linn.

repens, L. B. fl., III, 306

suffruticosa, L. B. fl., III, 307

*Oenothera, Linn.

biennis, L.

rosea, Willd.

PASSIFLOREÆ—

Passiflora, Linn.

Herbertiana, Lindl. B. fl., III, 311

cinnabarina, Lindl. M. fr., IX, 68

Banksii, Benth. B. fl., III, 312 (P. aurantia, Forst.)

CUCURBITACEÆ—

- Trichosanthes, Linn.
 palmata, Roxb. B. fl., III, 315
- Cucumis, Linn.
 trigonus, Roxb. B. fl., III, 317
 Chate, L., in syst. nat. edit. decim., 5 (1759)
- Momordica, Linn.
 Balsaminea, L. B. fl., III, 318
- Bryonia, Linn.
 laciniosa, L. B. fl., III, 319. (Bryonopsis laciniosa, Naud.)
- Bryonopsis, Arnott.
 Pancheri, Naud, in Annal. des sc. nat. ser. cinq. V. 30 (1869)
- Melothria, Linn.
 Cunninghambii, Benth. B. fl., III, 320
 Baueriana, F. v. M. M. fr., VI, 188
 Muellieri, Benth. B. fl., III, 320
- Mukia, Arn.
 scabrella, Arn. B. fl., III, 321 (Melothria Maderaspatana, Cogn.)
- Sicyos, Linn.
 angulata, L. B. fl., III, 322

FICOIDEÆ—

- Mesembryanthemum, Linn.
 — æquilaterale, Han. B. fl., III, 324
 — australe, Sol. B. fl., III, 324
- Tetragonia, Linn.
 expansa, Murr. B. fl., III, 325
 — implexicoma, J. Hk. B. fl., III, 326
- Aizoon, Linn.
 quadrifidum, F. v. M. B. fl., III, 327
- Sesuvium, Linn.
 portulacastrum, L. B. fl., III, 328
- Trianthema, Linn.
 decandra, L. B. fl., III, 329 (Zaleya decandra, Burm.)
 cypseloides, Benth. B. fl., III, 331
- Pomatotheca, F. v. M.
 humillima, F. v. M. M. fr., X, 72
- Macarthuria, Hueg.
 Neo-Cambrica, F. v. M. B. fl., III, 332
- Mollugo, Linn.
 Glinus, Harv. B. fl., III, 333
 orygioides, F. v. M. B. fl., III, 333
 Spergula, L. B. fl., III, 334
 Cerviana, Ser. B. fl., III, 334

UMBELLIFERÆ—

- Hydrocotyle, Linn.
 vulgaris, L. B. fl., III, 339
 hirta, R. Br. B. fl., III, 339
 — laxiflora, DC. B. fl., III, 340
 rhombifolia, F. v. M. M. fr., VII, 147
 pedicellosa, F. v. M. B. fl., III, 341
 tripartita, R. Br. B. fl., III, 341
 — geraniifolia, F. v. M. B. fl., III, 342
 — callicarpa, Bung. B. fl., III, 343

UMBELLIFERÆ—*continued.*

- trachycarpa*, F. v. M. B. fl., III, 343
capillaris, F. v. M. B. fl., III, 344
Asiatica, L. B. fl., III, 346
Trachymene, Rudge (*Didiscus*).
— *pilosa*, Sm. B. fl., III, 348 (*D. pusillus*, F. v. M.)
— *cyanopetala*, Benth. B. fl., III, 348
— *australis*, Benth. B. fl., III, 349. (*D. pilosus*, Benth.)
— *glaucifolia*, Benth. B. fl., III, 350
— *incisa*, Rüdg. B. fl., III, 350
— *procumbens*, Benth. B. fl., III, 350
— *humilis*, Benth. B. fl., III, 351
Siebera, Reichb. (*Trachymene*)
— *ericoides*, Benth. B. fl., III, 356
— *linearifolia*, Benth. B. fl., III, 356 (*Tr. linearis*, Spreng.)
— *Billardieri*, Benth. B. fl., III, 356
— *Stephensonii*, Benth. B. fl., III, 357
Xanthosia, Rudge.
— *tridentata*, DC. B. fl., III, 360.
— *pilosa*, Rüdg. B. fl., III, 360
— *dissecta*, Hk. B. fl., III, 362.
— *vestita*, Benth. B. fl., III, 363
— *Atkinsoniana*, F. v. M. B. fl., III, 363
Actinotus, Labill.
— *Helianthi*, Labill. B. fl., III, 367
— *minor*, DC. B. fl., III, 368
— *Gibbonsii*, F. v. M. M. fr., VII, 23
Eryngium, Linn.
— *rostratum*, Cav. B. fl., III, 370
— *vesiculosum*, Labill. B. fl., III, 370
— *plantagineum*, F. v. M. B. fl., III, 371
— *expansum*, F. v. M. B. fl., III, 371
Apium, Linn.
— *australe*, Thou. B. fl., III, 372 (*A. prostratum*, Labill.)
— *leptophyllum*, F. v. M. B. fl., III, 372
Crantzia, Nutt.
— *lineata*, Nutt. B. fl., III, 374
Aciphylla, Forst.
— *simplicifolia*, F. v. M. B. fl., III, 375
— *glacialis*, F. v. M. B. fl., III, 375
Daucus, Linn.
— *brachiatus*, Sieb. B. fl., III, 376
Oreomyrrhis, Endl.
— *andicola*, Endl. B. fl., III, 377
— *pulvinifica*, F. v. M. M. fr., VIII, 185
**Ammi*, Linn.
— *majus*, L.
**Sium*, Linn.
— *latifolium*, L.
— *angustifolium*, L.
**Anethum*, Linn.
— *feniculum*, Willd.
**Bupleurum*, Linn.
— *rotundifolium*, Willd.

ARALIACEÆ—

Astrotricha, DC.

floccosa, DC. B. fl., III, 379

longifolia, Benth. B. fl., III, 380

— ledifolia, DC. B. fl., III, 380

Panax, Linn.

Murrayi, F. v. M. B. fl., III, 381

— sambucifolius, Sieb. B. fl., III, 382

cephalobotrys, F. v. M. B. fl., III, 382

elegans, Ch. Moore & F. v. M. B. fl., III, 383

Cissodendron, Ch. Moore & F. v. M. M. fr., IX, 96

Meryta, Forst.

latifolia, Seem. M. fr., IX, 169

angustifolia, Seem. M. fr., IX, 169

CORNACEÆ—

Marlea, Roxb.

Vitiensis, Benth. B. fl., III, 386 (Stylidium Vitiense, F. v. M.)

Sub-class II—MONOPETALÆ.

LORANTHACEÆ—

Atkinsonia, F. v. M.

ligustrina, F. v. M. B. fl., III, 388

Loranthus, Linn.

celestroides, Sieb. B. fl., III, 389

myrtifolius, A. Cunn. B. fl., III, 390

longiflorus, Desr. B. fl., III, 390

dictyophlebus, F. v. M. B. fl., III, 391

— alyxifolius, F. v. M. B. fl., III, 391

— Exocarpi, Behr. B. fl., III, 392

maytenifolius, A. Gray. B. fl., III, 393

— linophyllus, Fenzl. B. fl., III, 393

— pendulus, Sieb. B. fl., III, 394

Quandang, Lindl. B. fl., III, 395

Viscum, Linn.

articulatum, Burm. B. fl., III, 396

Notothixos, Oliv.

incanus, Oliv. B. fl., III, 397

subaureus, Oliv. B. fl., III, 397 } (N. incanus, Oliv.)

cornifolius, Oliv. B. fl., III, 397 }

CAPRIFOLIACEÆ—

Sambucus, Linn.

— xanthocarpa, F. v. M. B. fl., III, 398

— Gaudichaudiana, DC. B. fl., III, 398

RUBIACEÆ—

Hedyotis, Linn.

tillæacea, F. v. M. B. fl., III, 405 (Oldenlandia tillæacea, F. v. M.)

Dentella, Forst.

repens, Forst. B. fl., III, 406

Gardenia, Linn.

chartacea, F. v. M. B. fl., III, 410 (Randia chartacea, F. v. M.)

RUBIACEÆ—*continued.*

- Randia*, Linn.
Benthiana, F. v. M. M. fr., IX, 180
Moorei, F. v. M. B. fl., III, 411
stipularis, F. v. M. M. fr., VII, 47
densiflora, Benth. B. fl., III, 412
- Ixora*, Linn.
Beckleri, Benth. B. fl., III, 415
- Hodgkinsonia*, F. v. M.
ovatiflora, F. v. M. B. fl., III, 420
- Canthium*, Lam.
latifolium, F. v. M. B. fl., III, 421
lucidum, Hk. & Arn. B. fl., III, 421
oleifolium, Hk. B. fl., III, 422
buxifolium, Benth. B. fl., III, 422
vaccinifolium, F. v. M. B. fl., III, 422
coprosmoides, F. v. M. B. fl., III, 422
- Morinda*, Linn.
— *jasminoides*, A. Cunn. B. fl., III, 424
- Coelospermum*, Blume.
paniculatum, F. v. M. B. fl., III, 425
- Psychotria*, Linn.
loniceroides, Sieb. B. fl., III, 427
daphnoides, A. Cunn. B. fl., III, 428
Carronis, Ch. Moore & F. v. M. M. fr., IX, 70
- Coprosma*, Forst.
Nertera, F. v. M. M. fr., IX, 186
— *Billardieri*, J. Hk. B. fl., III, 430
— *hirtella*, Labill. B. fl., III, 429
Baueri, Endl. M. fr., IX, 69
putida, Ch. Moore & F. v. M. M. fr., IX, 69
lanceolaris, F. v. M. M. fr., IX, 70
- Opercularia*, Gærtn.
scabrida, Schlecht. B. fl., III, 433
aspera, Gærtn. B. fl., III, 434
hispida, Spr. B. fl., III, 434
diphylla, Gærtn. B. fl., III, 434
ovata, Hk. B. fl., III, 435
— *varia*, Hk. B. fl., III, 435
- Pomax*, Sol.
umbellata, Sol. B. fl., III, 437
- Spermacece*, Linn.
multicaulis, Benth. B. fl., III, 440
- Asperula*, Linn.
— *geminifolia*, F. v. M. B. fl., III, 443
— *scoparea*, Hk. B. fl., III, 444 }
— *conferta*, Hk. B. fl., III, 444 } — (*A. oligantha*, F. v. M.)
— *Gunnii*, Hk. B. fl., III, 445 }
- Galium*, Linn.
— *geminifolium*, F. v. M. B. fl., III, 445 }
— *Gaudichaudi*, DC. B. fl., III, 446 } (*G. umbrosum*, Sol.)
— *australe*, DC. B. fl., III, 446 }
**aparine*, L.

COMPOSITE—

Saussurea, DC.

carthamoides, Benth. B. fl., III, 456

Leuzea, DC.

australis, Gaud. B. fl., III, 457 (*Centaurea australis*, Benth & Hk.)**Centaurea*, Linn.

melitensis, L. B. fl., III, 458

Vernonia, Schreb.

cinerea, Less. B. fl., III, 459

Centratherum, Cass.

muticum, Less. B. fl., III, 460

**Eupatorium*, Linn.

cannabinum, L. B. fl., III, 462

Adenostemma, Forst.

viscosum, Forst. B. fl., III, 462

Olearia, Moench. (Aster)

megalophylla, F. v. M. B. fl., III, 467

chrysophylla, A. Cunn. B. fl., III, 468

alpicola, F. v. M. B. fl., III, 468

—rosmarinifolia, A. Cunn. B. fl., III, 468

oliganthema, F. v. M. B. fl., III, 469

—argophylla, Labill. B. fl., III, 470

cydoniæfolia, A. Cunn. B. fl., III, 470

—myrsinoides, Labill. B. fl., III, 470

—dentata, Andr. B. fl., III, 472

—stellulata, Labill. B. fl., III, 473

—asterotricha, F. v. M. B. fl., III, 473

gravis, F. v. M. B. fl., III, 474

—Nernstii, F. v. M. B. fl., III, 474

—viscidula, Benth. B. fl., III, 474 (*A. Siemssenii*, F. v. M.)

tubiflora, F. v. M. B. fl., III, 475

axillaris, F. v. M. B. fl., III, 475

—ramulosa, Labill. B. fl., III, 476

floribunda, Benth. B. fl., III, 477 (*A. florulentus*, F. v. M.)—lepidophylla, Benth. B. fl., III, 477 (*A. microphyllus*, Persoon.)subspicata, Benth. B. fl., III, 478 (*A. Mitchelli*, F. v. M.)ramosissima, Benth. B. fl., III, 479 (*A. cyanodiscus*, F. v. M.)

—pimeloides, A. Cunn. B. fl., III, 479

iodochroa, F. v. M. B. fl., III, 479

conocephala, F. v. M. B. fl., III, 480

calcareæ, F. v. M. B. fl., III, 481

magniflora, F. v. M. B. fl., III, 480

Muelleri, Sond. B. fl., III, 481

decurrens, A. Cunn. B. fl., III, 481

glutinosa, Benth. B. fl., III, 482 (*A. glutescens*, F. v. M., and *A.**orarius*, F. v. M.)

teretifolia, F. v. M. B. fl., III, 482

elliptica, A. Cunn. B. fl., III, 483

—glandulosa, Labill. B. fl., III, 483

tenuifolia, Benth. B. fl., III, 486 (*A. Cunninghamsii*, F. v. M.)

adenophora, F. v. M. B. fl., III, 486

rudis, F. v. M. B. fl., III, 487 (*A. exul*, Lindl.)ciliata, F. v. M. B. fl., III, 488 (*A. Huegelii*, F. v. M.)

COMPOSITE—*continued.*

- Balli, F. v. M. M. fr., VIII, 143
 Mooneyi, F. v. M. M. fr., VIII, 144
 Celmisia, Cass
 longifolia, Cass. B. fl., III, 489 (Aster *Celmisia*, F. v. M.)
 Vittadinia, A. Rich
 — *australis*, A. Rich. B. fl., III, 490
 scabra, DC. B. fl., III, 491
 Podocoma, Less.
 cuneifolia, R. Br. B. fl., III, 493
 Erigeron, Linn.
 pappochromus, Labill. B. fl., III, 494
 conyzoides, F. v. M. B. fl., III, 495
 **canadensis*, L. B. fl., III, 495
 **linifolius*, Willd.
 Conyza, Linn.
 viscidula, Wall. B. fl., III, 496
 Minuria, DC.
 — *leptophylla*, DC. B. fl., III, 498
 Cunninghamii, Benth. B. fl., III, 498
 integerrima, Benth. B. fl., III, 499 } (M. Candollei, F. v. M.)
 denticulata, Benth. B. fl., III, 499 }
 suædifolia, F. v. M. B. fl., III, 499
 Calotis, R. Br.
 dentex, R. Br. B. fl., III, 501
 cuneifolia, R. Br. B. fl., III, 501
 glandulosa, F. v. M. B. fl., III, 502
 cymbacantha, F. v. M. B. fl., III, 502
 erinacea, Steetz. B. fl., III, 502
 — *scabiosifolia*, Sond. & F. v. M. B. fl., III, 503
 — *s. apigera*, Hk. B. fl., III, 503
 lappulacea, Benth. B. fl., III, 504
 microcephala, Benth. B. fl., III, 504
 plumulifera, F. v. M. B. fl., III, 505
 porphyroglossa, F. v. M. B. fl., III, 505
 hispidula, F. v. M. B. fl., III, 506
 Lagenophora, Cass.
 — *Billardieri*, Cass. B. fl., III, 507
 Solenogyne, F. v. M. B. fl., III, 508
 Emphysopus, Hk. B. fl., III, 508
 Brachycome, Cass.
 — *diversifolia*, Fisch. & Mey. B. fl., III, 511
 segmentosa, Ch. Moore & F. v. M. M. fr., VIII, 14
 melanocarpa, Sond. & F. v. M. B. fl., III, 511
 radicans, Steetz. B. fl., III, 512
 goniocarpa, Sond. & F. v. M. B. fl., III, 512
 pachyptera, Turcz. B. fl., III, 512
 microcarpa, F. v. M. B. fl., III, 513
 Stuartii, Benth. B. fl., III, 513
 scapigera, DC. B. fl., III, 513
 — *graminea*, F. v. M. B. fl., III, 514
 angustifolia, A. Cunn. B. fl., III, 514

COMPOSITE—*continued.*

- linearifolia*, DC. B. fl. III, 515
heterophylla, Benth. B. fl., III, 515 (Br. *linearifolia*, DC, var.)
basaltica, F. v. M. B. fl., III, 515
trachycarpa, F. v. M. B. fl., III, 515
exilis, Sond. B. fl., III, 516
ptychocarpa, F. v. M. B. fl., III, 516
debilis, Sond. B. fl., III, 516
decipiens, Hk. B. fl., III, 516
cardiocarpa, F. v. M. B. fl., III, 517
nivalis, F. v. M. B. fl., III, 517
scapiformis, DC. B. fl., III, 517
stricta, DC. B. fl., III, 518
heterodonta, DC. B. fl., III, 518
ciliaris, Less. B. fl., III, 518
calocarpa, F. v. M. B. fl., III, 519
marginata, Benth. B. fl., III, 519
chrysoglossa, F. v. M., in *Transact. Phil. Soc., Vict., I, 44 (1854)*
Sieberi, DC. B. fl., III, 520
discolor, C. Stuart. B. fl., III, 520
multifida, DC. B. fl., III, 520
collina, Benth. B. fl., III, 521
- Monenteles*, Labill.
spicatus, Labill. B. fl., III, 523 (*Pterocaulon Billardieri*, F. v. M.)
sphacelatus, Labill. B. fl., III, 523 (*Pterocaulon sphacelatus*,
 Benth. & Hk.)
- Pluchea*, Less.
Eyrea, F. v. M. B. fl., III, 528
- Epaltes*, Less.
Cunninghami, Benth. B. fl., III, 530
australis, Less. B. fl., III, 530
pleiochæta, F. v. M. M. fr., X, 100
- **Xanthium*, Linn.
spinosa, L. B. fl., III, 535
- Siegesbeckia*, Linn.
orientalis, L. B. fl., III, 535
- Eclipta*, Linn.
alba, Hassk. B. fl., III, 536
platyglossa, F. v. M. B. fl., III, 536
- Wedelia*, Jacq.
spilanthoides, F. v. M. B. fl., III, 538
biflora, DC. B. fl., III, 539
- Spilanthes*, Linn.
grandiflora, Turcz. B. fl., III, 541
- **Galinsoga*, Cav.
parviflora, Cav. B. fl., III, 542
- Bidens*, Linn.
tripartita, L. B. fl., III, 543
pilosus, L. B. fl., III, 543
bipinnatus, L. B. fl., III, 543
- Glossogyne*, Cass.
tenuifolia, Cass. B. fl., III, 544

COMPOSITE—*continued.***Tagetes*, Linn.

glandulifera, Schrank. B. fl., III, 545

Enhydra, Lour.

paludosa, DC. B. fl., III, 546

Cotula, Linn.

filifolia, Thunb. B. fl., III, 548

— *coronopifolia*, L. B. fl., III, 549

— *australis*, Hk. B. fl., III, 550

alpina, Hk. B. fl., III, 550

reptans, Benth. B. fl., III, 551

filicula, Hk. B. fl., III, 551

Soliva, Ruiz y Pav.

anthemifolia, R. Br. B. fl., III, 552.

Myriogyne, Less.

— *minuta*, Less. B. fl., III, 553 (*Centipeda orbicularis*, Lour.)

racemosa, Hk. B. fl., III, 553 (*Centipeda racemosa*, F. v. M.)

Centipeda, Lour.

— *Cunninghami*, F. v. M. M. fr., VIII, 143

thespidioides, F. v. M. M. fr., VIII, 143

Elachanthus, F. v. M.

pusillus, F. v. M. B. fl., III, 555

Isoetopsis, Turcz.

graminifolia, Turcz. B. fl., III, 556

Myriocephalus, Benth.

— *rhizocephalus*, Benth. B. fl., III, 557

Stuartii, Benth. B. fl., III, 560

Angianthus, Wendl.

— *tomentosus*, Wendl. B. fl., III, 562

— *brachypappus*, F. v. M. B. fl., III, 563

pusillus, Benth. B. fl., III, 564

Preissianus, Benth. B. fl., III, 566

strictus, Benth. B. fl., III, 568

Gnephosis, Cass.

eriocarpa, Benth. B. fl., III, 570

skirrophora, Benth. B. fl., III, 570

cyathopappa, F. v. M. B. fl., III, 571

Calocephalus, R. Br.

— *Brownii*, F. v. M. B. fl., III, 574

Sonderi, F. v. M. B. fl., III, 575

— *lacteus*, Less. B. fl., III, 575

— *citreus*, Less. B. fl., III, 575

platycephalus, Benth. B. fl., III, 576

Gnaphalodes, A. Gray.

— *uliginosum*, A. Gray. B. fl., III, 578

Craspedia, Forst.

— *Richea*, Cass. B. fl., III, 579

pleicephala, F. v. M. B. fl., III, 580

chrysantha, Benth. B. fl., III, 580

globosa, Benth. B. fl., III, 580

Chthontocephalus, Steetz.

pseudoevax, Steetz. B. fl., III, 582

COMPOSITE—*continued.*

- Ammobium, R. Br.
 alatum, R. Br. B. fl., III, 583
 craspedioides, Benth. B. fl., III, 584
- Cassinia, R. Br.
 leptcephala, F. v. M. B. fl., III, 585
 compacta, F. v. M. B. fl., III, 585
 denticulata, R. Br. B. fl., III, 586
 longifolia, R. Br. B. fl., III, 586
 aurea, R. Br. B. fl., III, 586
 — aculeata, R. Br. B. fl., III, 586
 laevis, R. Br. B. fl., III, 587
 tenuifolia, Benth. B. fl., III, 585
 quinquefaria, R. Br. B. fl., III, 587
 — arcuata, R. Br. B. fl., III, 587
 subtropica, F. v. M. B. fl., III, 588
 — Theodori, F. v. M. B. fl., III, 588
- Humea, Sm.
 elegans, Sm. B. fl., III, 589
 — ozothamnoides, F. v. M. B. fl., III, 590
- Eriochlamys, Sond. & F. v. M.
 Behrii, Sond. & F. v. M. B. fl., III, 591
- Acomis, F. v. M.
 Rutidosis, F. v. M. B. fl., III, 591
- Toxanthus, Turcz.
 — perpusillus, Turcz. B. fl., III, 592
- Rutidosis, DC.
 leptorrhynchoides, F. v. M. B. fl., III, 593
 helichrysoides, DC. B. fl., III, 594
 Pumilo, Benth. B. fl., III, 595
- Millotia, Cass.
 — tenuifolia, Cass. B. fl., III, 596
 Greevesii, F. v. M. B. fl., III, 596
- Ixiolana, Benth.
 brevicompta, F. v. M. B. fl., III, 597
 leptolepis, Benth. B. fl., III, 597
 — tomentosa, Sond. & F. v. M. B. fl., III, 598
- Athrixia, Ker.
 tenella, Benth. B. fl., III, 600
- Podotheca, Cass.
 — angustifolia, Less. B. fl., III, 601
- Podolepis, Labill.
 rhytidochlamys, F. v. M. B. fl., III, 603
 — longipedata, A. Cunn. B. fl., III, 604
 — acuminata, R. Br. B. fl., III, 604
 canescens, A. Cunn. B. fl., III, 605
 Lessoni, Benth. B. fl., III, 606
 Siemssenia, F. v. M. B. fl., III, 607
- Leptorrhynchos, Less.
 — squamatus, Less. B. fl., III, 608
 panætioides, Benth. B. fl., III, 609
 — pulchellus, F. v. M. B. fl., III, 610

COMPOSITE—*continued.*

- elongatus, DC. B. fl., III, 610
- medius, A. Cunn. M. fr., XI, 85
- Waitzia, Sond. B. fl., III, 610
- nitidulus, DC. B. fl., III, 608 (L. linearis, Less.)
- ambiguus, Benth. B. fl., III, 609 (Helichrysum ambiguum, Turcz.)

Helichrysum, Vaill.

- semifertile, F. v. M. B. fl., III, 617
- Baxteri, A. Cunn. B. fl., III, 617
- scorpioides, Labill. B. fl., III, 618
- rutidolepis, DC. B. fl., III, 618
- obtusifolium, Sond. & F. v. M. B. fl., III, 619
- Calvertianum, F. v. M. M. fr., XI, 136
- bracteatum, Willd. B. fl., III, 620 (H. lucidum, Henk.)
- elatum, A. Cunn. B. fl., III, 621
- glutinosum, Hk. B. fl., III, 621 (H. elatum, A. Cunn., var.)
- leucopsidium, DC. B. fl., III, 622
- Blandowskianum, Steetz. B. fl., III, 622
- oxylepis, F. v. M. B. fl., III, 623
- collinum, DC. B. fl., III, 623
- podolepideum, F. v. M. B. fl., III, 624
- apiculatum, DC. B. fl., III, 624
- semipapposum, DC. B. fl., III, 625
- Dockerii, F. v. M. B. fl., III, 626
- obovatum, DC. B. fl., III, 627
- Bidwillii, Benth. B. fl., III, 627
- Becklerii, F. v. M. B. fl., III, 627
- diotophyllum, F. v. M. B. fl., III, 628
- diosmifolium, Don. B. fl., III, 628
- adnatum, Benth. B. fl., III, 628 (H. retusum, F. v. M.)
- decurrens, F. v. M. M. fr., VIII, 46
- Cunninghamii, Benth. B. fl., III, 629
- cinereum, F. v. M. B. fl., III, 629
- rosmarinifolium, Less. B. fl., III, 631
- ferrugineum, Less. B. fl., III, 631
- obcordatum, F. v. M. B. fl., III, 632
- baccharoides, F. v. M. B. fl., III, 633
- pholidotum, F. v. M. B. fl., III, 634

Waitzia, Wendl.

- corymbosa, Wendl. B. fl., III, 635

Helipterum, DC.

- anthemoides, DC. B. fl., III, 641
- polygalifolium, DC. B. fl., III, 641
- floribundum, DC. B. fl., III, 642
- incanum, DC. B. fl., III, 643
- Cotula, DC. B. fl., III, 644
- hyalospermum, F. v. M. B. fl., III, 644
- polyphyllum, F. v. M. B. fl., III, 645
- strictum, Benth. B. fl., III, 646
- corymbiflorum, Schl. B. fl., III, 647
- pygmaeum, Benth. B. fl., III, 647

COMPOSITE—*continued.*

- moschatum, Benth. B. fl., III, 648
- pterochaetum, Benth. B. fl., III, 648
- exiguum, F. v. M. B. fl., III, 649
- Dimorpholepis, Benth. B. fl., III, 650
- Tietkensis, F. v. M. M. fr., VIII, 227

Raoulia, Hook. f.

- Catipes, Hk. B. fl., III, 651 (Leontopodium Catipes, F. v. M.)

Antennaria, Gärtn.

- uniceps, F. v. M. B. fl., III, 652

Gnaphalium, Linn.

- luteo-album L. B. fl., III, 653
- Japonicum, Thunb. B. fl., III, 653
- collinum, Labill. B. fl., III, 654
- purpureum, L. B. fl., III, 655
- indicum, L. B. fl., III, 655
- indutum, Hk. B. fl., III, 655
- Traversii, Hk. B. fl., III, 656
- *purpureum, L.

Stuartina, Sond.

- Muelleri, Sond. B. fl., III, 657

Erechtites, Rafin.

- prenanthoides, DC. B. fl., III, 658
- Atkinsoniae, F. v. M. B. fl., III, 658
- arguta, DC. B. fl., III, 659
- mixta, DC. B. fl., III, 659
- quadridentata, DC. B. fl., III, 660
- hispidula, DC. B. fl., III, 660

Gynura, Cass.

- Pseudo-China, DC. B. fl., III, 661

Senecio, Linn.

- Gregorii, F. v. M. B. fl., III, 663
- platylepis, DC. B. fl., III, 664
- pectinatus, DC. B. fl., III, 664
- spathulatus, A. Rich. B. fl., III, 665
- magnificus, F. v. M. B. fl., III, 665
- insularis, Benth. B. fl., III, 666
- macranthus, A. Rich. B. fl., III, 666
- Daltoni, F. v. M. M. fr., VI, 27
- lautus, Forst. B. fl., III, 667
- vagus, F. v. M. B. fl., III, 667
- amygdalifolius, F. v. M. B. fl., III, 668
- velleioides, A. Cunn. B. fl., III, 668
- australis, A. Rich. B. fl., III, 668
- Behrianus, Sond. & F. v. M. B. fl., III, 669
- brachyglossus, F. v. M. B. fl., III, 669
- Georgianus, DC. B. fl., III, 670
- odoratus, Horn. B. fl., III, 671
- Cunninghamii, DC. B. fl., III, 671
- anethifolius, DC. B. fl., III, 672
- *scandens, DC.
- *vulgaris, L.

COMPOSITE—*continued.*

- Bedfordia, DC.
 — salicina, DC. B. fl., III, 673 (Senecio Bedfordii, F. v. M.)
- Cymbonotus, Cass.
 — Lawsonianus, Gaud. B. fl., III, 674
- Microseris, Don.
 — Forsteri, Hk. B. fl., III, 676
- *Hypochoeris, Linn.
 glabra, L. B. fl., III, 677
 radiata, L.
- *Pieris, Linn.
 hieracioides, L. B. fl., III, 678
- *Crepis, Linn.
 Japonica, Benth. B. fl., III, 679
- *Sonchus, Linn.
 oleraceus, L. B. fl., III, 679
- *Carthamus, Linn.
 tinctorius, L.
- *Carduus, Linn.
 marianus, L.
- *Cirsium, DC.
 arvense, Scop.
- *Anthemis, Linn.
 Cotula, L.
- *Chrysanthemum, Linn.
 segetum, L.
 Parthenium, Pers.
- *Leontodon, Linn.
 hirtus, L.
- *Tragopogon, Linn.
 porrifolius, L.
- *Onopordon, Linn.
 acanthium, L.
- *Cryptostemma, R. Br.
 calendulacea, R. Br.
- *Cichorium, Linn.
 Intybus, L.
- *Taraxacum, Hall.
 dens-leonis, Desf.
- *Tolpis, Adans.
 barbata, Willd.

STYLIDEE (Candolleaceæ.)

- Stylidium, Swartz. (Candollea).
 — graminifolia, Sw. B. fl., IV, 10
 linearis, Sw. B. fl., IV, 11
 debile, F. v. M. B. fl., IV, 15
 — laricifolium, Rich. B. fl., IV, 21
 despectum, R. Br. B. fl., IV, 22
 eglandulosum, F. v. M. B. fl., IV, 31
- Levenhookia, R. Br.
 — dubia, Sond. B. fl., IV, 34

GOODENIACEÆ—

Velleya, Sm.

- connata, F. v. M. B. fl., IV, 46
- perfoliata, R. Br. B. fl., IV, 46
- paradoxo, R. Br. B. fl., IV, 48
- lyrata, R. Br. B. fl., IV, 49
- macrocalyx, De Vr. B. fl., IV, 49
- spathulata, R. Br. B. fl., IV, 50
- montana, Hk. B. fl., IV, 50

Goodenia, Sm.

- decurrens, R. Br. B. fl., IV, 58
- bellidifolia, Sm. B. fl., IV, 58
- stelligera, R. Br. B. fl., IV, 59
- ovata, Sm. B. fl., IV, 59
- varia, R. Br. B. fl., IV, 61
- barbata, R. Br. B. fl., IV, 61
- geniculata, R. Br. B. fl., IV, 62
- lanata, R. Br. B. fl., IV, 63 (G. geniculata, R. Br., var.)
- hederacea, Sm. B. fl., IV, 63
- heterophylla, Sm. B. fl., IV, 64
- glabra, R. Br. B. fl., IV, 64
- rotundifolia, R. Br. B. fl., IV, 65
- calcarata, F. v. M. B. fl., IV, 69
- grandiflora, Sims. B. fl., IV, 69
- cycloptera, R. Br. B. fl., IV, 74
- elongata, Labill. B. fl., IV, 74
- pinnatifida, Schl. B. fl., IV, 75
- heteromera, F. v. M. B. fl., IV, 76
- glauca, F. v. M. B. fl., IV, 76
- paniculata, Sm. B. fl., IV, 78
- humilis, R. Br. B. fl., IV, 79
- gracilis, R. Br. B. fl., IV, 79

Selliera, Cav.

- radicans, Cav. B. fl., IV, 82

Scævola, Linn.

- spinescens, R. Br. B. fl., IV, 87
- hispida, Cav. B. fl., IV, 90
- Hookeri, F. v. M. B. fl., IV, 90
- suaveolens, R. Br. B. fl., IV, 95
- ovalifolia, R. Br. B. fl., IV, 96
- æmula, R. Br. B. fl., IV, 99
- microcarpa, Cav. B. fl., IV, 101

Dampiera, R. Br.

- Brownii, F. v. M. B. fl., IV, 112
- lanceolata, F. v. M. B. fl., IV, 113
- marifolia, Benth. B. fl., IV, 114
- rosmarinifolia, Schl. B. fl., IV, 114
- stricta, R. Br. B. fl., IV, 115
- Scottiana, F. v. M. M. fr., XI, 120
- adpressa, A. Cunn. B. fl., IV, 119

Brunonia, Sm.

- australis, Sm. B. fl., IV, 121

CAMPANULACEÆ—

Lobelia, Linn.

- Browniana. Roem and Schultes syst. veg. V, 71 (1819)
- gibbosa, Labill. B. fl., IV, 124 (L. simplicicaulis, R. Br.)
- microsperma, F. v. M. M. fr., X, 41
- dentata, Cav. B. fl., IV, 125
- gracilis, Andr. B. fl., IV, 125
- trigonocaulis, F. v. M. B. fl., IV, 127
- anceps, Thunb. B. fl., IV, 128
- purpuraseens, R. Br. B. fl., IV, 131
- pratioides, Benth. B. fl., IV, 131
- *erinus, L.

Pratia, Grudich (Lobelia).

- gelida, Benth. B. fl., IV, 132
- erecta, Gaud. B. fl., IV, 133 (L. concolor, R. Br.)
- puberula, Benth. B. fl., VI, 133 (L. Benthami, F. v. M.)
- pedunculata, R. Br. B. fl., IV, 133

Isotoma, Lindl.

- axillaris, Lindl. B. fl., IV, 135
- petraea, F. v. M. B. fl., IV, 135
- fluviatilis, F. v. M. B. fl., IV, 136

Wahlenbergia, Schrad.

- gracilis, DC. B. fl., IV, 137

ERICACEÆ—

Gaultheria, Linn.

- hispida, R. Br. B. fl., IV, 141

EPACRIDÆ—

Styphelia, Sm.

- longifolia, R. Br. B. fl., IV, 147
- lata, R. Br. B. fl., IV, 147
- triflora, Andr. B. fl., IV, 147
- viridis, Andr. B. fl., IV, 148
- tubiflora, Sm. B. fl., IV, 148

Astroloma, R. Br. (Styphelia).

- humifusum, R. Br. B. fl., IV, 156
- conostephioides, F. v. M. B. fl., IV, 158 (St. Sonderi, F. v. M.)
- pinifolium, Benth. B. fl., IV, 159

Melichrus R. Br. (Styphelia)

- urceolatus, R. Br. B. fl., IV, 162
- rotatus, R. Br. B. fl., IV, 162 (St. procumbens, Pers.)

Pentachondra R. Br. (Trochocarpa).

- pumila, R. Br. B. fl., IV, 164

Trochocarpa, R. Br.

- laurina, R. Br. B. fl., IV, 166

Brachyloma, Sond.

- ericoides, Sond. B. fl., IV, 172
- daphnoides, Benth. B. fl., IV, 173

Lissanthe, R. Br. (Styphelia).

- sapida, R. Br. B. fl., IV, 175
- strigosa, R. Br. B. fl., IV, 175

EPACRIDÆ—*continued*.Leucopogon, R. Br. (*Styphelia*)

- *amplexicaulis*, R. Br. B. fl., IV, 184
- *lanceolatus*, R. Br. B. fl., IV, 185
- *Richei*, R. Br. B. fl., IV, 186
- *australis*, R. Br. B. fl., IV, 186
- *collinus*, R. Br. B. fl., IV, 191
- *microphyllus*, R. Br. B. fl., IV, 192
- *virgatus*, R. Br. B. fl., IV, 201
- *Hookeri*, Sond. B. fl., IV, 205 (*St. montana*, F. v. M.)
- *Macraei*, F. v. M. B. fl., IV, 206
- *melaleucoides*, A. Cunn. B. fl., IV, 207 (*St. linifolia*, F. v. M.)
- *pluriloculatus*, F. v. M. B. fl., IV, 207
- *pleiosperinus*, F. v. M. B. fl., IV, 207
- *attenuatus*, A. Cunn. B. fl., IV, 208
- *confertus*, Benth. B. fl., IV, 208
- *muticus*, R. Br. B. fl., IV, 209
- *ericoides*, R. Br. B. fl., IV, 209
- *margarodes*, Spreng. B. fl., IV, 212
- *esquamatus*, R. Br. B. fl., IV, 213
- *cordifolius*, Lindl. B. fl., IV, 214
- *biflorus*, R. Br. B. fl., IV, 217
- *setiger*, R. Br. B. fl., IV, 217
- *exolasius*, F. v. M. B. fl., IV, 217
- *Fraseri*, A. Cunn. B. fl., IV, 218
- *juniperinus*, R. Br. B. fl., IV, 220
- *rufus*, Lindl. B. fl., IV, 220
- *deformis*, R. Br. B. fl., IV, 221
- *appressus*, R. Br. B. fl., IV, 223
- *Neo-Anglicus*, F. v. M. B. fl., IV, 223

Acrotiche, R. Br. (*Styphelia*):

- *divaricata*, R. Br. B. fl., IV, 226
- *aggregata*, R. Br. B. fl., IV, 226
- *serrulata*, R. Br. B. fl., IV, 227

Monotoca, R. Br. (*Styphelia*):

- *elliptica*, R. Br. B. fl., IV, 230
- *scoparia*, R. Br. B. fl., IV, 230
- *ledifolia*, A. Cunn. B. fl., IV, 231

Epacris, Cav:

- *longiflora*, Cav. B. fl., IV, 234
- *reclinata*, A. Cunn. B. fl., IV, 234
- *impressa*, Labill. B. fl., IV, 235
- *sparsa*, R. Br. B. fl., IV, 235
- *petrophila*, Hk. B. fl., IV, 236
- *rigida*, Sieb. B. fl., IV, 236
- *coriacea*, A. Cunn. B. fl., IV, 236
- *crassifolia*, R. Br. B. fl., IV, 237
- *robusta*, Benth. B. fl., IV, 237
- *obtusifolia*, Sm. B. fl., IV, 237
- *paludosa*, R. Br. B. fl., IV, 239
- *Calvertiana*, F. v. M. M. fr., VIII, 53
- *heteronema*, Labill. B. fl., IV, 239
- *serpillifolia*, R. Br. B. fl., IV, 240

EPACRIDEE—*continued.*

- *microphylla*, R. Br. B. fl., IV, 240
- apiculata*, A. Cunn. B. fl., IV, 241
- pulchella*, Cav. B. fl., IV, 241
- purpurascens*, R. Br. B. fl., IV, 241
- Lysinema*, R. Br. (*Woollisia*)
- pungens*, R. Br. B. fl., IV, 243
- Sprengelia*, Sm.
- *incarnata*, Sm. B. fl., IV, 249
- Ponczetia*, F. v. M. B. fl., IV, 248 (*Ponczetia sprengelioides*, R. Br.)
- *Ponczetioides*, Sond. B. fl., IV, 248 (*Ponczetia monticola*, A. Cunn.)
- Dracophyllum*, Labill.
- Fitz-Geraldi*, F. v. M. M. fr., X, 119
- secundum*, R. Br. B. fl., IV, 262

PLUMBAGINEE—

- Plumbago*, Linn.
- Zeylanica*, L. B. fl., IV, 267
- Statice*, Linn.
- australis*, Spreng. B. fl., IV, 267 (*St. Taxanthema*, Roem. & Schult.)

PRIMULACEE—

- Lysimachia*, Linn.
- salicifolia*, F. v. M. B. fl., IV, 269
- Japonica*, Thunb. B. fl., IV, 269
- Samolus*, Linn.
- Valerandi*, L. B. fl., IV, 271
- *repens*, Pers. B. fl., IV, 271
- * *Anagallis*, Linn.
- arvensis*, L. B. fl., IV, 270

MYRSINEE—

- Samara*, Linn.
- Australiana*, F. v. M. B. fl., IV, 274
- Myrsine*, Linn.
- crassifolia*, R. Br. B. fl., IV, 275
- platystigma*, F. v. M. M. fr., VIII, 48
- *variabilis*, R. Br. B. fl., IV, 275
- Ardisia*, Linn.
- Pseudo-Jambosa*, F. v. M. B. fl., IV, 276
- Aegiceras*, Gært. n.
- majus*, Gært. n. B. fl., IV, 277

SAPOTACEE—

- Chrysophyllum*, Linn. (*Niemeyera*)
- pruniferum*, F. v. M. B. fl., IV, 278
- Amorphospermum*, F. v. M.
- antilogum*, F. v. M. M. fr., X, 119
- Achras*, Linn. (*Sideroxylon*)
- laurifolia*, F. v. M. B. fl., IV, 282 (*S. Richardi*, F. v. M.)
- australis*, R. Br. B. fl., IV, 282
- myssinoides*, A. Cunn. B. fl., IV, 283
- Sideroxylon*, Dill.
- Howeanum*, F. v. M. M. fr., IX, 72
- costatum*, Endl. M. fr., IX, 72
- Hormogyne*, A. DC.
- cotinifolia*, DC. B. fl., IV, 284

EBENACEÆ—

Cargillia, R. Br. (Diospyros)

mabacea, F. v. M. B. fl., IV, 287

australis, R. Br. B. fl., IV, 288 (D. Cargillia, F. v. M.)

pentamera, F. v. M. B. fl., IV, 288

Maba, Forst.

fasciculosa, F. v. M. B. fl., IV, 290

STYRACEÆ—

Symplocos, Linn.

spicata, Roxb. B. fl., IV, 292 (S. Stawellii, F. v. M.)

Thwaitesii, F. v. M. B. fl., IV, 293

JASMINEÆ—

Jasminum, Linn.

didynum, Forst. B. fl., IV, 294

lineare, R. Br. B. fl., IV, 295

simplicifolium, Forst. B. fl., IV, 296

suavissimum, Lindl. B. fl., IV, 297

Olea, Linn.

paniculata, R. Br. B. fl., IV, 297

apetala, Vahl. M. fr., VIII, 43

Notelæa, Vent.

ovata, R. Br. B. fl., IV, 299

longifolia, Vent. B. fl., IV, 299

microcarpa, R. Br. B. fl., IV, 300

— ligustrina, Vent. B. fl., IV, 300

linearis, Bent. B. fl., IV, 300

Mayepea, Aublet.

quadristaminea, F. v. M. M. fr., XIII, 41

APOCYNEÆ—

Chilocarpus, Blume

australis, F. v. M. B. fl., IV, 303

Melodinus, Forst.

Baueri, Endl. M. fr., IX, 169

Carissa, Linn.

ovata, R. Br. B. fl., IV, 305 (C. Brownii, F. v. M.)

Alyxia, R. Br.

— buxifolia, R. Br. B. fl., IV, 307

ruscifolia, R. Br. B. fl., IV, 308

squamulosa, Ch. Moore & F. v. M. M. fr., VI, 117

gynopogon, Roem. & Schutt. syst. veg., IV, 440

Lindii, F. v. M. M. fr., VIII, 46

Ochrosia, Juss.

Moorei, F. v. M. B. fl., IV, 310

Tabernaemontana, Linn.

orientalis, R. Br. B. fl., IV, 311

Alstonia, R. Br.

constricta, F. v. M. B. fl., IV, 314

Parsonsia, R. Br.

lanceolata, R. Br. B. fl., IV, 318

velutina, R. Br. B. fl., IV, 318

ventricosa, F. v. M. B. fl., IV, 319

APOCYNÆ—*continued.*

Lyonsia, R. Br.

- lilacina, F. v. M. B. fl., IV, 321
- induplicata, F. v. M. B. fl., IV, 321
- straminea, R. Br. B. fl., IV, 321
- reticulata, F. v. M. B. fl., IV, 321
- largiflorens, F. v. M. B. fl., IV, 322

ASCLEPIADEÆ—

Secamone, R. Br.

- elliptica, R. Br. B. fl., IV, 327

Sarcostemma, R. Br.

- australe, R. Br. B. fl., IV, 328

Pentatropis, R. Br. (Dæmia)

- quinquepartita, Benth. B. fl., IV, 329

Vincetoxicum, Moench.

- elegans, Benth. B. fl., IV, 330
- carnosum, Benth. B. fl., IV, 331

Tylophora, R. Br.

- grandiflora, R. Br. B. fl., IV, 334
- floribunda, Benth. B. fl., IV, 335
- barbata, R. Br. B. fl., IV, 335
- Woollsii, Benth. B. fl., IV, 335
- paniculata, R. Br. B. fl., IV, 336
- enervis, F. v. M. M. fr., IX, 70
- biglandulosa, A. Gray. M. fr., IX, 69

Marsdenia, R. Br.

- flavescens, A. Cunn. B. fl., IV, 337
- tubulosa, F. v. M. M. fr., IX, 71
- rostrata, R. Br. B. fl., IV, 339
- longiloba, Benth. B. fl., IV, 340
- suaveolens, R. Br. B. fl., IV, 340
- Leichhardtiana, F. v. M. B. fl., IV, 341
- viridiflora, R. Br. B. fl., IV, 341

Hoya, R. Br.

- australis, R. Br. B. fl., IV, 346

*Gomphocarpus, R. Br.

- fruticosus, R. Br.

*Asclepias, Linn.

- curassavica, L.

LOGANIACEÆ—

Mitrasacme, Labill.

- serpillifolia, R. Br. B. fl., IV, 352
- paludosa, R. Br. B. fl., IV, 352
- pilosa, Labill. B. fl., IV, 352
- alsinoides, R. Br. B. fl., IV, 353
- polymorpha, R. Br. B. fl., IV, 353
- Indica, Wight. B. fl., IV, 356
- paradoxa, R. Br. B. fl., IV, 359

Geniostoma, Forst.

- petiolosum, Ch. Moore & F. v. M. M. fr., IX, 193

LOGANIACEÆ—*continued.*

Logania, R. Br.

- linifolia, Schl. B. fl., IV, 363
- floribunda, R. Br. B. fl., IV, 364
- nuda, F. v. M. B. fl., IV, 365
- pusilla, R. Br. B. fl., IV, 366

GENTIANEÆ—

Sebæa, R. Br.

- ovata, R. Br. B. fl., IV, 371

Erythræa, Pers.

- australis, R. Br. B. fl., IV, 371

Gentiana, Linn.

- montana, Forst. B. fl., IV, 373 (G. saxosa, F. v. M.)

Villarsia, Vent. (Limnanthemum).

- reniformis, R. Br. B. fl., IV, 376 (L. exaltatum, F. v. M.)

Limnanthemum, Gmel.

- Indicum, Thwait. B. fl., IV, 378
- crenatum, F. v. M. B. fl., IV, 379
- geminatum, Griseb. B. fl., IV, 380

BORAGINEÆ (ASPERIFOLIÆ)—

Ehretia, Linn.

- acuminata, R. Br. B. fl., IV, 387

Heliotropium, Linn.

- curassavicum, L. B. fl., IV, 393
- Europæum, L. B. fl., IV, 394
- asperrimum, R. Br. B. fl., IV, 394
- vestitum, Benth. B. fl., IV, 395

Halganina, Gaudich.

- cyanea, Lindl. M. fr., VI, 115
- Preissiana, Lehm. B. fl., IV, 402
- strigosa, Schl. B. fl., IV, 402
- lavandulacea, Endl. B. fl., IV, 403

Trichodesma, R. Br. (Pollichia)

- Zeylanica, F. v. M. B. fl., IV, 404

Myosotis, Linn.

- australis, R. Br. B. fl., IV, 405
- suaveolens, Poir. B. fl., IV, 406

Eritrichium, Schrad.

- Australasicum, DC. B. fl., IV, 406

Echinosperrmum, Swartz. (Lappula)

- concavum, F. v. M. B. fl., IV, 407

Rochelia, Reichb.

- Maccoya, F. v. M. B. fl., IV, 408

Cynoglossum, Linn.

- latifolium, R. Br. B. fl., IV, 408
- suaveolens, R. Br. B. fl., IV, 409
- australe, R. Br. B. fl., IV, 409

*Echium, Linn.

- violaceum, L.

CONVOLVULACEÆ—

Ipomoea, Linn.

- bona nox, L. M. fr., IX, 74
- palmata, Forsk. B. fl., IV, 415
- *purpurea, Roth. B. fl., IV, 417
- peltata, Chois. B. fl., IV, 418
- Pes-Capræ, Roth. B. fl., IV, 419
- sepiaria, Koen. B. fl., IV, 422

Convolvulus, Linn.

- erubescens, Sims. B. fl., IV, 429
- marginatus, Poir. B. fl., IV, 430
- sepium, L. B. fl., IV, 430
- Soldanella, L. B. fl., IV, 431. (C. sepium, L.)

Polymeria, R. Br.

- longifolia, Lindl. B. fl., IV, 432
- calycina, R. Br. B. fl., IV, 433

Breweria, Linn.

- media, R. Br. B. fl., IV, 436

Evolvulus, Linn.

- alsinoides, L. B. fl., IV, 437 (E. linifolius, L.)

Cressa, Linn.

- Cretica, L. B. fl., IV, 437

Dichondra, Forst.

- repens, Forst. B. fl., IV, 438

Wilsonia, R. Br.

- humilis, R. Br. B. fl., IV, 439
- rotundifolia, Hk. B. fl., IV, 440
- Backhousi, Hk. B. fl., IV, 440

Cuscuta, Linn.

- australis, R. Br. B. fl., IV, 441
- *epithymum, Willd.

SOLANEE—

Solanum, Linn.

- nigrum, L. B. fl., IV, 446
- vescum, F. v. M. in Transact. Vict. Inst. 69 (1855)
- aviculare, Forst. B. fl., IV, 447
- simile, F. v. M. B. fl., IV, 448
- Bauerianum, Endl. M. fr., IX, 74
- *pseudo-capsicum, L. B. fl., IV, 448
- verbascifolium, L. B. fl., IV, 449
- discolor, R. Br. B. fl., IV, 450
- stelligerum, Sm. B. fl., IV, 450
- parvifolium, R. Br. B. fl., IV, 451
- ferocissimum, Lindl. B. fl., IV, 451
- violaceum, R. Br. B. fl., IV, 452
- amblymerum, Dun. B. fl., IV, 452 (S. violaceum, R. Br., var.)
- tetradhecum, F. v. M. B. fl., IV, 453
- oligacanthum, F. v. M. B. fl., IV, 454
- esuriale, Lindl. B. fl., IV, 454
- chenopodium, F. v. M. B. fl., IV, 454
- Sturtianum, F. v. M. B. fl., IV, 454
- densevestitum, F. v. M. B. fl., IV, 456

SOLANÆE—*continued.*

- semiarmatum, F. v. M. B. fl., IV, 457
 *sodomæum, L. B. fl., IV, 458
 — armatum R. Br. B. fl., IV, 458
 pungentium, R. Br. B. fl., IV, 459
 eremophilum, F. v. M. B. fl., IV, 459
 campanulatum, R. Br. B. fl., IV, 460
 cinereum, R. Br. B. fl., IV., 460
 lacunarium, F. v. M. B. fl., IV, 461
 petrophilum, F. v. M. B. fl., IV, 461
 ellipticum, R. Br. B. fl., IV, 464
 *Nicandra, Gært. n.
 physaloides, Gært. n. B. fl., IV, 465
 Physalis, Linn.
 minima, L. B. fl., IV, 466
 *peruviana, L. B. fl., IV, 466
 Lycium, Linn.
 australe, F. v. M. B. fl., IV, 467
 Nicotiana, Linn.
 — suaveolens, Lehm. B. fl., IV, 469
 *Datura, Linn.
 Stramonium, L.
 Tatula, L.

SCROPHULARINÆ (F. v. M. has transferred Duboisia and Anthocercis to SOLANÆE)—

- Duboisia, R. Br.
 — myoporoides, R. Br. B. fl., IV, 474
 — Hopwoodi, F. v. M. B. fl., IV, 480
 Leichhardtii, F. v. M. B. fl., IV, 480
 Anthocercis, Labill.
 myosotideæ, F. v. M. B. fl., IV, 478
 — scabrella, Benth. B. fl., IV, 479
 albicans, A. Cunn. B. fl., IV, 479
 — Eadesii, F. v. M. B. fl., IV, 480
 Mimulus, Linn.
 — gracilis, R. Br. B. fl., IV, 482
 — repens, R. Br. B. fl., IV, 482
 prostratus, Benth. B. fl., IV, 483
 Mazus, Lour.
 — Pumilio, R. Br. B. fl., IV, 484
 Morgania, R. Br. (Stemodia).
 floribunda, Benth. B. fl., IV, 488 } (St. Morgania, F. v. M.)
 glabra, R. Br. B. fl., IV, 488 }
 Herpestis, Gært. n. f. (Bramia).
 Monniceria, H. B. & K. B. fl., IV, 491 (Br. Indica, Lam.)
 Gratiola, Linn.
 pedunculata, R. Br. B. fl., IV, 492
 — Peruviana, L. B. fl., IV, 493
 nana, Benth. B. fl., IV, 493
 Artanema, Don.
 fimbriatum, Don. B. fl., IV, 495

SCROPHULARINEÆ—*continued.*

- Vandellia, Linn. (*Lindernia*).
 crustacea, F. v. M. B. fl., IV, 496
 alsinoides, Benth. B. fl., IV, 497
- Peplidium, Delile.
 humifusum, Delile. B. fl., IV, 500
- Glossostigma, Arn.
 elatinoides, Benth. B. fl., IV, 502
- Limosella, Linn.
 aquatica, L. B. fl., IV, 502
 Curdieana, F. v. M. M. fr., IX, 166
- Veronica, Linn.
 densifolia, F. v. M. B. fl., IV, 505
 — perfoliata, R. Br. B. fl., IV, 507
 — Derwentia, Andr. B. fl., IV, 507
 arenaria, A. Cunn. B. fl., IV, 507
 nivea, Lindl. B. fl., IV, 508
 — gracilis, R. Br. B. fl., IV, 508
 arguta, R. Br. B. fl., IV, 509 (*V. gracilis*, R. Br., var?)
 — calycina, R. Br. B. fl., IV, 509
 plebeia, R. Br. B. fl., IV, 510
 notabilis, F. v. M. B. fl., IV, 511
 serpillifolia, L. B. fl., IV, 511
 peregrina, L. B. fl., IV, 511
- Centranthera, R. Br.
 hispida, R. Br. B. fl., IV, 513
- Buchnera, Linn.
 urticifolia, R. Br. B. fl., IV, 514
 gracilis, R. Br. B. fl., IV, 515
- Euphrasia, Linn.
 speciosa, R. Br. B. fl., IV, 519 }
 — collina, R. Br. B. fl., IV, 520 } (*E. Brownii*, F. v. M.)
 alpina, R. Br. B. fl., IV, 521 }
 scabra, R. Br. B. fl., IV, 521 } (*E. scabra*, R. Br.)
 arguta, R. Br. B. fl., IV, 522 }
 antarctica, Benth. B. fl., IV, 522
- **Celsia*, Linn.
 cretica, L.
- **Verbascum*, Linn.
 blattaria, L.
- **Linaria*, Pers.
 elatine, Mill.

LENTIBULARINEÆ—

- Utricularia, Linn.
 flexuosa, Vahl. B. fl., IV, 525
 exoleta, R. Br. B. fl., IV, 526
 cyanea, R. Br. B. fl., IV, 527
 lateriflora, R. Br. B. fl., IV, 528
 — dichotoma, Labill. B. fl., IV, 529
 biloba, R. Br. B. fl., IV, 531

OROBANCHEÆ—

- Orobanche, Linn.
 cernua, Loefl. B. fl., IV, 533 (*O. Australiana*, F. v. M.)

GESNERIACEÆ—

Fieldia, A. Cunn.

— *australis*, A. Cunn. B. fl., IV, 535

Negria, F. v. M.

rhabdothamnoides, F. v. M. M. fr., VII, 152

BIGNONIACEÆ—

Tecoma, Juss.

— *australis*, R. Br. B. fl., IV, 537

jasminoides, Lindl. B. fl., IV, 537

ACANTHACEÆ—

Ruellia, Linn.

australis, R. Br. B. fl., IV, 547

Justicia, Linn.

procumbens, L. B. fl., IV, 549

Bonneyana, F. v. M. M. fr., X, 73

eranthemoides, F. v. M. B. fl., IV, 551

Hypoestes, R. Br.

floribunda, R. Br. B. fl., IV, 553

Eranthemum, Linn.

variabile, R. Br. B. fl., IV, 555

MYOPORINEÆ—

Myoporum, Banks & Soland.

— *acuminatum*, R. Br. B. fl., V, 3 (*M. tenuifolium*, Forst)

montanum, R. Br. M. fr., VI, 149 (*M. acuminatum*, R. Br., var.)

angustifolium, B. fl., V, 4

— *deserti*, A. Cunn. B. fl., V, 5

serratum, R. Br. B. fl., V, 4 (*M. insulare*, R. Br.)

— *viscosum*, R. Br. M. fr., VII, 109 (*M. serratum*, R. Br., var.)

glandulosum, B. fl., V, 5.

parvifolium, R. Br. B. fl., V, 6 (*M. humile*, R. Br.)

debile, R. Br. B. fl., V, 8

— *platycarpum*, R. Br. B. fl., V, 7

Bateæ, F. v. M. M. fr., XI, 139

— *floribundum*, A. Cunn. B. fl., V, 8

obscurum, Endl. Prodr. fl., Norfolk, 54 (1833)

Pholidia, R. Br. (*Eremophila*).

Dalyana, F. v. M. B. fl., V, 10

scoparia, R. Br. B. fl., V, 10

— *divaricata*, F. v. M. B. fl., V, 14

Eremophila, R. Br.

Bowmani, F. v. M. B. fl., V, 18

oppositifolia, R. Br. B. fl., V, 20

Mitchelli, Benth. B. fl., V, 21

Sturtii, R. Br. B. fl., V, 21

Latrobei, F. v. M. B. fl., V, 22

— *longifolia*, F. v. M. B. fl., V, 23

polyclada, F. v. M. B. fl., V, 24

bignoniiflora, F. v. M. B. fl., V, 25

Freelingii, F. v. M. B. fl., V, 25

Goodwinii, F. v. M. B. fl., V, 25

— *Brownii*, F. v. M. B. fl., V, 27

Duttonii, F. v. M. B. fl., V, 28

MYOPORINEÆ—*continued.*

- *maculata*, F. v. M. B. fl., V, 29
- *latifolia*, F. v. M. B. fl., V, 30
- *alternifolia*, R. Br. B. fl., V, 30

VERBENACEÆ—

- **Lantana*, Linn.
 - Camara*, L. B. fl., V, 34
- Lippia*, Linn.
 - nodiflora*, Rich. B. fl., V, 35
- Verbena*, Linn.
 - officinalis*, L. B. fl., V, 36
 - **Bonariensis*, L. B. fl., V, 36
 - **venosa*, G. & H.
- Chloanthes*, R. Br.
 - glandulosa*, R. Br. B. fl., V, 45 (*Chl. Stoechadis*, R. Br., var.)
 - Stoechadis*, R. Br. B. fl., V, 45
 - parviflora*, Walp. B. fl., V, 46
- Spartothamnus*, A. Cunn.
 - junceus*, A. Cunn. B. fl., V, 55
- Callicarpa*, Linn.
 - pedunculata*, R. Br. B. fl., V, 57
- Clerodendron*, Linn.
 - inerme*, R. Br. B. fl., V, 61
 - tomentosum*, R. Br. B. fl., V, 62
 - floribundum*, R. Br. B. fl., V, 63
- Gmelina*, Linn.
 - Leichhardtii*, F. v. M. B. fl., V, 66
- Vitex*, Linn.
 - trifolia*, L. B. fl., V, 66
 - Lignum vitæ*, A. Cunn. B. fl., V, 67
 - glabrata*, R. Br. B. fl., V, 68
- Avicennia*, Linn.
 - officinalis*, L. B. fl., V, 69

LABIATÆ—

- Moschosma*, Reichb.
 - polystachya*, Benth. B. fl., V, 75
- Plectranthus*, L'Hér.
 - *parviflorus*, Willd. B. fl., V, 78
- Mentha*, Linn.
 - *laxiflora*, Benth. B. fl., V, 82
 - *grandiflora*, Benth. B. fl., V, 82
 - *australis*, R. Br. B. fl., V, 83
 - *gracilis*, R. Br. B. fl., V, 83
 - *saturejoides*, R. Br. B. fl., V, 84
- Lycopus*, Linn.
 - *australis*, R. Br. B. fl., V, 85
- Salvia*, Linn.
 - plebeia*, R. Br. B. fl., V, 85
- Prunella*, Linn. (*Brunella*).
 - *vulgaris*, DC. B. fl., V, 87
- Scutellaria*, Linn.
 - mollis*, R. Br. B. fl., V, 88
 - humilis*, R. Br. B. fl., V, 88

LABIATE—*continued.*

Prostanthera, R. Br.

- lasianthos, Labill. B. fl., V, 93
- prunelloides, R. Br. B. fl., V, 94
- coerulea, R. Br. B. fl., V, 94
- ovalifolia, R. Br. B. fl., V, 95
- incisa, R. Br. B. fl., V, 95
- Sieberi, Benth. B. fl., V, 96 (Pr. incisa, R. Br., var.)
- rotundifolia, R. Br. B. fl., V, 96
- violacea, R. Br. B. fl., V, 96
- incana, A. Cunn. B. fl., V, 97
- hirtula, F. v. M. B. fl., V, 97
- denticulata, R. Br. B. fl., V, 97
- rugosa, A. Cunn. B. fl., V, 98
- marifolia, R. Br. B. fl., V, 98
- rhombea, R. Br. B. fl., V, 99
- spinosa, F. v. M. B. fl., V, 99
- cuneata, Benth. B. fl., V, 99
- linearis, R. Br. B. fl., V, 100
- phyllicifolia, F. v. M. B. fl., V, 100
- empetrifolia, Sieb. B. fl., V, 101
- Behriana, Schl. B. fl., V, 102
- nivea, A. Cunn. B. fl., V, 103
- striatiflora, F. v. M. B. fl., V, 103
- saxicola, R. Br. B. fl., V, 104
- euphrasioides, Benth. B. fl., V, 104
- staurophylla, F. v. M. M. fr., IX, 73
- cryptandroides, A. Cunn. B. fl., V, 105
- ringens, Benth. B. fl., V, 106
- Walteri, F. v. M. M. fr., VII, 108
- microphylla, A. Cunn. B. fl., V, 106 } (Pr. coccinea, F. v. M.)
- aspalathoides, A. Cunn. B. fl., V, 107 }
- chlorantha, F. v. M. B. fl., V, 108.

Hemigenia, R. Br.

- purpurea, R. Br. B. fl., V, 118
- cuneifolia, Benth. B. fl., V, 118

Westringia, Sm.

- rosmariniformis, Sm. B. fl., V, 128
- rigida, R. Br. B. fl., V, 129
- eremicola, A. Cunn. B. fl., V, 130 (W. longifolia, R. Br.)
- longifolia, R. Br. B. fl., V, 131
- glabra, R. Br. B. fl., V, 131

Teucrium, Linn.

- racemosum, R. Br. B. fl., V, 132
- corymbosum, R. Br. B. fl., V, 133
- sessiliflorum, Benth. B. fl., V, 134
- argutum, R. Br. B. fl., V, 135

Ajuga, Linn.

- australis, R. Br. B. fl., V, 136
- sinuata, R. Br. B. fl., V, 137 (A. australis, R. Br.)

Oncinocalyx, F. v. M.

- Betschi, F. v. M. Wing's S. Sc. Record for March (1883).

*Origanum, Linn.

- vulgare, L.

LABIATÆ—*continued.*

- *Melissa, Linn.
 officinalis, L.
- *Marrubium, Linn.
 vulgare, L.
- *Stachys, Linn.
 arvensis, L.
 palustris, L.
- *Molucella, Linn.
 lævis, L.
- *Leonotis, Pers.
 leonurus, R. Br.

PLANTAGINÆ—

- Plantago, Linn.
 debilis, R. Br. B. fl., V, 139 (Pl. varia, R. Br., var.)
- *varia*, R. Br. B. fl., V, 139
- stellaris*, F. v. M. M. fr., VIII, 148
- Gunnii*, Hk. B. fl., V, 142
- **lanceolata*, L. B. fl., V, 138
- **major*, L.

SUB-CLASS III—MONOCHLAMYDÆ.

PHYTOLACCACEÆ—

- Monococcus, F. v. M.
 echinophorus, F. v. M. B. fl., V, 144
- Gyrostemon, Desf.
 — *cyclothea*, Benth. B. fl., V, 146 (*Didymothea pleiococca*, F. v. M.)
- Codonocarpus, A. Cunn.
 — *australis*, A. Cunn. B. fl., V, 148
- cotiniifolius*, F. v. M. B. fl., V, 148
- *Phytolacca, Linn.
 octandra, L.

CHENOPODIACEÆ (SALSOLACEÆ)—

- Rhagodia, R. Br.
 — *Billardieri*, R. Br. B. fl., V, 152
- *parabolica*, R. Br. B. fl., V, 153
- Gaudichaudiana*, Moq. B. fl., V, 154
- crassifolia*, R. Br. B. fl., V, 154
- *spinescens*, R. Br. B. fl., V, 155
- *hastata*, R. Br. B. fl., V, 156
- *nutans*, R. Br. B. fl., V, 156
- linifolia*, R. Br. B. fl., V, 157
- Chenopodium, Linn.
 — *nitriariaceum*, F. v. M. B. fl., V, 158
- auricomum*, Lindl. B. fl., V, 159
- **album*, L. B. fl., V, 159
- triangulare*, R. Br. B. fl., V, 160
- *microphyllum*, F. v. M. B. fl., V, 161
- **glaucum*, L. B. fl., V, 161
- **ambrosioides*, L. B. fl., V, 162

CHENOPODIACEÆ (SALSOLACEÆ)—*continued.*

- *carinatum*, R. Br. B. fl., V, 162
- *cristatum*, F. v. M. B. fl., V, 163
- *atriplicinum*, F. v. M. B. fl., V, 163
- **murale*, L.

Dysphania, R. Br.

- *myriocephala*, Benth. B. fl., V, 165

Atriplex, Linn.

- *stipitata*, Benth. B. fl., V, 168
- *nummularia*, L. B. fl., V, 170
- *cinerea*, Poir. B. fl., V, 171
- *rhagodioides*, F. v. M. B. fl., V, 172
- *vesicaria*, Hen. B. fl., V, 172
- **patula*, L. B. fl., V, 173
- *velutinella*, F. v. M. B. fl., V, 174
- *angulata*, Benth. B. fl., V, 174
- *semibaccata*, R. Br. B. fl., V, 175
- *Muelleri*, Benth. B. fl., V, 175
- *microcarpa*, Benth. B. fl., V, 176
- *campanulata*, Benth. B. fl., V, 177
- *leptocarpa*, F. v. M. B. fl., V, 178
- *limbata*, Benth. B. fl., V, 178
- *halimoides*, Lindl. B. fl., V, 178
- *holocarpa*, F. v. M. B. fl., V, 179
- *spongiosa*, F. v. M. B. fl., V, 179
- *Billardieri*, Hk. B. fl., V, 180
- **hortensis*, L. (*A. crystallina*, Hk.)

Enchylæna, R. Br.

- *tomentosa*, R. Br. B. fl., V, 181
- *villosa*, F. v. M. B. fl., V, 182
- *microphylla*, F. v. M. B. fl., V, 181 (*Kochia microphylla*, Moq.)

Kochia, Schrad.

- *lobiflora*, F. v. M. B. fl., V, 184
- *lanosa*, Lindl. B. fl., V, 184
- *triptera*, Benth. B. fl., V, 185
- *oppositifolia*, Benth. B. fl., V, 185
- *brevifolia*, R. Br. B. fl., V, 185
- *pyramidata*, Benth. B. fl., V, 186
- *eriantha*, F. v. M. B. fl., V, 186
- *villosa*, Lindl. B. fl., V, 186
- *sedifolia*, F. v. M. B. fl., V, 187
- *humillima*, F. v. M. M. fr., IX, 168
- *aphylla*, R. Br. B. fl., V, 188 (*K. villosa*, Lindl., var.)
- *ciliata*, F. v. M. B. fl., V, 188
- *brachyptera*, F. v. M. B. fl., V, 189
- *stelligera*, F. v. M. B. fl., V, 189

Chenolea, Thunb. (*Bassia*)

- *Dallachyana*, Benth. B. fl., V, 191
- *tricornis*, Benth. B. fl., V, 191
- *scleronæoides*, F. v. M. B. fl., V, 192

Babbagia, F. v. M.

- *dipteroearpa*, F. v. M. B. fl., V, 192

CHENOPODIACEÆ (SALSOLACEÆ)—*continued.**Sclerolæna*, R. Br. (*Bassia*)

- *diacantha*, Benth. B. fl., V, 194
- *lanicuspis*, F. v. M. B. fl., V, 195
- *bicornis*, Lindl. B. fl., V, 195
- *biflora*, R. Br. B. fl., V, 196
- *paradoxa*, R. Br. B. fl., V, 196

Threlkeldia, R. Br.

- *diffusa*, R. Br. B. fl., V, 197
- *proceriflora*, F. v. M. M. fr., VIII, 38
- *salsuginosa*, F. v. M. B. fl., V, 197
- *brevicuspis*, F. v. M. B. fl., V, 198 } (*Bassia*)

Anisacantha, R. Br. (*Bassia*)

- *muricata*, Moq. B. fl., V, 199 (*B. quinquecuspis*, F. v. M.)
- *divaricata*, R. Br. B. fl., V, 200
- *bicuspis*, F. v. M. B. fl., V, 200
- *echinopsila*, F. v. M. B. fl., V, 201

Salicornia, Linn.

- *robusta*, F. v. M. B. fl., V, 202
- *arbuscula*, R. Br. B. fl., V, 203
- *leiostachya*, Benth. B. fl., V, 203
- *tenuis*, Benth. B. fl., V, 204
- *australis*, Sol. B. fl., V, 205

Suaeda, Forsk.

- *maritima*, Dum. B. fl., V, 206

Salsola, Linn.

- *Kali*, L. B. fl., V, 207

AMARANTACEÆ—

Deeringia, R. Br.

- *celosioides*, R. Br. B. fl., V, 209
- *altissima*, F. v. M. B. fl., V, 210

Hemichroa, R. Br. (*Polycnemum*).

- *pentandra*, R. Br. B. fl., V, 211
- *diandra*, R. Br. B. fl., V, 211

Amarantus, Linn. (*Euxolus*).

- *Mitchellii*, Benth. B. fl., V, 214
- *viridis*, L. B. fl., V, 215
- *macrocarpus*, Benth. B. fl., V, 216
- *enervis*, F. v. M. B. fl., V, 216
- *tenuis*, Benth. B. fl., V, 216
- **paniculatus*, L. B. fl., V, 213
- **Blitum*, L. B. fl., V, 213

Trichinium R. Br. (*Ptilotus*).

- *obovatum*, Gaud. B. fl., V, 220
- *parviflorum*, Lindl. B. fl., V, 222
- *alopeuroideum*, Lindl. B. fl., V, 224
- *nobile*, Lindl. B. fl., V, 224
- *macrocephalum*, R. Br. B. fl., V, 225
- *parvifolium*, F. v. M. B. fl., V, 241
- *exaltatum*, Benth. B. fl., V, 227
- *semilanatum*, Lindl. B. fl., V, 227 } (*Pt. exaltatum*, Nees)
- *erubescens*, Moq. B. fl., V, 230
- *spathulatum*, R. Br. B. fl., V, 236
- *Fraseri*, A. Cunn. B. fl., V, 236

AMARANTACEÆ—*continued.*

Achyranthes, Linn.

- aspera, L. B. fl., V, 246
- arborescens, R. Br. M. fr., IX, 169

Nyssanthes, R. Br.

- erecta, R. Br. B. fl., V, 247
- diffusa, R. Br. B. fl., V, 247

Alternanthera, R. Br.

- nodiflora, R. Br. B. fl., V, 249
- denticulata, R. Br. B. fl., V, 249
- nana, R. Br. B. fl., V, 250

} (*A. triandra*, Lam.)

PARONYCHIACEÆ (transferred by F. v. M. to CARYOPHYLLEÆ)—

Scleranthus, Linn.

- biflorus, Hk. B. fl., V, 259
- mniaroides, F. v. M. B. fl., V, 259
- diander, R. Br. B. fl., V, 260
- pungens, R. Br. B. fl., V, 260

POLYGONACEÆ—

Rumex, Linn.

- Brownii, Campd. B. fl., V, 263
- dumosus, A. Cunn. B. fl., V, 264 (*R. flexuosus*, Sol.)
- halophilus, F. v. M. B. fl., V, 265 (**R. maritimus*, L.)
- bidens, R. Br. B. fl., V, 265
- crystallinus, Lang. M. fr., IV, 148
- *crispus, L. B. fl., V, 263
- *conglomeratus, Murr. B. fl., V, 263
- *acetosella, L. B. fl., V, 265

Polygonum, Linn.

- plebeium, R. Br. B. fl., V, 267
- strigosum, R. Br. B. fl., V, 268
- prostratum, R. Br. B. fl., V, 268
- hydropiper, L. B. fl., V, 269
- minus, Huds. B. fl., V, 269
- subsessile, R. Br. B. fl., V, 269
- barbatum, L. B. fl., V, 270
- lapathifolium, L. B. fl., V, 270
- lanigerum, R. Br. B. fl., V, 271 (*P. lapathifolium*, L. var.)
- orientale, L. B. fl., V, 271
- attenuatum, R. Br. B. fl., V, 272
- *aviculare, L. B. fl., V, 267

Muhlenbeckia, Meissn.

- adpressa, Meissn. B. fl., V, 273
- australis, Meissn. M. fr., IX, 169
- gracillima, Meissn. B. fl., V, 274
- rhyticarya, F. v. M. B. fl., V, 274
- axillaris, Hk. B. fl., V, 275
- polygonoides, Hk. B. fl., V, 275
- Cunninghamii, F. v. M. B. fl., V, 276

NYCTAGINEÆ—

Boerhaavia, Linn.

- diffusa, L. B. fl., V, 277

Pisonia, Linn.


- aculeata, L. B. fl., V, 279
- Brunoniana, Endl. B. fl., V, 280

MONIMIACEÆ—

- Doryphora*, Endl.
 — *sassafras*, Endl. B. fl., V, 283
Atherosperma, Labill.
 — *moschata*, Labill. B. fl., V, 284
Daphnandra, Benth.
 — *micrantha*, Benth. B. fl., V, 285
Mollinedia, Ruiz y Pav.
 — *Huegeliana*, Tul. B. fl., V, 286
Kibara, Endl. (*Mollinedia*)
 — *macrophylla*, Tul. B. fl., V, 288
 — *pubescens*, Benth. B. fl., V, 290
Hedycarya, Forst.
 — *angustifolia*, A. Cunn. B. fl., V, 291 (*H. Cunninghamsi*, Tul.)
Palmeria, F. v. M.
 — *scandens*, F. v. M. B. fl., V, 291
Piptocalyx, Oliv.
 — *Moorei*, Oliv. B. fl., V, 292

LAURINEÆ—

- Cryptocarya*, R. Br.
 — *patentinervis*, F. v. M. B. fl., V, 296
 — *obovata*, R. Br. B. fl., V, 296
 — *glaucescens*, R. Br. B. fl., V, 297
 — *triplinervis*, R. Br. B. fl., V, 297
 — *Meissneri*, F. v. M. B. fl., V, 298
 — *australis*, Benth. B. fl., V, 299
Nesodaphne, Hook. f. (*Beilschmiedia*)
 — *obtusifolia*, Benth. B. fl., V, 299
Endiandra, R. Br.
 — *discolor*, Benth. B. fl., V, 301
 — *Sieberi*, Nees. B. fl., V, 301
 — *virens*, F. v. M. B. fl., V, 302
 — *Muelleri*, Meissn. B. fl., V, 302
 — *pubens*, Meissn. B. fl., V, 302
Litsea, Juss.
 — *dealbata*, Nees. B. fl., V, 307
Cassytha, Linn.
 — *glabella*, R. Br. B. fl., V, 309
 — *pubescens*, R. Br. B. fl., V, 310
 — *phaeolasia*, F. v. M. B. fl., V, 310
 — *paniculata*, R. Br. B. fl., V, 311
 — *melantha*, R. Br. B. fl., V, 311



PROTEACEÆ—

- Petrophila*, R. Br.
 — *pedunculata*, R. Br. B. fl., V, 332
 — *pulchella*, R. Br. B. fl., V, 332
 — *sessilis*, Sieb. B. fl., V, 332
Isopogon, R. Br.
 — *anethifolius*, R. Br. B. fl., V, 346
 — *petiolaris*, A. Cunn. B. fl., V, 347
 — *anemonifolius*, R. Br. B. fl., V, 347
 — *ceratophyllus*, R. Br. B. fl., V, 347

PROTEACEÆ—*continued.*

Conospermum, Sm.

- longifolium, Sm. B. fl., V, 370
- tenuifolium, R. Br. B. fl., V, 370
- patens, Schl. B. fl., V, 371
- taxifolium, Sm. B. fl., V, 372
- ericifolium, Sm. B. fl., V, 372
- ellipticum, Sm. B. fl., V, 372
- stoechadis, Endl. B. fl., V, 374

Symphyonema, R. Br.

- montanum, R. Br. B. fl., V, 377
- paludosum, R. Br. B. fl., V, 378

Persoonia, Sm.

- ferruginea, Sm. B. fl., V, 391
- media, R. Br. B. fl., V, 391
- cornifolia, A. Cunn. B. fl., V, 392
- marginata, R. Br. B. fl., V, 392
- sericea, A. Cunn. B. fl., V, 393
- Mitchelli, Meissn. B. fl., V, 393
- fastigiata, R. Br. B. fl., V, 393
- hirsuta, Pers. B. fl., V, 394
- Chamæpithys, A. Cunn. B. fl., V, 394
- salicina, Pers. B. fl., V, 395
- prostrata, R. Br. B. fl., V, 395
- lanceolata, Andr. B. fl., V, 395
- lucida, R. Br. B. fl., V, 396
- linearis, Andr. B. fl., V, 397
- pinifolia, R. Br. B. fl., V, 397
- Caleyi, R. Br. B. fl., V, 398
- ledifolia, A. Cunn. B. fl., V, 398
- revoluta, Sieb. B. fl., V, 398
- mollis, R. Br. B. fl., V, 399
- rigida, R. Br. B. fl., V, 399
- curvifolia, R. Br. B. fl., V, 400
- oblongata, A. Cunn. B. fl., V, 400
- Cunninghamii, R. Br. B. fl., V, 400
- myrtilloides, Sieb. B. fl., V, 401
- oxycoccoides, Sieb. B. fl., V, 401
- nutans, R. Br. B. fl., V, 401
- angulata, R. Br. B. fl., V, 402
- virgata, R. Br. B. fl., V, 402
- Chamæpeuce, Lhotsky. B. fl., V, 402
- juniperina, Labill. B. fl., V, 403
- tenuifolia, R. Br. B. fl., V, 403
- acerosa, Sieb. B. fl., V, 403

Helicia, Lour.

- præalta, F. v. M. B. fl., V, 404
- glabriflora, F. v. M. B. fl., V, 405
- ferruginea, F. v. M. B. fl., V, 405

Macadamia, F. v. M.

- Youngiana, F. v. M. B. fl., V, 406 (Helicia)
- ternifolia, F. v. M. B. fl., V, 406
- integrifolia*, *Maclure* & *Boyle*.

PROTEACEÆ—*continued.*

- Xylomelum, Sm.
 pyriforme, Sm. B. fl., V, 408
 Orites, R. Br.
 excelsa, R. Br. B. fl., V, 411
 Lambertia, Sm.
 —formosa, Sm. B. fl., V, 415
 Grevillea, R. Br.
 pterosperma, F. v. M. B. fl., V, 432
 Caleyi, R. Br. B. fl., V, 435
 asprenifolia, R. Br. B. fl., V, 435
 —laurifolia, Sieb. B. fl., V, 436
 Gaudichaudii, R. Br. B. fl., V, 438
 —acanthifolia, A. Cunn. B. fl., V, 438
 floribunda, R. Br. B. fl., V, 440
 cinerea, R. Br. B. fl., V, 440
 montana, R. Br. B. fl., V, 441
 obtusiflora, R. Br. B. fl., V, 442
 arenaria, R. Br. B. fl., V, 442
 —mucronulata, R. Br. B. fl., V, 443
 Baueri, R. Br. B. fl., V, 443
 —lanigera, A. Cunn. B. fl., V, 444
 ericifolia, R. Br. B. fl., V, 444
 divaricata, R. Br. B. fl., V, 444
 —rosmarinifolia, A. Cunn. B. fl., V, 445 } (Gr. rosmarinifolia, A.
 juncifolia, Hk. B. fl., V, 447 } Cunn.)
 —lavandulacea, Schl. B. fl., V, 448
 Strangea, Benth. B. fl., V, 453 (Strangea linearis, Meiss.)
 —Huegelii, Meiss. B. fl., V, 457
 robusta, A. Cunn. B. fl., V, 459
 striata, R. Br. B. fl., V, 462
 —Hilliana, F. v. M. B. fl., V, 463
 buxifolia, R. Br. B. fl., V, 464
 phylicoides, R. Br. B. fl., V, 464
 sphacelata, R. Br. B. fl., V, 464
 —Victoriae, F. v. M. B. fl., V, 468
 —punicea, R. Br. B. fl., V, 468
 —oleoides, Sieb. B. fl., V, 468
 trinervis, R. Br. B. fl., V, 469
 juniperina, R. Br. B. fl., V, 469
 —sericea, R. Br. B. fl., V, 470
 capitellata, Meiss. B. fl., V, 470
 leiophylla, F. v. M. B. fl., V, 471
 linearis, R. Br. B. fl., V, 471
 —parviflora, R. Br. B. fl., V, 472
 australis, R. Br. B. fl., V, 472
 triternata, R. Br. B. fl., V, 478
 —ramosissima, Meiss. B. fl., V, 478
 nematophylla, F. v. M. B. fl., V, 482
 anethifolia, R. Br. B. fl., V, 482
 Hakea, Schrad.
 Fraseri, R. Br. B. fl., V, 496
 —eriantha, R. Br. B. fl., V, 502

PROTEACEÆ—*continued.*

- pugioniformis, Cav. B. fl., V, 506
 Pampliniana, Kipp. B. fl., V, 507
 —saligna, R. Br. B. fl., V, 512
 purpurea, Hk. B. fl., V, 513
 gibbosa, Cav. B. fl., V, 513
 propinqua, A. Cunn. B. fl., V, 513
 —acicularis, R. Br. B. fl., V, 514
 —leucoptera, R. Br. B. fl., V, 515
 —microcarpa, R. Br. B. fl., V, 516
 —dactyloides, Cav. B. fl., V, 524
 —ulicina, R. Br. B. fl., V, 524
 —flexilis, F. v. M. B. fl., V, 530
 Telopea, R. Br.
 —speciosissima, R. Br. B. fl., V, 534
 Lomatia, R. Br.
 —ilicifolia, R. Br. B. fl., V, 536
 —longifolia, R. Br. B. fl., V, 537
 —silaifolia, R. Br. B. fl., V, 537
 Stenocarpus, R. Br.
 —sinuatus, Ehdl. B. fl., V, 539
 —salignus, R. Br. B. fl., V, 539
 Banksia, Linn. f.
 —ericifolia, L. B. fl., V, 547
 —spinulosa, Sm. B. fl., V, 547
 —collina, R. Br. B. fl., V, 548
 —marginata, Cav. B. fl., V, 553
 —integrifolia, L. B. fl., V, 554
 —latifolia, R. Br. B. fl., V, 555
 —serrata, L. B. fl., V, 556
 —æmula, R. Br. B. fl., V, 556

THYMELEÆ—

- Pimelia, Banks and Soland.
 —alpina, F. v. M. B. fl., VI, 7
 —longifolia, Bks. & Sol. B. fl., VI, 7
 —glaucæ, R. Br. B. fl., VI, 15
 —colorans, A. Cunn. B. fl., VI, 16
 —collina, R. Br. B. fl., VI, 16
 —spathulata, Labill. B. fl., VI, 17
 —linifolia, Sm. B. fl., VI, 17
 —ligustrina, Labill. B. fl., VI, 18
 —humilis, R. Br. B. fl., VI, 19
 —spicata, R. Br. B. fl., VI, 22
 —simplex, F. v. M. B. fl., VI, 23
 —sericostachya, F. v. M. B. fl., VI, 24
 —trichostachya, Lindl. B. fl., VI, 24
 —axiflora, F. v. M. B. fl., VI, 26
 —microcephala, R. Br. B. fl., VI, 27
 —pauciflora, R. Br. B. fl., VI, 27
 —serpyllifolia, R. Br. B. fl., VI, 29
 —flava, R. Br. B. fl., VI, 29
 —petrophila, F. v. M. B. fl., VI, 30
 —curviflora, R. Br. B. fl., VI, 31

THYMELEÆ—*continued.*

- hirsuta*, Meissn. B. fl., VI, 32
- altior*, F. v. M. B. fl., VI, 32
- *octophylla*, R. Br. B. fl., VI, 32
- petræa*, Meissn. B. fl., VI, 33
- *phyllicoides*, Meissn. B. fl., VI, 33
- Drapetes*, Lam.
- Tasmanica*, Hk. B. fl., VI, 36
- Wickstroemia*, Endl.
- Indica*, C. A. Mey. B. fl., VI, 37

EUPHORBIACEÆ—

- Euphorbia*, Linn.
- Sparmanni*, Boiss. B. fl., VI, 46
- australis*, Boiss. B. fl., VI, 48 (*E. erythrantha*, F. v. M.)
- *Drummondii*, Boiss. B. fl., VI, 49
- Macgillivrayi*, Boiss. B. fl., VI, 50
- Norfolkiana*, Boiss. M. fr., IX, 169
- eremophila*, A. Cunn. B. fl., VI, 52
- obliqua*, Baur in Endl. prodr. fl. Norfolk, 85 (1833)
- **peplus*, L.
- **helioscopia*, Willd.
- Poranthera*, Rudge
- ericifolia*, Rudge. B. fl., VI, 55
- corymbosa*, Brong. B. fl., VI, 56
- *microphylla*, Brong. B. fl., VI, 56
- Micrantheum*, Desf.
- ericoides*, Desf. B. fl., VI, 57
- *hexandrum*, Hk. B. fl., VI, 57
- Pseudanthus*, Sieb.
- *pimeloides*, Sieb. B. fl., VI, 59
- *ovalifolius*, F. v. M. B. fl., VI, 59
- divaricatissimus*, Benth. B. fl., VI, 60
- orientalis*, F. v. M. B. fl., VI, 60
- Beyeria*, Miq.
- *viscosa*, Miq. B. fl., VI, 61
- lasiocarpa*, F. v. M. B. fl., VI, 65
- *opaca*, F. v. M. B. fl., VI, 65
- Ricinocarpus*, Desf.
- *pinifolius*, Desf. B. fl., VI, 70
- Bowmanii*, F. v. M. B. fl., VI, 72
- speciosus*, J. Muell. B. fl., VI, 73
- Bertya*, Planch.
- gummifera*, Planch. B. fl., VI, 75
- pinifolia*, Planch. B. fl., VI, 75
- Cunninghamii*, Planch. B. fl., VI, 75
- rosmarinifolia*, Planch. B. fl., VI, 76
- Mitchelli*, J. Muell. B. fl., VI, 76
- oleæfolia*, Planch. B. fl., VI, 76
- pomaderrionoides*, F. v. M. B. fl., VI, 77
- Findleyi*, F. v. M. M. fr., VIII, 141
- Monotaxis*, Brongn.
- macrophylla*, Benth. B. fl., VI, 79
- linifolia*, Brong. B. fl., VI, 79

EUPHORBIACEÆ—*continued.*

- Ampera, A. Juss.
 — *spartioides*, Brong. B. fl., VI, 84
 Actephila, Blume
 grandifolia, Baill. B. fl., VI, 89
 Mooreana, Baill. B. fl., VI, 89
 Petalostigma, F. v. M.
 quadriloculare, F. v. M. B. fl., VI, 92
 Phyllanthus, Linn.
 Ferdinandi, J. Muell. B. fl., VI, 96
 thesioides, Benth. B. fl., VI, 98
 rigens, J. Muell. B. fl., VI, 99
 ramosissimus, J. Muell. B. fl., VI, 99
 — *Gastroemii*, J. Muell. B. fl., VI, 104
 suberenulatus, F. v. M. B. fl., VI, 104
 microcladus, J. Muell. B. fl., VI, 106
 Fuernrohrii, F. v. M. B. fl., VI, 107
 lacunarius, F. v. M. B. fl., VI, 108
 trachyspermus, F. v. M. B. fl., VI, 108
 australis, Hk. B. fl., VI, 108
 thymoides, Sieb. B. fl., VI, 109
 — *Gunnii*, Hk. B. fl., VI, 110
 filicaulis, Benth. B. fl., VI, 111
 Tatei, F. v. M. Wing's S. Sc. Record, 55 (1882).
 Breynia, Forst.
 — *oblongifolia*, J. Muell. B. fl., VI, 114
 Hemicyclia, Wight & Arn.
 Australasica, J. Muell. B. fl., VI, 118
 Bridelia, Willd.
 exaltata, F. v. M. B. fl., VI, 119
 Cleistanthus, Hook. f.
 Cunninghamii, J. Muell. B. fl., VI, 122
 Croton, Linn.
 insularis, Baill. B. fl., VI, 124
 phebalioides, F. v. M. B. fl., VI, 125
 — *Verreauxii*, Baill. B. fl., VI, 126
 Claoxylon, A. Juss.
 australe, Baill. B. fl., VI, 130
 Acalypha, Linn.
 memorum, F. v. M. B. fl., VI, 132
 capillipes, F. v. M. B. fl., VI, 133
 Adriana, Gaudich.
 acerifolia, Hk. B. fl., VI, 134 (A. *tomentosa*, Gaud.)
 Alchornea, Swartz.
 ilicifolia, J. Muell. B. fl., VI, 136
 Mallotus, Lour.
 chlaoxyloides, J. Muell. B. fl., VI, 140
 — *Philippinensis*, J. Muell. B. fl., VI, 141
 discolor, F. v. M. B. fl., VI, 143
 Macaranga, Thou.
 Tanaria, J. Muell. B. fl., VI, 146
 Baloghia, Endl.
 lucida, Endl. B. fl., VI, 148

EUPHORBIACEÆ—*continued.*

Carumbium, Reinw.

— populifolium, Reinw. B. fl., VI, 150 (*Omalanthus populifolius*,
Grah.)— stillingiaefolium, Baill. B. fl., VI, 150 (*Omalanthus stillingiaefolius*,
F. v. M.)

Excæcaria, Linn.

Agallocha, L. B. fl., VI, 152

*Ricinus, Linn.

communis, Willd.

URTICÆ—

Celtis, Linn.

— paniculata, Planch. B. fl., VI, 156

— amblyphylla, F. v. M. M. fr., IX, 76

Trema, Lour.

— aspera, Bl. B. fl., VI, 158

— orientalis, Bl. B. fl., VI, 158 } (Tr. cannabina, Lour.)

Aphananthe, Planch.

Philippinensis, Planch. B. fl., VI, 160

Ficus Linn.

— eugenioides, F. v. M. B. fl., VI, 166

— Muelleri, Miq. B. fl., VI, 167

— rubiginosa, Desf. B. fl., VI, 168

— columnaris, F. v. M. & Ch. Moore. M. fr., VIII, 247

— macrophylla, Desf. B. fl., VI, 170

— pumila, L. B. fl., VI, 171

— aspera, Forst. B. fl., VI, 174 (F. scabra, Forst.)

— opposita, Miq. B. fl., VI, 175

Cudrania, Trec.

— Javanensis, Trecul. B. fl., VI, 179

Malaisia, Blanco.

— tortuosa, Blanco. B. fl., VI, 180

Pseudomorus, Bureau.

— Brunoniana, Bureau. B. fl., VI, 181

Elatostemma, Forst.

— reticulatum, Wedd. B. fl., VI, 183

— stipitatum, Wedd. B. fl., VI, 184

Procris, Commerson.

— montana, Steud. M. fr., IX, 169

Boehmeria, Jacq.

— calophleba, Ch. Moore & F. v. M. B. fl., VI, 184

— australis, Endl. M. fr., IX, 169

Pipturus, Wedd.

— argenteus, Wedd. B. fl., VI, 185 (P. propinquus, Wedd.)

Pouzolsia, Gaudich.

— quinquenervis, Benn. B. fl., VI, 187

Parietaria, Linn.

— debilis, Forst. B. fl., VI, 188

Australina, Gaudich.

— pusilla, Gaud. B. fl., VI, 189

Urtica, Linn.

— incisa, Poir. B. fl., VI, 190

*urens, L. B. fl., VI, 191

*dioica, L.

URTICACEÆ—*continued.*

- Laportea, Gaudich.
 gigas, Wedd. B. fl., VI, 191
 photiniphylla, Wedd. B. fl., VI, 192
 *Cannabis, Linn.
 sativa. Willd.

CASUARINEÆ—

- Casuarina, Linn.
 — stricta, Ait. B. fl., VI, 195
 lepidophloia, F. v. M. M. fr., X, 115
 — glauca, Sieb. B. fl., VI, 196
 equisetifolia, Forst. B. fl., VI, 197
 — suberosa, Ott. & Dietr. B. fl., VI, 197
 — Cunninghiana, Miq. B. fl., VI, 198
 — distyla, Vent. B. fl., VI, 198
 nana, Sieb. B. fl., VI, 199
 torulosa, Ait. B. fl., VI, 200
 inophloia, F. v. M. M. fr., XII.

PIPERACEÆ—

- Piper, Linn.
 excelsum, Forst. B. fl., VI, 204
 Novæ-Hollandiæ, Miq. B. fl., VI, 204
 hederaceum, A. Cunn. B. fl., VI, 205
 Peperomia, Ruiz. & Pav.
 leptostachya, Hk. & Arn. B. fl., VI, 206
 reflexa, A. Dietr. B. fl., VI, 206
 Urvilleana, Rich. M. fr., IX, 76
 Baueriana, Miq., in syst. piperaceæ, 120 (1843)

ARISTOLOCHIACEÆ—

- Aristolochia, Linn.
 prævenosa, F. v. M. B. fl., VI, 208
 pubera, R. Br. B. fl., VI, 208

CUPULIFERÆ—

- Fagus, Linn.
 Moorei, F. v. M. B. fl., VI, 211 (F. Carroni, Moore)

SANTALACEÆ—

- Thesium, Linn.
 australe, R. Br. B. fl., VI, 212
 Santalum, Linn.
 lanceolatum, R. Br. B. fl., VI, 214
 obtusifolium, R. Br. B. fl., VI, 215
 Fusanus, Linn. (Santalum)
 — acuminatus, DC. B. fl., VI, 215
 — persicarius, F. v. M. B. fl., VI, 216
 crassifolius, R. Br. B. fl., VI, 217
 Choretrum, R. Br.
 glomeratum, R. Br. B. fl., VI, 218
 chrysanthum, F. v. M. M. fr., VIII, 11
 spicatum, F. v. M. B. fl., VI, 218
 lateriflorum, R. Br. B. fl., VI, 219
 — Candollei, F. v. M. B. fl., VI, 219

SANTALACEÆ—*continued*.

Leptomeria, R. Br.

acida, R. Br. B. fl., VI, 222

Billardieri, R. Br. B. fl., VI, 222

— aphylla, R. Br. B. fl., VI, 222

Omphacomeria, DC.

acerba, DC. B. fl., VI, 225

Exocarpus, Labill.

latifolius, R. Br. B. fl., VI, 228

— cupressiformis, Labill. B. fl., VI, 229

— spartea, R. Br. B. fl., VI, 229

aphylla, R. Br. B. fl., VI, 230

homaloclada, Ch. Moore & F. v. M. B. fl., VI, 230

phyllanthoides, Endl. M. fr., IX, 169

— stricta, R. Br. B. fl., VI, 230

SUB-CLASS IV—GYMNOSPERMÆ.

CONIFERÆ—

Frenela, Mirb. (Callitris)

Parlatorei, F. v. M. B. fl., VI, 235

Macleayana, F. v. M. B. fl., VI, 235

— robusta, A. Cunn. B. fl., VI, 236 (C. verrucosa, R. Br.)

— Muelleri, Parl. B. fl., VI, 237

— rhomboidea, Endl. B. fl., VI, 237 (C. cupressiformis, Vent.)

Endlicheri, Parl. B. fl., VI, 238 (C. calcarata, R. Br.)

Callitris, Vent.

columellaris, F. v. M. M. fr., V, 198

Araucaria, Juss.

Cunninghamii, Ait. B. fl., VI, 243

Pherosphæra, Archer.

Fitzgeraldi, F. v. M. M. fr., XI, 102

Podocarpus, L'Hér. (Nageia).

elata, R. Br. B. fl., VI, 247

spinulosa, R. Br. B. fl., VI, 247

alpina, R. Br. B. fl., VI, 248

CYCADEÆ—

Macrozamia, Miq. (Encephalartos).

Paulo-Guilielmi, F. v. M. B. fl., VI, 251

spiralis, Miq. B. fl., VI, 251

Miquelii, F. v. M. B. fl., VI, 253 (E. tridentatus, Lehm.)

Perowskiana, Miq. B. fl., VI, 253 (E. Denisonii, F. v. M.)

cylindrica, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

secunda, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

corallipes, Hk. Bot. Magaz., t. 5943

Fawcetti, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

flexuosa, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

heteromera, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

CLASS II—MONOCOTYLEDONS.

HYDROCHARIDEE—

- Ottelia, Pers.
 — ovalifolia, Rich. B. fl., VI, 257
 Vallisneria, Linn.
 spiralis, L. B. fl., VI, 259
 Hydrilla, Rich.
 verticillata, Carp. B. fl., VI, 259

SCITAMINEÆ—

- Alpinia, Linn.
 coerulea, Benth. B. fl., VI, 265

ORCHIDEE—

- Liparis, Rich. (Sturmia)
 reflexa, Lindl. B. fl., VI, 272
 coelogyroides, F. v. M. B. fl., VI, 273
 Oberonia, Lindl.
 iridifolia, Lindl. B. fl., VI, 274
 palmicola, F. v. M. B. fl., VI, 274
 Dendrobium, Swartz.
 speciosum, Sm. B. fl., VI, 279
 falconirostre, Fitzger. M. fr., XI, 87
 tetragonum, A. Cunn. B. fl., VI, 279
 æmulum, R. Br. B. fl., VI, 280
 Kingianum, Bidw. B. fl., VI, 280
 brachypus, Reichenb., in *Linnaea* XLI, 42 (1876)
 gracilicaule, F. v. M. B. fl., VI, 281
 Moorei, F. v. M. B. fl., VI, 281
 monophyllum, F. v. M. B. fl., VI, 282
 cucumerinum, Lindl. B. fl., VI, 283
 pugioniforme, A. Cunn. B. fl., VI, 284
 linguiforme, Sw. B. fl., VI, 284
 teretifolium, R. Br. B. fl., VI, 285
 Fairfaxii, Fitzg. & F. v. M. B. fl., VI, 285
 striolatum, Reichb. B. fl., VI, 285
 Mortii, F. v. M. B. fl., VI, 286
 Bowmannii, Benth. B. fl., VI, 286 (D. Beckleri, F. v. M.)
 Bulbophyllum, Thou.
 Shepherdii, F. v. M. B. fl., VI, 288
 aurantiacum, F. v. M. B. fl., VI, 288
 argyropus, Reichb., in *Linnaea* XLI, 42 (1876)
 exiguum, F. v. M. B. fl., VI, 288
 minutissima, F. v. M. M. fr., V, 85
 Elisa, F. v. M. B. fl., VI, 289
 Sarcochilus, R. Br.
 divitiflorus, F. v. M. B. fl., VI, 292
 falcatus, R. Br. B. fl., VI, 293
 Fitzgeraldi, F. v. M. B. fl., VI, 293
 olivaceus, Lindl. B. fl., VI, 293
 — parviflorus, Lindl. B. fl., VI, 294
 Hillii, F. v. M. B. fl., VI, 295
 erectus, Fitzg. M. fr., XI, 52

ORCHIDEAE—*continued*.

- Cleisostoma, Blume (*Sarcochilus*)
 tridentatum, Lindl. B. fl., VI, 296
 Beckleri, F. v. M. B. fl., VI, 296
- Saccolabium, Lindl. (*Ornithochilus*)
 Hillii, F. v. M. B. fl., VI, 298
- Dipodium, R. Br.
 — punctatum, R. Br. B. fl., VI, 301
- Cymbidium, Swartz.
 canaliculatum, R. Br. B. fl., VI, 302
 suave, R. Br. B. fl., VI, 303
- Phaius, Lour.
 grandifolius, Lour. B. fl., VI, 304
- Calanthe, R. Br.
 veratrifolia, R. Br. B. fl., VI, 305
- Galeola, Lour.
 cassythoides, Reichb. B. fl., VI, 307
 foliata, F. v. M. B. fl., VI, 307
- Epipogon, Gmel.
 nutans, Lindl. B. fl., VI, 308
- Gastrodia, R. Br.
 — sesamoides, R. Br. B. fl., VI, 309
- Spiranthes, Rich.
 — australis, Lindl. B. fl., VI, 314
- Calochilus, R. Br.
 — campestris, R. Br. B. fl., VI, 315
 paludosus, R. Br. B. fl., VI, 316
- Thelymitra, Forst.
 — ixioides, Sw. B. fl., VI, 317
 circumsepta, Fitzg. Austr. Orchid, part 4 (1877)
 — aristata, Lindl. B. fl., VI, 319
 — longifolia, Forst. B. fl., VI, 319
 — carnea, R. Br. B. fl., VI, 321
 — venosa, R. Br. B. fl., VI, 323
- Diuris, Sm.
 — alba, R. Br. B. fl., VI, 325
 — punctata, Sm. B. fl., VI, 326
 secundiflora, Fitzg. Austr. Orchid, part 4 (1877)
 — aurea, Sm. B. fl., VI, 327
 — maculata, Sm. B. fl., VI, 327
 — pedunculata, R. Br. B. fl., VI, 328
 pallens, Benth. B. fl., VI, 329
 abbreviata, F. v. M. B. fl., VI, 329
 — sulphurea, R. Br. B. fl., VI, 330
 æqualis, F. v. M. M. fr., X, 65
 dendrobioides, Fitzg. Austr. Orchid, part 7 (1882)
- Orthoceras, R. Br.
 — strictum, R. Br. B. fl., VI, 332
- Cryptostylis, R. Br.
 — longifolia, R. Br. B. fl., VI, 333
 erecta, R. Br. B. fl., VI, 334
 leptochila, F. v. M. B. fl., VI, 334

ORCHIDEÆ—*continued.*

Prasophyllum, R. Br.

- flavum, B. Br. B. fl., VI, 337
- elatum, R. Br. B. fl., VI, 337
- brevilabre, Hk. B. fl., VI, 338
- patens, R. Br. B. fl., VI, 339
- fuscum, R. Br. B. fl., VI, 339
- striatum, R. Br. B. fl., VI, 342
- nigricans, R. Br. B. fl., VI, 343
- rufum, R. Br. B. fl., VI, 344
- fimbriatum, R. Br. B. fl., VI, 345
- Woolfsii, F. v. M. B. fl., VI, 346

Microtis, R. Br.

- porrifolia, Spreng. B. fl., VI, 347 } (M. porrifolia, R. Br.)
- parviflora, R. Br. B. fl., VI, 347 }

Corysanthes, R. Br.

- unguiculata, R. Br. B. fl., VI, 350
- pruinosa, A. Cunn. M. fr., IX, 49
- fimbriata, R. Br. B. fl., VI, 351
- bicalcarata, R. Br. B. fl., VI, 351

Pterostylis, R. Br.

- ophioglossa, R. Br. B. fl., VI, 354
- concinna, R. Br. B. fl., VI, 355
- curta, R. Br. B. fl., VI, 355
- acuminata, R. Br. B. fl., VI, 355
- nutans, R. Br. B. fl., VI, 356
- pedaloglossa, Fitzg. Austr. Orchids, part III (1877)
- pedunculata, R. Br. B. fl., VI, 356
- grandiflora, R. Br. B. fl., VI, 358
- truncata, Fitzg. Austr. Orchids, part IV (1878)
- reflexa, R. Br. B. fl., VI, 359
- præcox, Lindl. B. fl., VI, 359
- obtusa, R. Br. B. fl., VI, 360
- Daintreyana, F. v. M. B. fl., VI, 360
- parviflora, R. Br. B. fl., VI, 361
- barbata, Lindl. B. fl., VI, 362
- mutica, R. Br. B. fl., VI, 362
- rufa, R. Br. B. fl., VI, 363
- longifolia, R. Br. B. fl., VI, 364

Caleana, R. Br. (Caleya).

- major, R. Br. B. fl., VI, 365
- minor, R. Br. B. fl., VI, 366

Drakæa, Lindl.

- irritabilis, Reichb. B. fl., VI, 368

Acianthus, R. Br.

- caudatus, R. Br. B. fl., VI, 369
- fornicatus, R. Br. B. fl., VI, 370
- exsertus, R. Br. B. fl., VI, 370

Eriochilus, R. Br.

- autumnalis, R. Br. B. fl., VI, 372

Lyperanthus, R. Br.

- nigricans, R. Br. B. fl., VI, 374
- ellipticus, R. Br. B. fl., VI, 374

ORCHIDEE—*continued.*

- Cyrtostylis, R. Br.
 — reniformis, R. Br. B. fl., VI, 376
- Caladenia, R. Br.
 Nortoni, Fitzg. M. fr., X, 64
 filamentosa, R. Br. B. fl., VI, 381 }
 — Patersoni, R. Br. B. fl., VI, 381 } (C. Patersoni, R. Br.)
 clavigera, A. Bunn. B. fl., VI, 382 }
 — latifolia, R. Br. B. fl., VI, 384
 — suaveolens, Reichb. B. fl., VI, 385
 — carnea, R. Br. B. fl., VI, 386 } (C. carnea, R. Br.)
 — testacea, R. Br. B. fl., VI, 387 }
 — congesta, R. Br. B. fl., VI, 387
 — coerulea, R. Br. B. fl., VI, 388
 — deformis, R. Br. B. fl., VI, 388
- Chiloglottis, R. Br.
 — diphylla, R. Br. B. fl., VI, 390
 trapeziformis, Fitzg. M. fr., X, 116
 formicifera, Fitzg. M. fr., X, 116
- Glossodia, R. Br.
 — major, R. Br. B. fl., VI, 392
 — minor, R. Br. B. fl., VI, 392

BURMANNIACEÆ—

- Burmannia, Linn.
 disticha, L. B. fl., VI, 397

IRIDEE—

- Diplarrhena, Labill.
 — Moræa, Labill. B. fl., VI, 400
- Patersonia, R. Br.
 — glauca, R. Br. B. fl., VI, 402
 sericea, R. Br. B. fl., VI, 406
 longifolia, R. Br. B. fl., VI, 406 (P. sericea, R. Br., var.)
 glabrata, R. Br. B. fl., VI, 407
- Moræa, Linn (Iris).
 Robinsoniana, F. v. M. B. fl., VI, 409
- *Sisyrinchium, Linn.
 Bermudiana, L. B. fl., VI, 412
 micranthum, Cav. B. fl., VI, 412
- Libertia, Spreng. (Sisyrinchium).
 paniculata, Spreng. B. fl., VI, 413
 pulchella, Spreng. B. fl., VI, 413
- *Trichonema, Ker.
 bulbocodium, H. K.
- *Sparaxis, Ker.
 tricolor, H. K.

AMARYLLIDEE—

- Hæmodorum, Sm.
 planifolium, R. Br. B. fl., VI, 422
 teretifolium, R. Br. B. fl., VI, 422
- Curculigo, Gærtn.
 ensifolia, R. Br. B. fl. VI, 448

AMARYLLIDÆ—*continued.*

Hypoxis, Linn.

hygrometrica, Labill. B. fl., VI, 449

— *glabella*, R. Br. B. fl., VI, 450

Doryanthes, Correa.

excelsa, Correa. B. fl., VI, 452

Crinum, Linn.

flaccidum, Herb. B. fl., VI, 454

pedunculatum, R. Br. B. fl., VI, 455

Eurycles, Salisb.

Cunninghamii, Ait. B. fl., VI, 456

Calostemma, R. Br.

purpureum, R. Br. B. fl., VI, 457

luteum, Sims. B. fl., VI, 457

DIOSCORIDÆ—

Dioscorea, Linn.

— *transversa*, R. Br. B. fl., VI, 460

Petermannia, F. v. M.

cirrosa, F. v. M. B. fl., VI, 462

LILIACÆ—

Smilax, Linn.

glycyphylla, Sm. B. fl., VII, 7

australis, R. Br. B. fl., VII, 7

purpurata, Forst., in florul. ins. Austr. prodr., 70 (1786)

Rhipogonum, Forst.

album, R. Br. B. fl., VII, 9

discolor, F. v. M. B. fl., VII, 9

Fawcettianum, F. v. M. B. fl., VII, 9

Elseyanum, F. v. M. B. fl., VII, 10

Flagellaria, Linn.

Indica, L. B. fl., VII, 10

Astelia, Banks.

alpina, R. Br. B. fl., VII, 11

Drymophila, R. Br.

— *cyanocarpa*, R. Br. B. fl., VII, 12

Moorei, Baker. B. fl., VII, 13

Dianella, Lam.

— *Tasmanica*, Hk. B. fl., VII, 14

— *lævis*, R. Br. B. fl., VII, 14 (*D. longifolia*, R. Br.)

— *revoluta*, R. Br. B. fl., VII, 15

coerulea, Sims. B. fl., VII, 16

Eustrephus, R. Br.

— *latifolius*, R. Br. B. fl., VII, 18 (*E. Brownii*, F. v. M.)

Geitonoplesium, A. Cunn.

— *cymosum*, A. Cunn. B. fl., VII, 19

Cordyline, Comm.

terminalis, Kunth. B. fl., VII, 21

stricta, Endl. B. fl., VII, 22

Baueri, Hk. Gardener's Chronicle, II, 155 (1860)

Blandfordia, Sm.

— *grandiflora*, R. Br. B. fl., VII, 23

nobilis, Sm. B. fl., VII, 24

flammea, Hk. B. fl., VII, 24

LILIACEÆ—*continued.*

Anguillaria, R. Br. (Wurmbea).

— dioica, R. Br. B. fl., VII, 29

Schelhammera, R. Br.

— undulata, R. Br. B. fl., VII, 31

Kreyssigia, Reichb.

multiflora, Reichb. B. fl., VII, 32 (Kr. Cunninghami, F. v. M.)

Burchardia, R. Br.

— umbellata, R. Br. B. fl., VII, 33

Bulbine, Linn.

— bulbosa, Haw. B. fl., VII, 34

— semibarbata, Haw. B. fl., VII, 35

Thysanotus, R. Br.

— tuberosus, R. Br. B. fl., VII, 41

Baueri, R. Br. B. fl., VII, 42

— Patersoni, R. Br. B. fl., VII, 43

junceus, R. Br. B. fl., VII, 43

Cæsia, R. Br.

— vittata, R. Br. B. fl., VII, 46

— parviflora, R. Br. B. fl., VII, 47

Chamæscilla, F. v. M.

— corymbosa, F. v. M. B. fl., VII, 48

Corynotheca, F. v. M.

lateriflora, F. v. M. B. fl., VII, 49

Tricoryne, R. Br.

— elatior, R. Br. B. fl., VII, 52

simplex, R. Br. B. fl., VII, 52

Stypandra, R. Br.

— glauca, R. Br. B. fl., VII, 53

— caespitosa, R. Br. B. fl., VII, 54

umbellata, R. Br. B. fl., VII, 55 (caespitosa, R. Br., var.)

Arthropodium, R. Br.

— paniculatum, R. Br. B. fl., VII, 56

minus, R. Br. B. fl., VII, 56

Dichopogon, Kunth. (Arthropodium)

— strictus, Baker. B. fl., VII, 58

Sieberianus, Kunth. B. fl., VII, 59 (A. laxum, Sieb.)

Herpolirion, Hook. f.

— Novæ-Zelandiæ, Hk. B. fl., VII, 61

Sowerbæa, Sm.

— juncea, Sm. B. fl., VII, 61

Alania, Endl.

Endlicheri, Kunth. B. fl., VII, 63

Laxmannia, R. Br. (Bartlingia)

gracilis, F. v. M. B. fl., VII, 65

sessiliflora, Dcne. B. fl., VII, 66

*Allium, Linn.

fragrans, Vent.

PHILYDRACEÆ—

Philydrum, Banks.

lanuginosum, Bks. B. fl., VII, 74

Helmholtzia, F. v. M.

acrifolia, A. Cunn. B. fl., VII, 75

XYRIDEE—

Xyris, Linn.

- complanata, R. Br. B. fl., VII, 77
 gracilis, R. Br. B. fl., VII, 79
 operculata, Labill. B. fl., VII, 79

COMMELYNACEE—

Commelyna, Linn.

- ensifolia, R. Br. B. fl., VII, 83
 cyanea, R. Br. B. fl., VII, 84

Ancilema, R. Br.

- acuminatum, R. Br. B. fl., VII, 85
 biflorum, R. Br. B. fl., VII, 86
 gramineum, R. Br. B. fl., VII, 87

Pollia, Thunb.

- crispata, Benth. B. fl., VII, 90 (P. cyanococca, F. v. M.)

JUNCACEE (the Genera Xerotes and Xanthorrhoea are transferred by
 F. v. M. to LILIACEE)—

Xerotes, Banks.

- longifolia, R. Br. B. fl., VII, 97
 —multiflora, R. Br. B. fl., VII, 100 (X. Brownii, F. v. M.)
 sororia, F. v. M. B. fl., VII, 100
 —effusa, Lindl. B. fl., VII, 102
 micrantha, Endl. B. fl., VII, 103
 —filiformis, R. Br. B. fl., VII, 103 (X. Thunbergii, F. v. M.)
 flexifolia, R. Br. B. fl., VII, 105
 glauca, R. Br. B. fl., VII, 105
 elongata, Benth. B. fl., VII, 106
 leucocephala, R. Br. B. fl., VII, 109

Xanthorrhoea, Sm.

- macronema, F. v. M. B. fl., VII, 113
 —minor, R. Br. B. fl., VII, 114
 hastilis, R. Br. B. fl., VII, 115
 arborea, R. Br. B. fl., VII, 115
 bracteata, R. Br. B. fl., VII, 116

Luzula, DC.

- campestris, DC. B. fl., VII, 123
 longiflora, Benth. B. fl., VII, 123

Juncus, Linn.

- planifolius, R. Br. B. fl., VII, 125
 —caespititius, E. Mey. B. fl., VII, 126
 falcatus, E. Mey. B. fl., VII, 126
 —bufonius, L. B. fl., VII, 127
 homalocaulis, F. v. M. B. fl., VII, 128
 revolutus, R. Br. B. fl., VII, 128 (J. Brownii, F. v. M.)
 communis, E. Mey. B. fl., VII, 128
 —vaginatus, R. Br. B. fl., VII, 129
 pauciflorus, R. Br. B. fl., VII, 129
 pallidus, R. Br. B. fl., VII, 130
 maritimus, Lam. B. fl., VII, 130
 prismatocarpus, R. Br. B. fl., VII, 131
 capillaceus, Hk. B. fl., VII, 132 (J. pusillus, Buch.)

PALMÆ—

- Calamus, Linn.
 Muelleri, Wendl. B. fl., VII, 135
- Kentia, Blume.
 monostachya, F. v. M. B. fl., VII, 136 (Bacularia)
 Belmoreana, Ch. Moore & F. v. M. B. fl., VII, 137
 Forsteriana, Ch. Moore & F. v. M. M. fr., VII, 100
 Baueri, Seem. M. fr., VII, 102
 Canterburyana, Ch. Moore & F. v. M. B. fl., VII, 138
- Clinostigma, Wendl.
 Mooreanum, F. v. M. B. fl., VII, 139
- Ptychosperma, Labill.
 Cunninghamii, Herm. B. fl., VII, 141
- Livistona, R. Br.
 australis, Mart. B. fl., VII, 146

PANDANÆ—

- Pandanus, Linn.
 pedunculatus, R. Br. B. fl., VII, 149
 Forsteri, Ch. Moore & F. v. M. B. fl., VII, 149
 Moorei, F. v. M. (ined.)
- Freycinetia, Gaudich.
 Baueriana, Endl. prodr. fl. insul. Norf., 25 (1838)

AROIDEÆ—

- Typhonium, Schott.
 Brownii, Schott. B. fl., VII, 154
- Colocasia, Schott.
 macrorrhiza, Schott. B. fl., VII, 155
- Gymnostachys, R. Br.
 anceps, R. Br. B. fl., VII, 157
- Pothos, Linn.
 Loureiri, Hk. & Arn. B. fl., VII, 158

TYPHACEÆ—

- Typha, Linn.
 —angustifolia, L. B. fl., VII, 159
- Sparganium, Linn.
 angustifolium, R. Br. B. fl., VII, 160

LEMNACEÆ—

- Wolffia, Horkel.
 arrhiza, Wimm. B. fl., VII, 162 (W. Michelii, Schl.)
- Lemna, Linn.
 trisulca, L. B. fl., VII, 162
 minor, L. B. fl., VII, 163
 oligorrhiza, Kurz. B. fl., VII, 163
 polyrrhiza, L. B. fl., VII, 164

NATADEÆ (FLUVIALES)—

- Triglochin, Linn.
 —striata, Ruiz et Pav. B. fl., VII, 166
 centroparpa, Hk. B. fl., VII, 167
 —procera, R. Br. B. fl., VII, 168
 Maundii, F. v. M. B. fl., VII, 169

NAIDEÆ (FLUVIALES)—*continued.*

Potamogeton, Linn.

- natans, L. B. fl., VII, 170
- perfoliatus, L. B. fl., VII, 172
- crispus, L. B. fl., VII, 172
- obtusifolius, Mertens & Koch. B. fl., VII, 172
- acutifolius, Link. B. fl., VII, 173

Ruppia, Linn.

- maritima, L. B. fl., VII, 174

Zostera Linn.

- nana, Mert. B. fl., VII, 176

Naias, Linn.

- tenuifolia, R. Br. B. fl., VII, 181

Halophila, Thou.

- ovalis, Hk. B. fl., VII, 182 (transferred by F. v. M. to HYDROCHARIDEÆ)

ALISMACEÆ—

Alisma, Linn.

- Plantago, L. B. fl., VII, 185

Damasonium, Juss.

- australe, Salisb. B. fl., VII, 186

Aponogeton, Thunb.

- elongatus, F. v. M. B. fl., VII, 188 (transferred by F. v. M. to NAIIDEÆ)

ERIOCAULEÆ—

Eriocaulon, Linn.

- australe, R. Br. B. fl., VII, 192
- Smithii, R. Br. B. fl., VII, 192
- lividum, F. v. M. B. fl., VII, 195

CENTROLEPIDÆ (transferred by F. v. M. to RESTIACEÆ)—

Trithuria, Hook. f.

- submersa, Hk. B. fl., VII, 199

Aphelia, R. Br.

- gracilis, Sond. B. fl., VII, 201
- Pumilio, F. v. M. B. fl., VII, 201

Centrolepis, Labill.

- polygyna, Hier. B. fl., VII, 203
- glabra, F. v. M. B. fl., VII, 204
- aristata, Roem. & Schult. B. fl., VII, 206
- fascicularis, Labill. B. fl., VII, 207
- strigosa, Roem. & Schult. B. fl., VII, 207

RESTIACEÆ—

Lepyrodia, R. Br.

- scariosa, R. Br. B. fl., VII, 215
- Muelleri, Benth. B. fl., VII, 215
- anarthria, F. v. M. B. fl., VII, 216
- gracilis, R. Br. B. fl., VII, 216
- interrupta, F. v. M. B. fl., VII, 217

Restio, Linn.

- fastigiatus, R. Br. B. fl., VII, 222
- dimorphus, R. Br. B. fl., VII, 224

RESTIACEÆ—*continued.*

- australis*, R. Br. B. fl., VII, 227
gracilis, R. Br. B. fl., VII, 227
complanatus, R. Br. B. fl., VII, 228
tetraphyllus, Labill. B. fl., VII, 228
Leptocarpus, R. Br.
tenax, R. Br. B. fl., VII, 232
Brownii, Hk. B. fl., VII, 233
Hypolaena, R. Br. (*Calostrophus*)
lateriflora, Benth. B. fl., VII, 238
— *fastigiata*, R. Br. B. fl., VII, 239

CYPERACEÆ—

Kyllingia, Rottb.

- intermedia*, R. Br. B. fl., VII, 251
monocephala, Rottb. B. fl., VII, 251
cylindrica, Nees. B. fl., VII, 252

Cyperus, Linn.

- Eragrostis*, Vahl. B. fl., VII, 258
flavescens, L. B. fl., VII, 259
unioloides, R. Br. B. fl., VII, 260
polystachius, Rottb. B. fl., VII, 261
pygmaeus, Rottb. B. fl., VII, 262
platystylis, R. Br. B. fl., VII, 264
tenellus, L. B. fl., VII, 265
gracilis, R. Br. B. fl., VII, 265
enervis, R. Br. B. fl., VII, 266
debilis, R. Br. B. fl., VII, 266
lævis, R. Br. B. fl., VII, 267 (*C. trinervis*, R. Br., var.)
difformis, L. B. fl., VII, 268
tetraphyllus, R. Br. B. fl., VII, 269
trinervis, R. Br. B. fl., VII, 269
Haspan, L. B. fl., VII, 270
concinus, R. Br. B. fl., VII, 271
filipes, Benth. B. fl., VII, 271
vaginatus, R. Br. B. fl., VII, 272
dactylotes, Benth. B. fl., VII, 273
Gilesii, Benth. B. fl., VII, 274
fulvus, R. Br. B. fl., V, 274
carinatus, R. Br. B. fl., VII, 274
pilosus, Vahl. B. fl., VII, 275
ornatus, R. Br. B. fl., VII, 276
Iria, L. B. fl., VII, 276
rotundus, L. B. fl., VII, 279
congestus, Vahl. B. fl., VII, 280
subulatus, R. Br. B. fl., VII, 281
Gunii, Hk. B. fl., VII, 283
lucidus, R. Br. B. fl., VII, 283 } (*C. lucidus*, R. Br.)
exaltatus, Retz. B. fl., VII, 285
hæmatodes, Endl. B. fl., VII, 285
Bowmanni, F. v M. B. fl., VII, 287
leiocaulon, Benth. B. fl., VII, 287

CYPERACEÆ—*continued*.*Heleocharis*, R. Br.

- *sphacelata*, R. Br. B. fl., VII, 292
- variegata*, Kunth. B. fl., VII, 293 (*H. compacta*, R. Br.)
- tetraquetra*, Nees. B. fl., VII, 294
- cylindrostachys*, Boeckel. B. fl., VII, 294
- *acuta*, R. Br. B. fl., VII, 294
- atricha*, R. Br. B. fl., VII, 295
- multicaulis*, Sm. B. fl., VII, 295
- atropurpurea*, Kunth. B. fl., VII, 296
- acicularis*, R. Br. B. fl., VII, 297
- pusilla*, R. Br. B. fl., VII, 297 (*H. acicularis*, R. Br., var.)

Fimbristylis, Vahl.

- acuminata*, Vahl. B. fl., VII, 301
- nutans*, Vahl. B. fl., VII, 303
- monostachya*, Hassk. B. fl., VII, 308
- velata*, R. Br. B. fl., VII, 309
- æstivalis*, Vahl. B. fl., VII, 310
- dichotoma*, Vahl. B. fl., VII, 310
- diphylla*, Vahl. B. fl., VII, 311 (*F. communis*, Kunth.)
- ferruginea*, Vahl. B. fl., VII, 312
- cyperoides*, R. Br. B. fl., VII, 317
- Neilsoni*, F. v. M. B. fl., VII, 320
- barbata*, Benth. B. fl., VII, 321

Scirpus, Linn.

- *fluitans*, Sm. B. fl., VII, 325
- lenticularis*, Spr. B. fl., VII, 326
- crassiuscuius*, Hk. B. fl., VII, 326
- setaceus*, L. B. fl., VII, 327
- riparius*, Spr. B. fl., VII, 327
- *cartilagineus*, Spr. B. fl., VII, 328
- *inundatus*, Spr. B. fl., VII, 329
- prolifer*, Rottb. B. fl., VII, 330
- supinus*, L. B. fl., VII, 330
- nodosus*, Rottb. B. fl., VII, 331
- mucronatus*, L. B. fl., VII, 332
- pungens*, Vahl. B. fl., VII, 333
- lacustris*, L. B. fl., VII, 333
- litoralis*, Schrad. B. fl., VII, 334
- *maritimus*, L. B. fl., VII, 335
- polystachius*, F. v. M. B. fl., VII, 335

Lipocarpha, R. Br.

- microcephala*, R. Br. B. fl., VII, 337

Fuirena, Linn.

- glomerata*, Lam. B. fl., VII, 338

Exocarya, Benth.

- scleroides*, Benth. B. fl., VII, 339

Lepironia, Reichb.

- mucronata*, Reichb. B. fl., VII, 342

Chorizandra, R. Br.

- sphærocephala*, R. Br. B. fl., VII, 344
- *enodis*, Nees. B. fl., VII, 344
- cymbaria*, R. Br. B. fl., VII, 345

CYPERACEÆ—*continued.*

Oreobolus, R. Br.

pumilis, R. Br. B. fl., VII, 346

Rhynchospora, Vahl.

glauca, Vahl. B. fl., VII, 349

Cyathochaete, Nees.

diandra, Nees. B. fl., VII, 352

Schoenus, Linn.

turbinatus, Poir. B. fl., VII, 359

aphyllus, Boeckel. B. fl., VII, 361

imberbis, R. Br. B. fl., VII, 361

nitens, Poir. B. fl., VII, 362

ericetorum, R. Br. B. fl., VII, 362

tenuissimus, Benth. B. fl., VII, 365 (*Lepidospora tenuissima*,
F. v. M.)

Moorei, Benth. B. fl., VII, 367

villosus, R. Br. B. fl., VII, 367

calostachyus, Poir. B. fl., VII, 368

brevifolius, R. Br. B. fl., VII, 370

melanostachys, R. Br. B. fl., VII, 370

vaginatus, F. v. M. B. fl., VII, 371

— *Brownii*, Hk. B. fl., VII, 373 (*Sch. apogon*, Roem.)

axillaris, Poir. B. fl., VII, 375

Mesomelana, Nees.

deusta, Benth. B. fl. VII, 379 (*Schoenus deustus*, F. v. M.)

spherocephala, Benth. B. fl., VII, 380 (*Schoenus spherocephalus*,
Poir.)

Carpha, R. Br.

alpina, R. Br. B. fl., VII, 381

Tricostularia, Nees.

paludosa, Benth. B. fl., VII, 382 (*Schoenus paludosus*, Poir.)

Lepidosperma, Labill.

— *gladiatum*, Labill. B. fl., VII, 387

— *exaltatum*, R. Br. B. fl., VII, 389

longitudinale, Labill. B. fl., VII, 389

concauum, R. Br. B. fl., VII, 390

viscidum, R. Br. B. fl., VII, 393

laterale, R. Br. B. fl., VII, 393

lineare, R. Br. B. fl., VII, 395

canescens, Boeckel. B. fl., VII, 396

flexuosum, R. Br. B. fl., VII, 398

filiforme, Labill. B. fl., VII, 398

Neesii, Kunth. B. fl., VII, 399

Cladium, R. Br.

— *Mariscus* R. Br. B. fl., VII, 402

insulare, Benth. B. fl., VII, 403

articulatum, R. Br. B. fl., VII, 403

glomeratum, R. Br. B. fl., VII, 404

teretifolium, R. Br. B. fl., VII, 406

tetraquetrum, Hk. B. fl., VII, 406

shoenoides, R. Br. B. fl., VII, 407

Gunnii, Hk. B. fl., VII, 407

juncum, R. Br. B. fl., VII, 408

CYPERACEÆ—*continued.*

Gahnia, Forst. (Cladium).

- aspera, Spreng. B. fl., VII, 412
 trifida, Labill. B. fl., VII, 413
 melanocarpa, R. Br. B. fl., VII, 413
 Sieberi, Boeckel. B. fl., VII, 414
 microstachya, Benth. B. fl., VII, 414
 xanthocarpa, Hk. B. fl., VII, 418
 psittacorum, Labill. B. fl., VII, 418

Cautis, R. Br.

- pentandra, R. Br. B. fl., VII, 420
 flexuosa, R. Br. B. fl., VII, 421
 recurvata, R. Br. B. fl., VII, 421
 restiacea, F. v. M. B. fl., VII, 421

Scleria, Berg.

- hebecarpa, Nees. B. fl., VII, 431
 sphacelata, F. v. M. B. fl., VII, 432

Uncinia, Pers.

- riparia, R. Br. B. fl., VII, 434
 debilior, F. v. M. B. fl., VII, 435

Carex, Linn.

- cephalotes, F. v. M. B. fl., VII, 437
 acicularis, Boott. B. fl., VII, 437
 capillacea, Boott. B. fl., VII, 438
 inversa, R. Br. B. fl., VII, 438
 canescens, L. B. fl., VII, 439
 echinata, Murr. B. fl., VII, 439
 hypandra, F. v. M. B. fl., VII, 439
 chlorantha, R. Br. B. fl., VII, 440
 paniculata, L. B. fl., VII, 440
 declinata, Boott. B. fl., VII, 441
 tereticaulis, F. v. M. B. fl., VII, 441
 gracilis, R. Br. B. fl., VII, 442
 contracta, F. v. M. B. fl., VII, 442
 vulgaris, Fries. B. fl., VII, 442 (C. Gaudichaudiana, Kunth.)
 acuta, L. B. fl., VII, 443
 lobilepis, F. v. M. B. fl., VII, 443
 Buxbaumii, Vahl. B. fl., VII, 444
 pumila, Thunb. B. fl., VII, 445
 breviculmis, R. Br. B. fl., VII, 445
 Gunniana, Boott. B. fl., VII, 446
 maculata, Boott. B. fl., VII, 447
 Brownii, Tuckerm. B. fl., VII, 447
 longifolia, R. Br. B. fl., VII, 448
 Pseudo-Cyperus, L. B. fl., VII, 448

GRAMINEÆ—

Paspalum, Linn.

- serobiculatum, L. B. fl., VII, 460
 —distichum, L. B. fl., VII, 460
 brevifolium, Flügge. B. fl., VII, 461

Eriochloa, H. & K.

- punctata, Hamilt. B. fl., VII, 462
 annulata, Kunth. B. fl., VII, 463

GRAMINEÆ—*continued.*

Panicum, Linn.

- coenicolum, F. v. M. B. fl., VII, 467
- divaricatissimum, R. Br. B. fl., VII, 467
- maeractinium, Benth. B. fl., VII, 468
- sanguinale, L. B. fl., VII, 469
- tenuissimum, Benth. B. fl., VII, 470
- parviflorum, R. Br. B. fl., VII, 470
- Baileyi, Benth. B. fl., VII, 471
- leucophæum, Humb & Bonpl. B. fl., VII, 472
- sémialatum, R. Br. B. fl., VII, 472
- flavidum, Retz. B. fl., VII, 474
- gracile, R. Br. B. fl., VII, 475
- helopús, Trin. B. fl., VII, 476
- distachyon, L. B. fl., VII, 478
- reversum, F. v. M. B. fl., VII, 478
- Crus-Galli, L. B. fl., VII, 479
- Indicum, L. B. fl., VII, 480
- foliosum, R. Br. B. fl., VII, 481
- adpersum, Trin. B. fl., VII, 481
- uncinulatum, R. Br. B. fl., VII, 482
- repens, L. B. fl., VII, 484
- pygmæum, R. Br. B. fl., VII, 484
- marginatum, R. Br. B. fl., VII, 485
- obseptum, Trin. B. fl., VII, 486
- bicolor, R. Br. B. fl., VII, 487
- melananthum, F. v. M. B. fl., VII, 488
- effusum, R. Br. B. fl., VII, 488
- Mitchelli, Benth. B. fl., VII, 489
- decompositum, R. Br. B. fl., VII, 489
- trachyrhachis, Benth. B. fl., VII, 490
- prolutum, F. v. M. B. fl., VII, 490
- Oplismenus, Beauv.
 - compositus, Beauv. B. fl., VII, 491
 - setarius, Roem. & Schutt. B. fl., VII, 492
 } (Opl. compositus, Palisot.)
- Setaria, Beauv.
 - glauca, Palis. B. fl., VII, 492
 - macrostachya, H. B. & K. B. fl., VII, 493
- Pennisetum, Rich.
 - compressum, R. Br. B. fl., VII, 495
- Cenchrus, Linn.
 - australis, R. Br. B. fl., VII, 497
- Chamæraphis, R. Br. (Panicum)
 - spinescens, Poir. B. fl., VII, 498
 - paradoxa, Poir. B. fl., VII, 499
- Spinifex, Linn.
 - hirsutus, Labill. B. fl., VII, 503
 - paradoxus, Benth. B. fl., VII, 504
- Zoysia, Willd.
 - pungens, Willd. B. fl., VII, 506
- Lappago, Schreb.
 - racemosa, Willd. B. fl., VII, 506 (Tragus racemosus, Hall.)

GRAMINEÆ—*continued.*

- Neurachne, R. Br.
 — alopecuroides, R. Br. B. fl., VII, 507
 Mitchelliana, Nees. B. fl., VII, 508
 — Munroi, F. v. M. B. fl., VII, 508
- Perotis, Ait.
 rara, R. Br. B. fl., VII, 509
- Hemarthria, R. Br.
 — compressa, R. Br. B. fl., VII, 510
- Heteropogon, Pers.
 — contortus, Roem. B. fl., VII, 517 (Andropogon contortus, L.)
- Ischæmum, Linn.
 — triticeum, R. Br. B. fl., VII, 519
 australe, R. Br. B. fl., VII, 519
 ciliare, Retz. B. fl., VII, 520
 — pectinatum, Trin. B. fl., VII, 521
- Arthraxon, Beauv.
 ciliare, Palis. B. fl., VII, 524
- Pollinia, Trin.
 — fulva, Benth. B. fl., VII, 526 (Erianthus fulvus, Kunth.)
- Andropogon, Linn.
 erianthoides, F. v. M. B. fl., VII, 529
 — sericeus, R. Br. B. fl., VII, 529
 — affinis, R. Br. B. fl., VII, 530
 pertusus, Willd. B. fl., VII, 530
 intermedius, R. Br. B. fl., VII, 531
 — bombycinus, R. Br. B. fl., VII, 533
 — refractus, R. Br. B. fl., VII, 534
 lachnatherus, Benth. B. fl., VII, 534
- Imperata, Cyr.
 arundinacea, Cyr. B. fl., VII, 536
- Chrysopogon, Trin.
 Gryllus, Trin. B. fl., VII, 537 (Andropogon Gryllus, L.)
 — parviflorus, Benth. B. fl., VII, 537 (Andropogon montanus, Roxb.)
- Sorghum, Pers.
 — halepense, Pers. B. fl., VII, 540 (Andropogon Halepensis, Sibth.)
 plumosum, Beauv. B. fl., VII, 540 (Andropogon australis, Spreng.)
- Anthistiria, Linn.
 — ciliata, L. B. fl., VII, 542
 — avenacea, F. v. M. B. fl., VII, 543
 — membranacea, Lindl. B. fl., VII, 543
- Apluda, Linn.
 mutica, L. B. fl., VII, 544
- Arundinella, Raddi.
 Nepalensis, Trin. B. fl., VII, 545
- *Polypogon, Desf.
 — monspeliensis, Desf. B. fl., VII, 546
- Leersia, Swartz.
 hexandra, Sw. B. fl., VII, 549
- Potamophila, R. Br.
 parviflora, R. Br. B. fl., VII, 550
- Microlana, R. Br.
 — stipoides, R. Br. B. fl., VII, 552 (Ehrharta stipoides, Labill.)

GRAMINEÆ—*continued.*

Tetrarrhena, R. Br.

— juncea, R. Br. B. fl., VII, 551 (Ehrharta juncea, Spreng.)

Alopecurus, Linn.

— geniculatus, L. B. fl., VII, 555

*Anthoxanthum, Linn.

odoratum, L. B. fl., VII, 557

Hierochloa, Gmel.

— redolens, R. Br. B. fl., VII, 558

— rariflora, Hk. B. fl., VII, 559

Aristida, Linn.

— stipoides, R. Br. B. fl., VII, 561

— arenaria, Gaud. B. fl., VII, 561

— Behriana, F. v. M. B. fl., VII, 562

leptopoda, Benth. B. fl., VII, 562

vagans, Cav. B. fl., VII, 562

ramosa, R. Br. B. fl., VII, 563

calycina, R. Br. B. fl., VII, 563

depressa, Retz. B. fl., VII, 563

Stipa, Linn.

— elegantissima, Labill. B. fl., VII, 565

Tuckeri, F. v. M. M. fr., XI, 129

micrantha, Cav. B. fl., VII, 566 (St. verticillata, Nees.)

flavescens, Labill. B. fl., VII, 566

— setacea, R. Br. B. fl., VII, 568

— semibarbata, R. Br. B. fl., VII, 568

pubescens, R. Br. B. fl., VII, 569

— aristiglumis, F. v. M. B. fl., VII, 570

scabra, Lindl. B. fl., VII, 570

Pentapogon, R. Br.

— Billardieri, R. Br. B. fl., VII, 572

Dichelachne, Endl.

— crinita, Hk. B. fl., VII, 574

— sciurea, Hk. B. fl., VII, 574

Agrostis, Linn.

Muelleri, Benth. B. fl., VII, 576

scabra, Willd. B. fl., VII, 576

— venusta, Trin. B. fl., VII, 576

Deyeuxia, Clarion. (Agrostis)

— Forsteri, Kunth. B. fl., VII, 579 (A. Solandri, F. v. M.)

— Billardieri, Kunth. B. fl., VII, 580

plebeia, Benth. B. fl., VII, 580

— montana, Benth. B. fl., VII, 581

— quadriseta, Benth. B. fl., VII, 581

frigida, F. v. M. B. fl., VII, 583

scabra, Benth. B. fl., VII, 583

— nivalis, Benth. B. fl., VII, 583

breviglumis, Benth. B. fl., VII, 584

*Holecus, Linn.

— lanatus, L. B. fl., VII, 586

Deschampsia, Beauv.

— cæspitosa, Beauv. B. fl., VII, 587 (Aira cæspitosa, L.)

Trisetum, Beauv.

subspicatum, Palis. B. fl., VII, 588

GRAMINEÆ—*continued.*

- Amphibromus, Nees.
 — Neesii, Steud. B. fl., VII, 589 (*Danthonia nervosa*, Hk.)
 Anisopogon, R. Br.
 — avenaceus, R. Br. B. fl., VII, 590
 Danthonia, DC.
 — paradoxa, R. Br. B. fl., VII, 591
 — bipartita, F. v. M. B. fl., VII, 592
 — carphoides, F. v. M. B. fl., VII, 592
 — pallida, R. Br. B. fl., VII, 592
 — longifolia, R. Br. B. fl., VII, 593
 — racemosa, R. Br. B. fl., VII, 594
 — pilosa, R. Br. B. fl., VII, 594
 — semiannularis, R. Br. B. fl., VII, 595
 — robusta, F. v. M. B. fl., VII, 593
 — pauciflora, R. Br. B. fl., VII, 596
 Amphipogon, R. Br.
 — strictus, R. Br. B. fl., VII, 597
 Echinopogon, Beauv.
 — ovatus, Palis. B. fl., VII, 599
 Pappophorum, Schreb.
 — nigricans, R. Br. B. fl., VII, 600
 — avenaceum, Lindl. B. fl., VII, 601 — } (*P. commune*, F. v. M.)
 Astrebla, F. v. M.
 — pectinata, F. v. M. B. fl., VII, 602
 — triticoides, F. v. M. B. fl., VII, 602
 Triraphis, R. Br.
 — mollis, R. Br. B. fl., VII, 603
 — microdon, Benth. B. fl., VII, 605 (*Triodia microdon*, F. v. M.)
 Triodia, R. Br.
 — Mitchelli, Benth. B. fl., VII, 606
 — irritans, R. Br. B. fl., VII, 607
 Cynodon, Pers.
 — Dactylon, L. C. Rich. B. fl., VII, 609
 Chloris, Linn.
 — acicularis, Lindl. B. fl., VII, 612
 — truncata, R. Br. B. fl., VII, 612
 — ventricosa, R. Br. B. fl., VII, 613
 Eleusine, Gærtn.
 — Aegyptica, Pers. B. fl., VII, 615
 — Indica, Gærtn. B. fl., VII, 615
 Leptochloa, Beauv. (*Eleusine*).
 — subdigitata, Trin. B. fl., VII, 617
 — Chinensis, Nees. B. fl., VII, 617
 Diplachne, Beauv.
 — loliformis, F. v. M. B. fl., VII, 618
 — fusca, Palis. B. fl., VII, 619
 Sporobolus, R. Br.
 — Virginicus, Humb & Kunth. B. fl., VII, 621
 — Indicus, R. Br. B. fl., VII, 622
 — diander, Palisot. B. fl., VII, 622
 — pulebellus, R. Br. B. fl., VII, 623
 — Lindleyi, Benth. B. fl., VII, 623
 — actinocladus, F. v. M. B. fl., VII, 623

GRAMINEÆ—*continued.*

- Isachne, R. Br.
 australis, R. Br. B. fl., VII, 625 (*Panicum atrovirens*, Trin.)
 Eriachne, R. Br.
 aristidea, F. v. M. B. fl., VII, 629
 obtusa, R. Br. B. fl., VII, 632
 Ectrosia, R. Br.
 leporina, R. Br. B. fl., VII, 633
 *Lamarckia, Moench.
 — *aurea*, Moench. B. fl., VII, 636
 Phragmites, Trin.
 — *communis*, Trin. B. fl., VII, 636 (*Arundo Phragmites*, Dod.)
 Distichlis, Rafin.
 maritima, Rafin. B. fl., VII, 637
 Elythrophorus, Beauv.
 articulatus, Palis. B. fl., VII, 638
 *Koeleria, Pers.
 cristata, Pers. B. fl., VII, 639
 — *phleoides*, Pers. B. fl., VII, 639
 *Dactylis, Linn.
 — *glomerata*, L. B. fl., VII, 640
 Eragrostis, Beauv.
 tenella, Palisot. B. fl., VII, 643
 nigra, Nees. B. fl., VII, 643
 megalosperma, F. v. M. B. fl., VII, 644
 pilosa, Palisot. B. fl., VII, 645
 leptostachya, Steud. B. fl., VII, 645
 diandra, Steud. B. fl., VII, 646
 — *Brownii*, Nees. B. fl., VII, 646
 laniflora, Benth. B. fl., VII, 648
 eriopoda, Benth. B. fl., VII, 648
 chatophylla, Steud. B. fl., VII, 648 (*E. setifolia*, Nees.)
 lacunaria, F. v. M. B. fl., VII, 649
 falcata, Gaud. B. fl., VII, 649
 Poa, Linn.
 — *cæspitosa*, Forst. B. fl., VII, 651
 — *nodosa*, Nees. B. fl., VII, 653
 **annua*, L. B. fl., VII, 654
 lepida, F. v. M. B. fl., VII, 654
 **glauca*, E. B.
 **pratensis*, Willd.
 Schedonorus, Beauv.
 — *litoralis*, Beauv. B. fl., VII, 655 (*Festuca litoralis*, Labill.)
 — *Hookerianus*, Benth. B. fl., VII, 656 (*Festuca Hookeriana*, F. v. M.)
 Glyceria, R. Br. (Poa).
 — *Fordeana*, F. v. M. B. fl., VII, 657
 — *fluitans*, R. Br. B. fl., VII, 657
 latispica, F. v. M. B. fl., VII, 658
 ramigera, F. v. M. B. fl., VII, 659
 *Briza, Linn.
 — *minor*, L. B. fl., VII, 660
 — *maxima*, L. B. fl., VII, 660

GRAMINEÆ—*continued.*

- Bromus, Linn.
 — arenarius, Labill. B. fl., VII, 661
 — *mollis, L. B. fl., VII, 661
 — *sterilis, L. B. fl., VII, 662
 *Ceratochloa, Beauv. & DC.
 unioloides, DC. B. fl., VII, 662
 Festuca, Linn.
 — duriuscula, L. B. fl., VII, 663
 — *bromoides, L. B. fl., VII, 663
 — *rigida, Mert. & Koch. B. fl., VII, 664
 Agropyron, Beauv.
 — scabrum, Palisot. B. fl., VII, 665
 — velutinum, Nees. B. fl., VII, 665
 pectinatum, Palis. B. fl., VII, 666
 *Lolium, Linn.
 — perenne, L. B. fl., VII, 666
 — temulentum, L. B. fl., VII, 667
 Lepturus, R. Br.
 — incurvatus, Trin. B. fl., VII, 668
 — cylindricus, Trin. B. fl., VII, 668
 *Hordeum, Linn.
 — murinum, L. B. fl., VII, 669
 nodosum, L. B. fl., VII, 669
 *Stenotaphrum, Trin.
 americanum, Schr. B. fl., VII, 500
 *Phalaris, Linn.
 — canariensis, L.
 *Avena, Linn.
 — fatua, L.

CLASS III—ACOTYLEDONES.

LYCOPODIACEÆ—

- Phylloglossum, Kunze.
 — Drummondii, Kunze. B. fl., VII, 672
 Lycopodium, Linn.
 Selago L. B. fl., VII, 674
 — varium, R. Br. B. fl., VII, 674 (L. Selago, L., var.)
 clavatum, R. Br. B. fl., VII, 675
 Carolinianum, L. B. fl., VII, 675
 — laterale, R. Br. B. fl., VII, 675
 — densum, Labill. B. fl., VII, 676
 Selaginella, Spring.
 — Preissiana, Spring. B. fl., VII, 677
 — uliginosa, Spring. B. fl., VII, 678
 Belangeri, Spring. B. fl., VII, 679
 Azolla, Linn. (transferred by F. v. M. to Rhizospermæ.)
 — pinnata, R. Br. B. fl., VII, 679
 — rubra, R. Br. B. fl., VII, 680 (A. filiculoides, Lam.)

LYCOPODIACEÆ—*continued.*

- Tmesipteris*, Bernh.
 — *Tannensis*, Bernh. B. fl., VII, 680
Psilotum, Swartz.
 — *triquetrum*, Swartz. B. fl., VII, 681

MARSILEACEÆ (RHIZOSPERME)—

- Marsilea*, Linn.
 — *quadrifolia*, L. B. fl., VII, 683
hirsuta, R. Br. B. fl., VII, 683 (*M. quadrifolia*, L., var.)
Drummondii, A. Br. B. fl., VII, 684 (*M. quadrifolia*, L., var.)
Pilularia, Linn.
globulifera, L. B. fl., VII, 684

FILICES—

- Ophioglossum*, Linn.
 — *vulgatum*, L. B. fl., VII, 688
pendulum, L. B. fl., VII, 689
Botrychium, Swartz.
Lunaria, Swartz. B. fl., VII, 690
ternatum, Sw. B. fl., VII, 690
Lygodium, Swartz.
 — *scandens*, Swartz. B. fl., VII, 691
Schizaea, Sm.
 — *bifida*, Swartz. B. fl., VII, 693 (*Sch. dichotoma*, Swartz, var.)
rupestris, R. Br. B. fl., VII, 693
 — *dichotoma*, Swartz. B. fl., VII, 694
Marattia, Sm.
fraxinea, Sm. B. fl., VII, 695
Platyzoma, R. Br.
microphyllum, R. Br. B. fl., VII, 696 (*Gleichenia platyzoma*,
 F. v. M.)
Gleichenia, Sm.
 — *circinata*, Sw. B. fl., VII, 697
 — *dicarpa*, R. Br. B. fl., VII, 698
 — *flabellata*, R. Br. B. fl., VII, 698
 — *dichotoma*, Hk. B. fl., VII, 698 (*Gl. Hermannii*, R. Br.)
Todea, Willd. (*Osmunda*)
 — *barbara*, T. Moore. B. fl., VII, 699
Fraseri, Hk. B. fl., VII, 700
Moorei, Bak. B. fl., VII, 700
Trichomanes, Linn.
Vitiense, Bak. B. fl., VII, 701
parvulum, Poir. B. fl., VII, 701
digitatum, Sw. B. fl., VII, 702
 — *venosum*, R. Br. B. fl., VII, 702
rigidum, Sw. B. fl., VII, 702
humile, Forst. florul. ins. Austr. prodr., 84 (1876)
caudatum, Brackenr. B. fl., VII, 703
apiifolium, Presl. B. fl., VII, 703 (*Tr. Baucianum*, Endl.)
Hymenophyllum, Sm.
marginatum, Hk. & Grev. B. fl., VII, 705
 — *flabellatum*, Labill. B. fl., VII, 705 (*H. nitens*, R. Br.)

FILICES—*continued.*

- Javanicum, Spreng. B. fl., VII, 705
 - minimum, A. Rich. B. fl., VII, 706
 - pumilum, A. Rich. B. fl., VII, 706
 - Tunbridgense, Sm. B. fl., VII, 706
 - multifidum, Sw. B. fl., VII, 707
- } (H. Tunbridgense, Sm.)
- Cyathea, Sm.
- Lindseyana, Hk. B. fl., VII, 708
 - Macarthurii, F. v. M. B. fl., VII, 708
 - medullaris, Sw. B. fl., VII, 708
 - brevipinna, Hk. B. fl., VII, 709
- Hemitelia, R. Br. (Cyathea)
- Moorei, Bak. B. fl., 709
- Alsophila R. Br.
- Loddigesii, Kunze. B. fl., VII, 710
 - australis, R. Br. B. fl., VII, 710
 - excelsa, R. Br., prodr., 158 (1865)
 - Leichhardtiana, F. v. M. B. fl., VII, 711
- Dicksonia, L' Hér.
- antarctica, Labill. B. fl., VII, 712
 - Youngia, Ch. Moore. B. fl., VII, 713
 - davallioides, R. Br. B. fl., VII, 713
- Deparia, Hook & Grev. (Dicksonia)
- nephrodioides, Baker. B. fl., VII, 714
- Davallia, Sm.
- pyxidata, Cav. B. fl., VII, 716
 - dubia, R. Br. B. fl., VII, 716
- Vittaria, Sm.
- elongata, Sw. B. fl., VII, 718
- Lindsaya, Dryand.
- linearis, Sw. B. fl., VII, 719
 - microphylla, Sw. B. fl., VII, 721
- Adiantum, Linn.
- Aethiopicum, L. B. fl., VII, 724
 - formosum, R. Br. B. fl., VII, 724
 - affine, Willd. B. fl., VII, 724
 - diaphanum, Blume. B. fl., VII, 725
 - hispidulum, Sw. B. fl., VII, 725
- Hypolepis, Bernh.
- tenuifolia, Bernh. B. fl., VII, 726
- Cheilanthes, Swartz.
- tenuifolia, Sw. B. fl., VII, 726
- Pteris, Linn.
- geraniifolia, Raddi. B. fl., VII, 728
 - paradoxa, Bak. B. fl., VII, 729
 - falcata, R. Br. B. fl., VII, 729
 - longifolia, L. B. fl., VII, 730
 - umbrosa, R. Br. B. fl., VII, 730
 - tremula, R. Br. B. fl., VII, 731 (Pt. arguta, Ait.)
 - aquilina, L. B. fl., VII, 731
 - incisa, Thunb. B. fl., VII, 732
 - comans, Forst. B. fl., VII, 733

FILICES—*continued.*

Lomaria, Willd.

- Patersoni, Spreng. B. fl., VII, 734
- discolor, Willd. B. fl., VII, 735
- lanceolata, Spreng. B. fl., VII, 735
- attenuata, Willd. B. fl., VII, 736
- alpina, Spreng. B. fl., VII, 736
- fluviatilis, Spreng. B. fl., VII, 736
- Fullageri, F. v. M. B. fl., VII, 737
- Capensis, Willd. B. fl., VII, 737

Blechnum, Linn.

- cartilagineum, Sw. B. fl., VII, 738
- lævigatum, Cav. B. fl., VII, 739
- serrulatum, Rich. B. fl., VII, 739

Doodia, R. Br. (Woodwardia)

- aspera, Mett. B. fl., VII, 741
- blechnoides, A. Cunn. B. fl., VII, 741 (D. aspera, Mett., var.)
- caudata, R. Br. B. fl., VII, 742

Asplenium, Linn.

- Nidus, L. B. fl., VII, 744
- attenuatum, R. Br. B. fl., VII, 745
- Trichomanes, L. B. fl., VII, 745
- flabellifolium, Cav. B. fl., VII, 745
- falcatum, Cav. B. fl., VII, 746
- Hookerianum, Colens. B. fl., VII, 747
- furcatum, Thunb. B. fl., VII, 747
- bulbiferum, Forst. B. fl., VII, 748
- obtusatum, Forst. B. fl., VII, 747
- flaccidum, Forst. B. fl., VII, 749
- pteridioides, Baker. B. fl., VII, 749
- umbrosum, J. Sm. B. fl., VII, 749
- maximum, Don. B. fl., VII, 751
- melanochlamys, Hk. B. fl., VII, 751

} (A. marinum, L.)

Aspidium, Swartz.

- cordifolium, Sw. B. fl., VII, 754
- ramosum, Palisot. B. fl., VII, 754
- unitum, Sw. B. fl., VII, 755
- molle, Sw. B. fl., VII, 756
- truncatum, Gaud. B. fl., VII, 756
- aculeatum, Sw. B. fl., VII, 757
- aristatum, Sw. B. fl., VII, 757
- Capense, Willd. B. fl., VII, 758
- apicale, Baker. B. fl., VII, 758
- decompositum, Spreng. B. fl., VII, 758
- tenerum, Spreng. B. fl., VII, 759
- tericaule, Thw. B. fl., VII, 759 (Asp. uliginosum, Kunze.)

Polypodium, Linn.

- australe, Mett. B. fl., VII, 762
- Hookeri, Brackenr. B. fl., VII, 763
- grammitidis, R. Br. B. fl., VII, 764
- tenellum, Forst. B. fl., VII, 764
- punctatum, Thunb. B. fl., VII, 764

FILICES—*continued.*

- proliferum, Roxb. B. fl., VII, 765
- serpens, Forst. B. fl., VII, 767
- confluens, R. Br. B. fl., VII, 767
- attenuatum, R. Br. B. fl., VII, 768
- pustulatum, Forst. B. fl., VII, 769
- scandens, Forst. B. fl., VII, 770
- rigidulum, Sw. B. fl., VII, 771
- Notholaena, R. Br.
 - vellea, R. Br. B. fl., VII, 773 (Cheilanthes vellea, F. v. M.)
 - distans, R. Br. B. fl., VII, 774 (Cheilanthes distans, A. Br.)
- Grammitis, Swartz.
 - rutæfolia, R. Br. B. fl., VII, 775
 - leptophylla, Sw. B. fl., VII, 776
- Acrostichum, Linn.
 - aureum, L. B. fl., VII, 779
 - spicatum, L. B. fl., VII, 780
- Platyserium, Desv.
 - alpicorne, Desv. B. fl., VII, 780
 - grande, J. Sm. B. fl., VII, 781

INDEX OF ORDERS AND GENERA.

	Page		Page		Page
Abrophyllum	23	Ampera	63	Astrotricha	31
Abutilon	7	Amphibromus	83	Atalantia	11
Acacia	21	Amphipogon	83	Atalaya	14
Acæna	23	Anacardiaceæ	14	Atherosperma	58
Acalypha	63	Anagallis	44	Athrixia	37
Acanthaceæ	51	Ancana	2	Atkinsonia	31
Achras	44	Andropogon	81	Atriplex	55
Achyranthes	57	Aneilema	73	Australina	64
Acianthus	69	Anethum	30	Avena	85
Acicalyptus	28	Angianthus	36	Avicennia	52
Aciphylla	30	Angophora	26	Azolla	85
Ackama	23	Anguillaria	72		
Acomis	37	Anisacantha	56	Babbagia	55
Acronychia	11	Anisopogon	83	Backhousia	28
Acerophyllum	23	Anonaceæ	2	Bacularia	74
Acrostichum	89	Anopterus	23	Beckea	25
Aerotriche	43	Antennaria	39	Baloghia	63
Actephila	63	Anthemis	40	Banksia	61
Actinotus	30	Anthistiria	81	Barbarea	2
Adenostemma	33	Anthocercis	49	Barklya	20
Adiantum	87	Anthoxanthum	82	Bartlingia	72
Adrastea	1	Aotus	16	Bassia	55, 56
Adriana	63	Aphananthe	64	Bauera	24
Aegiceras	44	Aphanopetalum	23	Bauhinia	20
Aeschynomene	19	Aphelia	75	Bedfordia	40
Agrimonia	23	Apium	30	Beilschmiedia	58
Agropyron	85	Apluda	81	Bergia	6
Agrostis	82	Apocynæ	45	Bertya	62
Ailanthus	11	Aponogeton	75	Beyeria	62
Aira	82	Apophyllum	4	Bidens	35
Aizoon	29	Arabis	2	Bignoniaceæ	51
Ajuga	53	Araliaceæ	31	Billardiera	5
Akania	14	Araucaria	66	Bixineæ	4
Alania	72	Ardisia	44	Blandfordia	71
Albizzia	22	Argemone	2	Blechnum	88
Alchemilla	23	Argophyllum	23	Blennodia	3
Alchornea	63	Aristida	82	Boehmeria	64
Alisma	75	Aristolochia	65	Boerhaavia	57
Alismaceæ	75	Aristolochiaceæ	65	Boragineæ	47
Allium	72	Aristotelia	8	Boronia	9
Alopecurus	82	Aroideæ	74	Bosistoa	10
Alphitonia	12	Artanema	49	Bossiaæ	17
Alpinia	67	Arthroxon	81	Botrychium	86
Alsophila	87	Arthropodium	72	Bouchardatia	10
Alstonia	45	Arundinella	81	Brachychiton	7
Alternanthera	57	Arundo	84	Brachycome	34
Alyssum	3	Asclepiadeæ	46	Brachyloma	42
Alyxia	45	Asclepias	46	Bramia	49
Amarantaceæ	56	Asperifoliæ	47	Brasenia	2
Amarantus	56	Asperula	32	Brassica	3
Amaryllidæ	70	Aspidium	88	Breweria	48
Amnannia	28	Asplenium	88	Breynia	63
Ammi	30	Astelia	71	Bridelia	63
Ammobium	37	Aster	33, 34	Briza	84
Amoora	12	Asterolasia	10	Bromus	85
Amorphospermum	44	Astrebla	83	Brunella	52
Ampelideæ	13	Astroloma	42	Brunonia	41

	Page		Page		Page
Bryonia	29	Cedrela	12	Conyza	34
Bryonopsis	29	Celastrineæ	12	Coprosma	32
Buchnera	50	Celastrus	12	Corchorus	8
Bulbine	72	Celmisia	34	Cordyline	71
Bulbophyllum	67	Celsia	50	Cornaceæ	31
Bupleurum	30	Celtis	64	Correa	10
Burchardia	72	Cenchrus	80	Corynotheca	72
Burmannia	70	Centaurea	33	Corysanthes	69
Burmanniaceæ	70	Centipeda	36	Cotula	36
Bursaria	4	Centranthera	50	Craspedia	36
		Centratherum	33	Crassulaceæ	24
Cabomba	2	Centrolepideæ	75	Crantzia	30
Cadellia	11	Centrolepis	75	Crepis	40
Casalpina	20	Cerastium	5	Cressa	48
Casalpinicæ	20	Ceratochloa	85	Crinum	71
Cæssia	72	Ceratopetalum	23	Cristaria	7
Cakile	3	Ceratophyllum	25	Crotalaria	17
Caladenia	70	Chamæraphis	80	Croton	63
Calamus	74	Chamæscilla	72	Crowea	10
Calandrinia	6	Cheilanthes	87, 89	Cruciferae	2
Calanthe	68	Cheiranthra	5	Cryptandra	13
Caléana	69	Chenolea	55	Cryptocarya	58
Caleya	69	Chenopodiaceæ	54	Cryptostemma	40
Callicarpa	52	Chenopodium	54	Cryptostylis	68
Callicoma	23	Chilocarpus	45	Cucumis	29
Callistemon	26	Chiloglottis	70	Cucurbitaceæ	29
Callitriche	25	Chloanthes	52	Cudrania	64
Callitris	66	Chloris	83	Cupania	13, 14
Calocephalus	36	Choretum	65	Cupuliferae	65
Calochilus	68	Chorizandra	77	Curculigo	70
Calostemma	71	Chorizema	15	Cuscuta	48
Calostrophus	76	Chrysanthemum	40	Cuttsia	23
Calotis	34	Chrysophyllum	44	Cyathæa	87
Calycothrix	25	Chrysopogon	81	Cyathochæte	78
Calythrix	25	Chthonocephalus	36	Cycadææ	66
Camelina	4	Cichorium	40	Cymbidium	68
Campanulaceæ	42	Cirsium	40	Cymbonotus	40
Canavalia	19	Citriobatus	5	Cynodon	83
Candollea	40	Citrus	11	Cynoglossum	47
Candolleaceæ	40	Cladium	78, 79	Cyperaceæ	76
Cannabis	65	Claoxylon	63	Cyperus	76
Canthium	32	Claytonia	6	Cyrtostylis	70
Capparideæ	4	Cleisostoma	68		
Capparis	2	Cleistanthus	63	Dactylis	84
Caprifoliaceæ	31	Clematis	1	Dæmia	46
Capsella	3	Cleome	4	Damasonium	75
Cardamine	2	Clerodendron	52	Dampiera	41
Carduus	40	Clianthus	18	Danthonia	83
Carex	79	Clinostigma	74	Daphnandra	58
Cargillia	45	Cocculus	2	Darwinia	25
Carissa	45	Codonocarpus	54	Datura	49
Carmichaelia	18	Coelospermum	32	Daucus	30
Carpha	78	Colobanthus	5	Davallia	87
Carronia	2	Colocasia	74	Daviesia	15
Carthamus	40	Colletia	13	Deeringia	56
Carumbium	64	Colmeiroa	23	Dendrobium	67
Caryophylleæ	5	Comesperma	5	Denhamia	12
Cassia	20	Commelina	73	Dentella	31
Cassinia	37	Commelinaceæ	73	Deparia	87
Cassytha	58	Commersonia	8	Derris	19
Castanospermum	19	Compositæ	33	Deschampsia	82
Castanospora	13	Coniferae	66	Desmodium	19
Casuarina	65	Conospermum	59	Deyeuxia	82
Casuarinææ	65	Convolvulaceæ	48	Dianella	71
Caustis	79	Convolvulus	48		

	Page		Page		Page
Dianthus	6	Eriachne	84	Geijera	11
Dichelachne	82	Erianthus	81	Geitonoplesium	71
Dichondra	48	Eriaceae	42	Geniostoma	46
Dichopogon	72	Erigeron	34	Gentiana	47
Dicksonia	87	Eriocaulae	75	Gentianeae	47
Didiscus	30	Eriocaulon	75	Geococcus	3
Didymotheca	54	Eriochilus	69	Geraniaceae	9
Dilleniaceae	1	Eriochlamys	37	Geranium	9
Dillwynia	17	Eriochloa	79	Gesneriaceae	51
Dioscorea	71	Eriostemon	10	Geum	23
Dioscorideae	71	Eritrichum	47	Gleichenia	86
Diospyros	45	Erodium	9	Glossodia	70
Diplachne	83	Ervum	20	Glossogyne	35
Diplarrhena	70	Eryngium	30	Glossostigma	50
Diploglottis	13	Erysimum	3	Glyceria	84
Dipodium	68	Erythraea	47	Glycine	19
Discaria	13	Eucalyptus	26	Glycyrrhiza	18
Distichlis	84	Eucryphia	24	Gmelina	52
Diuris	68	Eugenia	28	Gnaphalium	39
Dodonaea	14	Euodia	11	Gnaphalodes	36
Doodia	88	Eupatorium	33	Gnephosis	36
Doryanthes	71	Euphorbia	62	Gomphocarpus	46
Doryphora	58	Euphorbiaceae	62	Gompholobium	15
Dracophyllum	44	Eupomatia	2	Goodenia	41
Drakaea	69	Euphrasia	50	Goodeniaceae	41
Drapetes	62	Euroschinus	14	Goodia	17
Drosera	24	Eurycles	71	Gossypium	7
Droseraceae	24	Eustrephus	71	Gramineae	79
Drymophila	71	Eutaxia	17	Grammitis	89
Drimys	2	Euxolus	56	Gratiola	49
Duboisia	49	Evodia	11	Grevillea	60
Dysoxylon	11	Evolvulus	48	Grewia	8
Dysphania	55	Excaecaria	64	Guilandina	20
		Exocarpus	66	Gymnostachys	74
Ebenaceae	45	Exocarya	77	Gynura	39
Echium	47			Gypsophila	5
Echinocarpus	8	Fagus	65	Gyrostemon	54
Echinopogon	83	Fawcettia	2		
Echinospermum	47	Festuca	84, 85	Hæmodorum	70
Eclipta	35	Fieldia	51	Hakea	60
Ectrosia	84	Ficoideae	29	Halgania	47
Ehretia	47	Ficus	64	Halfordia	11
Ehrharta	81, 82	Filices	86	Halophila	75
Elachanthus	36	Fimbristylis	77	Halorageae	24
Elaeocarpus	8	Flacourtiaceae	4	Haloragis	24
Elaeodendron	12	Flagellaria	71	Hannafordia	8
Elatine	6	Flindersia	12	Hardenbergia	19
Elatineae	6	Fluviales	74	Harpullia	14
Elatostemma	64	Frankenia	5	Hedraianthera	11
Eleusine	83	Frankeniaceae	5	Hedycarya	58
Elythrophorus	84	Frenela	66	Hedyotis	31
Emmenospermum	13	Freycinetia	74	Heleocharis	77
Encephalartos	66	Fuirena	77	Helichrysum	38
Enchylæna	55	Fumaria	4	Helicia	59
Endiandra	58	Fumariaceae	4	Heliotropium	47
Enhydra	36	Fusanus	65	Helipterum	38
Epacridae	42			Helmholtzia	72
Epacris	43	Gahnia	79	Hemarthria	81
Epaltes	35	Galactia	19	Hemichroa	56
Epilobium	28	Galeola	68	Hemicychia	63
Epipogum	68	Galinsoga	35	Hemigenia	53
Eragrostis	84	Galium	32	Hemitelia	87
Eranthemum	51	Gardenia	31	Herpestis	49
Erechtites	39	Gastrodia	68	Herpolirion	72
Eremophila	51	Gaultheria	42	Heterodendron	14

	Page		Page		Page
Heteropogon	81	Lagunaria	7	Lycopodium	85
Hibbertia	1	Lamarekia	84	Lycopus	52
Hibiscus	7	Lambertia	60	Lygodium	86
Hierochloe	82	Lantana	52	Lyonsia	46
Hippocratea	12	Laportea	65	Lyperanthus	69
Hodgkinsonia	32	Lappago	80	Lysimachia	44
Holcus	82	Lappula	47	Lysinema	44
Homoranthus	25	Lasiopetalum	8	Lythraceæ	28
Hordeum	85	Laurineæ	58	Lythrum	28
Hormogyne	44	Lavatera	6		
Hovea	17	Laxmannia	72	Maba	45
Howittia	7	Leersia	81	Macadamia	59
Hoya	46	Leguminosæ	15	Macaranga	63
Humea	37	Lemna	74	Macarthuria	29
Hybanthus	4	Lemnaceæ	74	Macrocharia	66
Hydrilla	67	Lentibularineæ	50	Magnoliaceæ	2
Hydrocharideæ	67	Leonotis	54	Malaisia	64
Hydrocotyle	29	Leontodon	40	Mallotus	63
Hymenantha	4	Leontopodium	39	Malva	7
Hymenophyllum	86	Lepidium	3	Malvaceæ	6
Hymenoporum	4	Lepidosperma	78	Malvastrum	6
Hypericineæ	6	Lepidospora	78	Marattia	86
Hypericum	6	Lepironia	77	Marianthus	4
Hypochoeris	40	Leptocarpus	76	Marlea	31
Hypoestes	51	Leptochloa	83	Marrubium	54
Hypolepis	87	Leptomeria	66	Marsdenia	46
Hypolæna	76	Leptorrhynchos	37	Marsilea	86
Hypoxis	71	Leptospermum	25	Marsileaceæ	86
Hyptiandra	11	Lepturus	85	Mayepea	45
		Lepyrodia	75	Mazus	49
Imperata	81	Lespedeza	19	Medicago	20
Indigofera	18	Leucocarpum	12	Medicosma	11
Ionidium	4	Leucopogon	43	Meionectes	24
Ipomoea	48	Leuzea	33	Melaleuca	26
Irideæ	70	Levenhookia	40	Melastoma	28
Iris	70	Libertia	70	Melastomaceæ	28
Isachne	84	Liliaceæ	71	Melhania	8
Ischamum	81	Limnanthemum	47	Melia	11
Isoetopsis	36	Limosella	50	Meliaceæ	11
Isotoma	42	Linaria	50	Melichrus	42
Isopogon	58	Lindernia	50	Melicope	10
Isotropis	15	Lindsaya	87	Melilotus	20
Ixiolena	37	Lineæ	8	Melissa	54
Ixora	32	Linum	8	Melodinus	45
		Liparis	67	Melodorum	2
Jacksonia	15	Lipocarpa	77	Melothria	29
Jasmineæ	45	Lippia	52	Menispermaceæ	2
Jasminum	45	Lissanthe	42	Menkea	3
Juncaceæ	73	Litsea	58	Mentha	52
Juncus	73	Livistona	74	Meryta	31
Jussiaea	28	Lobelia	42	Mesembryanthemum	29
Justicia	51	Logania	47	Mesomelena	78
		Loganiaceæ	46	Metrosideros	27
Kennedyia	19	Lolium	85	Mezocentrum	20
Kentia	74	Lomaria	88	Micranthemum	62
Keraudrenia	8	Lomatia	61	Microkæna	81
Kibara	58	Lonchocarpus	19	Micromyrtus	25
Kochia	55	Loranthaceæ	31	Microseris	40
Koeleria	84	Loranthus	31	Microtis	69
Kreyssigia	72	Lotus	17	Milletia	18
Kunzea	26	Loudonia	24	Millotia	57
Kyllingea	76	Luzula	73	Mimosææ	20
		Lychuis	6	Mimulus	49
Labiata	52	Lycium	49	Minuria	34
Lagenophora	34	Lycopodiaceæ	85	Mirbelia	15

	Page		Page		Page
Mitrasacme.....	46	Ophioglossum.....	86	Phytolaccaceæ.....	54
Mollinedia.....	58	Oplismenus.....	80	Pieris.....	40
Mollugo.....	29	Orchideæ.....	67	Pilularia.....	86
Molucella.....	54	Oreobolus.....	78	Pimelia.....	61
Momordica.....	29	Oreomyrrhis.....	30	Piper.....	65
Monenteles.....	35	Origanum.....	53	Piperaceæ.....	65
Monimiaceæ.....	58	Orites.....	60	Pisonia.....	57
Monococcus.....	54	Ornithochilus.....	68	Pithecolobium.....	23
Monotaxis.....	62	Orobanche.....	50	Piptocalyx.....	58
Monotoca.....	43	Orobancheæ.....	50	Pipturus.....	64
Moræa.....	70	Orthoceras.....	68	Pittosporæa.....	4
Morgania.....	49	Osmunda.....	86	Pittosporum.....	4
Morinda.....	32	Ottelia.....	67	Plagianthus.....	6
Moschosma.....	52	Owenia.....	12	Plantagineæ.....	54
Mucuna.....	19	Oxalis.....	9	Plantago.....	54
Muehlenbeckia.....	57	Oxylobium.....	15	Platycerium.....	89
Mukia.....	29			Platylobium.....	17
Myoporineæ.....	51	Palmae.....	74	Platyzma.....	86
Myoporum.....	51	Palmeria.....	58	Plectranthus.....	52
Myosotis.....	47	Panax.....	31	Pleiococca.....	11
Myosurus.....	1	Pandaneæ.....	74	Pluchea.....	35
Myriocephalus.....	36	Pandanus.....	74	Plumbagineæ.....	44
Myriogyne.....	36	Panicum.....	80, 84	Plumbago.....	44
Myriophyllum.....	24	Papaver.....	2	Poa.....	84
Myrsineæ.....	44	Papaveraceæ.....	2	Podocarpus.....	66
Myrsine.....	44	Papilionaceæ.....	15	Podocoma.....	34
Myrtaceæ.....	25	Pappophorum.....	83	Podolepis.....	37
Myrtus.....	28	Paronychiaceæ.....	57	Podotheca.....	37
		Parietaria.....	64	Polanisia.....	4
Nageia.....	66	Parsonsia.....	45	Pollia.....	73
Naiadeæ.....	74	Paspalum.....	79	Pollichia.....	47
Naias.....	75	Passiflora.....	28	Pollinia.....	81
Nasturtium.....	2	Passifloreæ.....	28	Polyalthia.....	2
Negria.....	51	Patersonia.....	70	Polycarpea.....	6
Nephelium.....	14	Pavonia.....	7	Polycarpon.....	6
Neptunia.....	20	Pelargonium.....	9	Polycnemom.....	56
Nesodaphne.....	58	Pennantia.....	12	Polygala.....	5
Neurachne.....	81	Pennisetum.....	80	Polygalææ.....	5
Nicandra.....	49	Pentaceras.....	11	Polygonaceæ.....	57
Nicotiana.....	49	Pentachondra.....	42	Polygonum.....	57
Nieinyera.....	44	Pentapogon.....	82	Polymeria.....	48
Nitraria.....	9	Pentatropis.....	46	Polyosmia.....	23
Notelæa.....	45	Peperomia.....	65	Polypodium.....	88
Notholaena.....	89	Peplidium.....	50	Polypogon.....	81
Notothixos.....	31	Pericampylus.....	2	Pomaderris.....	13
Nyctagineæ.....	57	Perotis.....	81	Pomatotheca.....	29
Nymphaea.....	2	Persoonia.....	59	Pomax.....	32
Nymphaeaceæ.....	2	Petalostigma.....	63	Ponceletia.....	44
Nyssanthes.....	57	Petalostyles.....	20	Poranthera.....	62
		Petermannia.....	71	Portulaca.....	6
Oberonia.....	67	Petrophila.....	58	Portulacææ.....	6
Ochrosia.....	45	Phaius.....	68	Potamogeton.....	75
Oenothera.....	28	Phalaris.....	85	Potamophila.....	81
Olacineæ.....	12	Phebalium.....	10	Pothos.....	74
Olax.....	12	Pherosphaera.....	66	Poterium.....	23
Oldenlandia.....	31	Philothea.....	10	Pouzolzia.....	64
Olea.....	45	Philydraceæ.....	72	Prasophyllum.....	69
Olearia.....	33	Philydrum.....	72	Pratia.....	42
Onalanthus.....	64	Pholidia.....	51	Primulacææ.....	44
Omphacomeria.....	66	Phragmites.....	84	Procris.....	64
Onagrariceæ.....	28	Phyllanthus.....	63	Prostanthera.....	53
Oncinocalyx.....	53	Phylloglossum.....	85	Proteaceæ.....	58
Ononis.....	20	Phyllota.....	16	Prunella.....	52
Onopordon.....	40	Physalis.....	49	Pseudanthus.....	62
Opercularia.....	32	Phytolacca.....	54	Pseudomorus.....	64

	Page		Page		Page
Psilotum	86	Saxifrageæ	23	Stenocarpus	61
Psoralea	18	Scævola	41	Stenopetalum	3
Psychotria	32	Schellhammera	72	Stenotaphrum	85
Pteris	87	Schedonorus	84	Stephania	2
Pterocaulon	35	Schizæa	86	Sterculia	7
Pterostylis	69	Schizomeria	23	Sterculiaceæ	7
Ptilotus	56	Schoenus	78	Stipa	82
Ptychosperma	74	Scirpus	77	Strangea	60
Pultenæa	16	Scitamineæ	67	Streblorrhiza	18
Quintinia	23	Scleranthus	57	Streptothamnus	4
Randia	31, 32	Scleria	79	Stuartina	39
Ranunculaceæ	1	Sclerolæna	56	Sturmia	67
Ranunculus	1	Scolopia	4	Stylidæ	40
Raoulia	39	Scrophularinææ	49	Stylidium	31, 40
Raphanus	3	Scutellaria	52	Stypandra	72
Ratonia	14	Sebæa	47	Styphelia	42, 43
Restiaceæ	75	Secamone	46	Styracææ	45
Restio	75	Selaginella	85	Suæda	56
Rhagodia	54	Selliera	41	Swainsona	18
Rhamnææ	12	Senebiera	4	Symphyonema	59
Rhipogonum	71	Senecio	39, 40	Symplocos	45
Rhizophora	25	Seringia	8	Syncarpia	27
Rhizophoreæ	25	Sesbania	18	Synoum	12
Rhizospermeæ	86	Sesuvium	29	Tabernæmontana	45
Rhodamnia	28	Setaria	80	Tagetes	36
Rhodomyrtus	28	Sicyos	29	Taraxacum	40
Rhus	14	Sideroxylon	44	Tarrietia	8
Rhynchosia	19	Siebera	30	Tecoma	51
Rhynchospora	78	Siegesbeckia	35	Telopea	61
Ricinocarpus	62	Silene	5	Templetonia	17
Ricinus	64	Simarubææ	11	Tephrosia	18
Rochelia	47	Sinapis	3	Tetragonia	29
Rosa	23	Siphonodon	12	Tetrarrhena	82
Rosaceæ	23	Sisymbrium	3	Tetratheca	5
Rubiaceæ	31	Sisyrrinchium	70	Teucrium	53
Rubus	23	Sium	30	Thelymitra	68
Ruellia	51	Sloanea	8	Thesium	65
Rulingia	8	Smilax	71	Thlaspi	3
Rumex	57	Solanææ	48	Threlkeldia	56
Ruppia	75	Solanum	48	Thryptomene	25
Rutaceæ	9	Soliva	36	Thymelææ	61
Rutidosis	37	Sonchus	40	Thysanotus	72
Saccolabium	68	Sophora	19	Tiliacææ	8
Sagina	5	Sorghum	81	Tillæa	24
Salicariææ	28	Sowerbæa	72	Tmesipteris	86
Salicornia	56	Sparaxis	70	Todea	86
Salomonina	5	Sparganium	74	Tolpis	40
Salsolacææ	54	Spartothamnus	52	Toxanthus	37
Salsola	56	Spergula	6	Trachymene	30
Salvia	52	Spergularia	6	Tragopogon	40
Samara	44	Spermacocæ	32	Tragus	80
Sambucus	31	Sphærolobium	15	Trema	64
Samolus	44	Spinifex	80	Tremandracææ	5
Santalacææ	65	Spilanthus	35	Trianthema	29
Santalum	65	Spiranthes	68	Tribulus	9
Sapindacææ	13	Sporobolus	83	Trichinium	56
Saponaria	5	Sprengelia	44	Trichodesma	47
Sapotacææ	44	Spyridium	13	Trichomanes	86
Sarcochilus	67, 68	Stachys	54	Trichonema	70
Sarcopetalum	2	Stackhousia	12	Trichosanthes	29
Sarcostemma	46	Stackhousiææ	12	Tricoryne	72
Saussurea	33	Statice	44	Tricostularia	78
		Stellaria	5	Trifolium	20
		Stemodia	49	Triglochin	74

	Page		Page		Page
Trigonella	17	Verbascum	50	Wilkiea	3
Triodia	83	Verbena	52	Wilsonia	48
Trirhaphis	83	Verbenaceæ	52	Wistaria	18
Trisetum	82	Vernonia	33	Wollfia	74
Tristania	27	Veronica	50	Woodwardia	88
Trithuria	75	Vicia	20	Woollsia	44
Trochocarpa	42	Vigna	19	Wurmbea	72
Turraea	11	Villarsia	47	Xanthium	35
Tylophora	46	Villaresia	12	Xanthorrhoea	73
Typha	74	Viminaria	15	Xanthosia	30
Typhaceæ	74	Vincetoxicum	46	Xerotes	73
Typhonium	74	Viniferae	13	Xylosma	4
Ulex	20	Viola	4	Xylomelum	60
Umbelliferae	29	Violarieæ	4	Xyridææ	73
Uncinia	79	Viscum	31	Xyris	73
Ugeria	8	Vitex	52	Zaleya	29
Uraria	19	Vitis	13	Zanthoxylum	11
Urtica	64	Vittadinia	34	Zieria	9
Urticææ	64	Vittaria	87	Zornia	19
Utricularia	50	Wahlenbergia	42	Zostera	75
Vallisneria	67	Waitzia	38	Zoysia	80
Vandellia	50	Wedelia	35	Zygophylleæ	9
Velleya	41	Weinmannia	23, 24	Zygophyllum	9
Ventilago	12	Westringia	53		
		Wickstroemia	62		

LRBM 0009736 6

211

581.9944
MOO
copy 3

